No. 43.—INSANE ENUMERATED IN HOSPITALS: Number and Ratio per 100,000 of Population in 1890, 1903, and 1910, by States, by Geographic Divisions, and (for 1903) by Nativity and Color.

[Source: Reports of the Bureau of the Census, Department of Commerce and Labor.]

| | June 1 | , 1890. | | | Dec. 3 | 1, 1903. | | | Jan. 1, 1910.1 | | |
|--|------------------------------------|--|---|---|---|------------------------------------|---------------------------------------|------------------------------|---|--|--|
| State. | Num- ber. | Num- ber per 100,000 of pop- ula- tion. | Num- ber. | Num- ber per 100,000 of pop- ula- tion. ² | Native white. | For- eign- born white. | White, nativ- ity un- known. | Colored. | Num- ber. | Num- ber per 100,000 of pop- ula- tion. | |
| Alabama | 1,014 | 67.0 | 1,603 | 82.6 | 1,085 | 41 | 30 | 447 | 2,039 | 95.4 | |
| | 65 | 109.0 | 224 | 165.5 | 100 | 95 | 19 | 10 | 337 | 164.9 | |
| | 390 | 34.6 | 667 | 48.4 | 537 | 21 | 1 | 108 | 1,092 | 69.4 | |
| | 3,289 | 272.2 | 5,717 | 361.3 | 2,556 | 2,795 | 88 | 278 | 6,653 | 277.7 | |
| | 239 | 58.0 | 754 | 128.9 | 441 | 267 | 23 | 23 | 1,199 | 150.1 | |
| Connecticut Delaware Dist. of Columbia Florida Georgia | 1,544 | 206.9 | 2,831 | 292.9 | 1,786 | 980 | 8 | 57 | 3,574 | 320.6 | |
| | 142 | 84.3 | 353 | 185.2 | 193 | 78 | 4 | 78 | 441 | 218.0 | |
| | 1,496 | 649.3 | 2,453 | 828.6 | 1,255 | 728 | 7 | 463 | 2,890 | 872.9 | |
| | 202 | 51.6 | 713 | 123.4 | 308 | 73 | 55 | 277 | 849 | 112.8 | |
| | 1,491 | 81.1 | 2,839 | 120.7 | 1,907 | 34 | 2 | 896 | 3,132 | 120.0 | |
| IdahoIllinoisIndianaIowaKansas | 63 | 74.7 | 255 | 135.6 | 137 | 104 | 9 | 5 | 388 | 119.2 | |
| | 4,767 | 124.6 | 9,607 | 185.5 | 5,138 | 3,667 | 562 | 240 | 12,838 | 227.7 | |
| | 1,798 | 82.0 | 4,358 | 165.5 | 3,559 | 580 | 111 | 108 | 4,529 | 167.7 | |
| | 2,030 | 106.2 | 4,385 | 186.9 | 2,935 | 1,320 | 72 | 58 | 5,377 | 241.7 | |
| | 1,261 | 88.4 | 2,460 | 165.6 | 1,802 | 549 | 13 | 96 | 2,912 | 172.2 | |
| KentuckyLouisianaMaineMarylandMassachusetts | 1,991 | 107.1 | 3,058 | 135.9 | 2,362 | 174 | 46 | 476 | 3,538 | 154.5 | |
| | 608 | 54.4 | 1,585 | 107.4 | 936 | 167 | 16 | 466 | 2,158 | 130.3 | |
| | 612 | 92.6 | 885 | 125.3 | 742 | 129 | 6 | 8 | 1,258 | 169.5 | |
| | 1,416 | 135.8 | 2,505 | 202.0 | 1,740 | 413 | 25 | 327 | 3,220 | 248.6 | |
| | 4,054 | 181.1 | 8,679 | 288.5 | 4,917 | 3,558 | 77 | 127 | 11,602 | 344.6 | |
| Michigan | 2,771 | 132.3 | 5, 430 | 215.6 | 2,929 | 2, 253 | 173 | 75 | 6,699 | 238.4 | |
| | 1,859 | 142.8 | 4, 070 | 213.1 | 1,463 | 2, 547 | 49 | 11 | 4,744 | 228.5 | |
| | 682 | 52.9 | 1, 493 | 90.8 | 896 | 36 | 3 | 558 | 1,978 | 110.1 | |
| | 2,417 | 90.2 | 5, 103 | 156.5 | 3,474 | 997 | 383 | 249 | 6,170 | 187.3 | |
| | 172 | 130.1 | 543 | 194.4 | 221 | 303 | 1 | 18 | 697 | 185.3 | |
| Nebraska | 642 172 342 1,744 | 60.6 375.9 90.8 120.7 | 1,536 200 496 4,865 113 | 143.9 472.4 116.9 238.4 54.4 | 873 65 374 2,756 93 | 639 111 113 1,803 12 | 8 11 8 109 7 | 16 13 1 197 1 | 1,991 231 909 6,044 219 | 167.0 282.1 211.1 238.2 66.9 | |
| New York | 13,434 972 200 4,960 | 224.0 60.1 109.5 135.1 | 26, 176 1, 883 446 8, 621 413 | 339.0 94.5 122.2 199.0 80.5 | 13, 452 1, 349 140 6, 542 366 | 11,858 13 303 1,688 36 | 336 1 146 | 530 521 2 245 11 | 31,279 2,522 628 10,594 1,110 | 343.2 114.3 108.8 222.2 67.0 | |
| Oregon | 554 6, 257 660 664 232 | 176.6 119.0 191.0 57.7 70.6 | 1,285 11,521 1,077 1,156 595 | 286.9 172.6 235.0 82.1 141.5 | 739 7,516 681 681 286 | 487 3,367 358 6 285 | 15 229 11 3 | 44 409 27 469 21 | 1,565 15,060 1,243 1,541 864 | 232.6 196.5 229.1 101.7 148.0 | |
| Tennessee | 806 | 45.6 | 1,713 | 81.1 | 1,356 | 33 | 13 | 311 | 2, 205 | 100.9 | |
| | 1,045 | 46.7 | 3,345 | 100.1 | 2,364 | 426 | 144 | 411 | 4, 053 | 104.0 | |
| | 124 | 59.6 | 344 | 114.5 | 189 | 149 | 4 | 2 | 342 | 91.6 | |
| | 481 | 144.7 | 887 | 255.1 | 712 | 152 | 21 | 2 | 990 | 278.1 | |
| | 1,764 | 106.5 | 3,137 | 162.9 | 2,045 | 64 | 3 | 1,025 | 3, 636 | 176.4 | |
| Washington West Virginia Wisconsin Wyoming | 341 860 1,378 23 | 97.6 112.7 81.7 37.9 | 1,178 1,475 5,023 96 | 204.6 143.3 227.9 93.0 | 561 1,262 2,426 50 | 588 123 2,512 43 | 14 8 63 | 15 82 22 3 | 1,988 1,722 6,586 162 | 174.1 141.0 282.2 111.0 | |
| Total | 74,028 | 118.2 | 150, 151 | 186.2 | 90, 297 | 47,078 | 2,937 | 9,839 | 187,798 | 204.2 | |
| Geographic divisions.3 | | | | | | | | | | | |
| New England Middle Atlantic East North Central. West North Central. South Atlantic | 7,693 | 163.7 | 14,855 | 251.3 | 9,212 | 5,290 | 131 | 222 | 19,576 | 298.7 | |
| | 21,435 | 168.8 | 42,562 | 258.9 | 23,724 | 17,028 | 674 | 1,136 | 52,383 | 271.2 | |
| | 15,674 | 116.3 | 33,039 | 195.9 | 20,594 | 10,700 | 1,055 | 690 | 41,246 | 226.0 | |
| | 8,641 | 97.2 | 18,595 | 171.3 | 10,973 | 6,640 | 529 | 453 | 22,686 | 194.9 | |
| | 9,007 | 101.7 | 16,514 | 150.0 | 10,740 | 1,532 | 104 | 4,138 | 19,953 | 163.6 | |
| East South Central. West South Central. Mountain. Pacific | 4, 493 | 69.9 | 7,867 | 99.0 | 5,699 | 284 | 92 | 1,792 | 9,760 | 116.1 | |
| | 2, 043 | 45.0 | 6,010 | 83.8 | 4,203 | 650 | 161 | 996 | 8,413 | 95.8 | |
| | 858 | 74.2 | 2,529 | 137.3 | 1,296 | 1,084 | 74 | 75 | 3,575 | 135.8 | |
| | 4, 184 | 223.6 | 8,180 | 313.9 | 3,856 | 3,870 | 117 | 337 | 10,206 | 243.4 | |

Source: Statistical Abstract of the United States: 1912 Edition.

Provisional figures subject to correction.
 Figures based on estimated population, Dec. 31, 1903.
 For States included in each division see note 5, p. 38.

Section 3

Health and Nutrition

This section presents statistics on health expenditures and insurance coverage. including Medicare and Medicaid, medical personnel, hospitals, nursing homes and other care facilities, injuries, diseases, disability status, nutritional intake of the population, and food consumption. Summary statistics showing recent trends on health care and discussions of selected health issues are published annually by the U.S. National Center for Health Statistics (NCHS) in Health, United States. Data on national health expenditures, medical costs, and insurance coverage are compiled by the U.S. Centers for Medicare & Medicaid Services (CMS) (formerly Health Care Financing Administration), and appear on the CMS Web site at http://www.cms.hhs.gov/statistics/nhe and in the annual Medicare and Medicaid Statistical Supplement to the Health Care Financina Review. Statistics on health insurance are also collected by NCHS and are published in Series 10 of Vital and Health Statistics. U.S. Census Bureau also publishes data on utilization of insurance coverage. Statistics on hospitals are published annually by the Health Forum, L.L.C., an American Hospital Association Company, in *Hospital Statistics*. Primary source for data on nutrition is the annual Food Consumption, Prices, and Expenditures, issued by the U.S. Department of Agriculture. NCHS also conducts periodic surveys of nutrient levels in the population, including estimates of food and nutrient intake, overweight and obesity, hypercholesterolemia, hypertension, and clinical signs of malnutrition.

National health expenditures—CMS compiles estimates of national health expenditures (NHE) to measure spending for health care in the United States. The NHE accounts are structured to show spending by type of expenditure (i.e., hospital care, physician and clinical care, dental care, and other professional care; home health care; retail sales of prescription drugs; other medical nondurables; vision products and other medical

durables; nursing home care and other personal health expenditures; plus nonpersonal health expenditures for such items as public health, research, construction of medical facilities, administration, and the net cost of private health insurance) and by source of funding (e.g., private health insurance, out-of-pocket payments, and a range of public programs including Medicare, Medicaid, and those operated by the Department of Veterans Affairs (VA)).

Data used to estimate health expenditures come from existing sources, which are tabulated for other purposes. The type of expenditure estimates rely upon statistics produced by such groups as the American Hospital Association, the Census Bureau, and the Department of Health and Human Services (HHS). Source of funding estimates are constructed using administrative and statistical records from the Medicare and Medicaid programs, the Department of Defense and VA medical programs, the Social Security Administration. Census Bureau's Governmental Finances, state and local governments, other HHS agencies, and other nongovernment sources. More information and detailed descriptions of sources and methods are available on the CMS home page at http://cms.hhs.gov/statistics /nhe/default.asp>.

Medicare. Medicaid and SCHIP—Since July 1966, the federal Medicare program has provided two coordinated plans for nearly all people age 65 and over: (1) A hospital insurance plan, which covers hospital and related services and (2) a voluntary supplementary medical insurance plan, financed partially by monthly premiums paid by participants, which partly covers physicians' and related medical services. Such insurance also applies, since July 1973, to disabled beneficiaries of any age after 24 months of entitlement to cash benefits under the social security or railroad retirement programs and to persons with end stage renal disease.

Medicaid is a health insurance program for certain low-income people. These include: certain low-income families with children; aged, blind, or disabled people on supplemental security income; certain low-income pregnant women and children; and people who have very high medical bills. Medicaid is funded and administered through a state-federal partnership. Although there are broad federal requirements for Medicaid, states have a wide degree of flexibility to design their program. States have authority to establish eligibility standards, determine what benefits and services to cover, and set payment rates. Congress created the State Children's Health Insurance Program (SCHIP) to address the growing problem of children without health insurance. SCHIP was designed as a federal/state partnership, similar to Medicaid, with the goal of expanding health insurance to children whose families earn too much money to be eligible for Medicaid, but not enough money to purchase private insurance.

Health resources—Hospital statistics based on data from the American Hospital Association's yearly survey are published annually in *Hospital Statistics* and cover all hospitals accepted for registration by the Association. To be accepted for registration, a hospital must meet certain requirements relating to number of beds, construction, equipment, medical and nursing staff, patient care, clinical records, surgical and obstetrical facilities, diagnostic and treatment facilities, laboratory services, etc. Data obtained from NCHS cover all U.S. hospitals that meet certain criteria for inclusion. The criteria are published in Vital and Health Statistics reports, Series 13. NCHS defines a hospital as a nonfederal short-term general or special facility with six or more inpatient beds with an average stay of less than 30 days.

Statistics on the demographic characteristics of persons employed in the health occupations are compiled by the U.S. Bureau of Labor Statistics and reported in *Employment and Earnings* (monthly) (see Table 604, Section 12, Labor Force, Employment, and Earnings). Data based

on surveys of health personnel and utilization of health facilities providing long-term care, ambulatory care, and hospital care are presented in NCHS Series 13, Data on Health Resources Utilization and Advance Data from Vital and Health Statistics. Statistics on patient visits to health care providers, as reported in health interviews, appear in NCHS Series 10, National Health Interview Survey Data.


The CMS's Health Care Financing Review and its annual Medicare and Medicaid Statistical Supplement present data for hospitals and nursing homes as well as extended care facilities and home health agencies. These data are based on records of the Medicare program and differ from those of other sources because they are limited to facilities meeting federal eligibility standards for participation in Medicare.

Disability and illness—General health statistics, including morbidity, disability, injuries, preventive care, and findings from physiological testing are collected by NCHS in its National Health Interview Survey and its National Health and Nutrition Examination Surveys and appear in Vital and Health Statistics, Series 10 and 11, respectively. The Department of Labor compiles statistics on occupational injuries (see Section 12, Labor Force, Employment, and Earnings). Annual incidence data on notifiable diseases are compiled by the Public Health Service (PHS) at its Centers for Disease Control and Prevention in Atlanta, Georgia, and are published as a supplement to its Morbidity and Mortality Weekly Report. The list of diseases is revised annually and includes those which, by mutual agreement of the states and PHS, are communicable diseases of national importance.

Nutrition—Statistics on annual per capita consumption of food and its nutrient value are estimated by the U.S. Department of Agriculture. Data are available online at http://www.ers. usda.gov /data/foodconsumption>. Statistics on food insufficiency and food and nutrient intake are collected by NCHS to estimate the diet of the nation's population. NCHS also collects physical examination data to assess the population's nutritional status, including growth,

overweight/obesity, nutritional deficiencies, and prevalence of nutrition-related conditions, such as hypertension, hypercholesterolemia. and diabetes.

Statistical reliability—For discussion of statistical collection, estimation, and sampling procedures and measures of reliability applicable to data from NCHS and CMS, see Appendix III.



Source: Figure 3.1 prepared by U.S. Census Bureau. For data, see Table 126.

Table 118. National Health Expenditures—Summary, 1960 to 2003, and Projections, 2004 to 2014

[In billions of dollars (27 represents \$27,000,000,000). Excludes Puerto Rico and island areas]

| | | Private expenditures | | | Public expenditures | | | Health services and supplies | | | | s |
|---|--|--|---|--|---|---|---|--|--|--|---------------------------------------|---------------------------------------|
| Year | Total expendi- tures ¹ | Total ² | Out-of- pocket | Insur- ance | Total | Federal | State and local | Total ³ | Hospi- tal care | Physician and clinical services | Pre- scrip- tion drugs | Nursing home care |
| 1960 1961 1962 1963 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1980 1991 1981 1982 1983 1984 1985 1988 1989 1990 1991 1992 1993 1994 1999 1999 1999 1999 1999 1999 | 27 29 311 34 38 411 455 58 69 69 189 214 246 2246 2246 2246 321 321 321 321 321 321 321 321 321 321 | 20 211 25 28 31 325 36 45 50 61 67 75 87 99 910 1124 141 164 187 206 229 225 2267 289 332 267 289 332 371 414 441 441 448 513 50 631 631 631 631 631 631 631 631 631 631 | 13 13 13 14 15 17 18 19 21 23 25 26 29 32 35 37 41 45 48 53 58 66 72 79 86 96 103 109 126 137 142 146 152 214 231 246 25 214 231 247 25 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27 | 6 77 77 8 8 9 10 10 11 11 21 23 6 30 30 37 37 45 52 60 68 81 118 135 148 135 234 254 274 298 312 330 344 361 385 414 451 451 525 606 601 647 691 775 691 691 691 691 691 691 691 691 691 691 | 7 7 7 8 9 9 9 10 114 122 22 28 311 355 55 65 55 26 270 80 90 105 1134 1461 175 190 2296 252 283 321 359 390 427 483 503 500 550 552 655 718 766 824 891 1,077 1,158 1,333 1,427 1,532 1,647 1,773 | 3 3 3 4 4 4 4 4 5 7 7 12 14 16 18 20 30 36 43 47 54 61 71 13 12 113 122 113 122 123 143 143 147 193 222 251 193 365 366 367 367 367 367 367 378 478 478 478 478 478 478 478 4 | 4 4 4 4 4 5 5 6 6 6 7 8 9 10 112 146 19 20 23 22 46 6 29 34 42 48 52 59 99 10 112 116 116 116 116 116 117 117 117 117 117 | 25 27 29 31 34 37 41 47 53 59 67 75 84 93 106 121 139 203 234 271 305 336 337 234 271 305 372 409 439 439 478 535 599 67 735 735 735 735 846 1,066 1,113 1,180 1,1 | 9 10 11 12 13 14 16 18 21 28 31 34 39 55 52 68 76 87 102 119 135 146 156 156 167 178 192 209 229 254 280 332 332 332 332 332 332 332 334 345 35 368 379 379 379 379 379 379 379 379 379 379 | 5 6 6 7 7 8 8 9 9 10 111 12 144 116 17 19 2 2 5 8 33 35 5 61 12 7 142 155 190 201 127 142 257 271 221 229 241 257 271 315 370 397 426 454 487 522 569 640 685 738 38 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |

¹ Includes medical research and medical facilities construction, not shown separately. ² Includes other private expenditures, not shown separately. ³ Includes other objects of expenditure, not shown separately.

Source: U. S. Centers for Medicare & Medicaid Services, Office of the Actuary, "Health Accounts"; http://www.cms.hhs.gov/statistics/nhe/default.asp.

Table 119. National Health Expenditures by Type: 1990 to 2003

[In billions of dollars (696.0 represents \$696,000,000,000), except percent. Excludes Puerto Rico and island areas]

| Type of expenditure | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 |
|---|--|---|---|--|---|--|---|---|
| Total | 696.0 11.8 12.0 | 990.2 5.7 13.4 | 1,150.9 5.3 13.2 | 1,222.2 6.2 13.2 | 1,309.9 7.2 13.3 | 1,426.4 8.9 14.1 | 1,559.0 9.3 14.9 | 1,678.9 7.7 15.3 |
| Private expenditures Health services and supplies. Out-of-pocket payments Insurance premiums Other Medical research Medical facilities construction | 413.5 401.9 137.3 233.5 31.1 1.0 10.7 | 533.4 520.9 146.5 329.7 44.9 1.4 | 631.1 615.5 175.6 384.7 55.3 2.0 13.6 | 671.9 655.8 184.7 413.7 57.3 2.1 14.1 | 717.5 699.2 193.1 450.6 55.5 3.4 14.9 | 771.8 754.2 202.0 496.6 55.6 2.6 14.9 | 841.0 821.3 214.2 549.5 57.6 2.6 17.2 | 913.2 892.6 230.5 600.6 61.5 2.5 18.1 |
| Public expenditures Percent federal of public Health services and supplies. Medicare ³ Public assistance medical payments ⁴ Temporary disability insurance ⁵ Workers' compensation (medical) ⁵ Defense Dept. hospital, medical Maternal, child health programs Public health activities Veterans' hospital, medical care Medical vocational rehabilitation State and local hospitals ⁶ Other Medical research Medical research | 282.5 68.2 267.7 110.2 78.7 0.1 17.5 10.4 1.8 20.2 11.3 0.5 13.1 3.8 11.7 3.1 | 456.6 70.6 436.7 183.3 149.5 0.1 21.9 12.1 2.2 31.4 15.4 0.7 14.1 6.0 15.7 4.4 | 519.8 70.6 497.1 208.8 176.6 0.1 20.7 12.2 2.4 37.9 16.9 0.8 13.8 6.9 18.6 4.2 | 550.3 70.2 524.4 213.0 191.7 22.8 12.9 2.6 41.2 17.7 0.8 13.7 8.0 21.6 4.3 | 592.4 70.2 561.7 224.5 209.3 - 25.3 14.0 2.7 43.9 19.1 0.8 13.4 8.8 25.7 5.0 | 654.6 70.8 619.6 248.8 231.6 27.7 15.2 2.7 47.4 21.5 0.8 14.0 9.8 30.3 4.8 | 718.0 70.8 678.5 267.7 259.9 31.0 17.6 2.7 51.2 22.2 0.9 14.7 10.5 33.9 5.6 | 765.7 70.7 721.7 283.1 279.0 17.2 2.7 53.8 24.5 0.9 15.5 10.9 37.6 6.4 |

⁻ Represents zero or rounds to zero.

Source: U. S. Centers for Medicare & Medicaid Services, Office of the Actuary, "Health Accounts"; http://www.cms.hhs.gov/statistics/nhe /default.asp>.

Table 120. National Health Expenditures by Object, 1990 to 2003, and Projections, 2004

[In billions of dollars (696.0 represents \$696,000,000,000). Excludes Puerto Rico and outlying areas]

| Object of expenditure | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004, proj. |
|---|---|--|--|--|---|--|---|--|--|
| Total | 696.0 | 990.2 | 1,150.9 | 1,222.2 | 1,309.9 | 1,426.4 | 1,559.0 | 1,678.9 | 1,804.7 |
| Consumers Out-of-pocket Private insurance. Public Other ¹ | 370.8 137.3 233.5 282.5 42.8 | 476.2 146.5 329.7 456.6 57.4 | 560.3 175.6 384.7 519.8 70.8 | 598.5 184.7 413.7 550.3 73.4 | 643.7 193.1 450.6 592.4 73.8 | 698.6 202.0 496.6 654.6 73.1 | 763.7 214.2 549.5 718.0 77.4 | 831.1 230.5 600.6 765.7 82.1 | 892.7 245.9 646.9 824.2 87.7 |
| Spent for— Health services and supplies. Personal health care expenses Hospital care. Physician and clinical services Dental services Other professional services ² Home health care. Prescription drugs Other nondurable medical products Durable medical equipment ³ Nursing home care. Other personal health care. Public administration and net cost of private health insurance ⁴ | 669.6 609.4 253.9 157.5 31.5 18.2 12.6 40.3 22.5 10.6 52.7 9.6 | 957.6 865.7 343.6 220.5 44.5 28.6 30.5 60.8 25.6 14.2 74.6 22.9 | 1,112.6 1,009.8 378.5 256.8 53.2 35.5 33.6 87.3 28.4 16.9 89.5 30.2 | | 1,260.9 1,136.1 413.1 290.2 60.7 38.8 31.6 121.5 30.4 17.7 95.3 36.7 | | 1,499.8 1,342.9 484.2 340.8 70.9 46.1 36.5 161.8 31.1 19.6 45.3 | | 1,735.5 1,549.0 551.8 397.2 79.1 52.2 45.2 200.5 33.7 21.2 115.4 52.8 |
| Public health activities | 20.2 | 31.4 | 37.9 | 41.2 | 43.9 | 47.4 | 51.2 | 53.8 | 58.3 |
| Medical research 5 | 12.7 13.7 | 17.1 15.5 | 20.5 17.7 | 23.7 18.3 | 29.1 19.8 | 32.9 19.7 | 36.5 22.7 | 40.2 24.5 | 43.1 26.1 |

¹ Includes nonpatient revenues, privately-funded construction, and industrial inplant. ² Includes services of registered and practical nurses in private duty, podiatrists, optometrists, physical therapists, clinical psychologists, chiropractors, naturopaths, and Christian Science practitioners. Includes expenditures for eyeglasses, hearing aids, orthopedic appliances, artificial limbs, crutches, wheelchairs, etc. Includes administrative expenses of federally-financed health programs. 5 Research and development expenditures of drug companies and other manufacturers and providers of medical equipment and supplies are excluded from research expenditures, but are included in the expenditure class in which the product falls.

¹ Change from immediate prior year. For explanation of average annual percent change, see Guide to Tabular Presentation.
² Covers insurance benefits and amount retained by insurance companies for expenses, additions to reserves, and profits (net cost of insurance).
³ Represents expenditures for benefits and administrative cost from Federal hospital and medical insurance trust funds under old-age, survivors, disability, and health insurance programs; see text, of this section.
⁴ Payments made directly to trinds under old-age, survivors, disability, and health insurance programs; see text, of this section.

Payments made directly to suppliers of medical care (primarily medicaid).

Includes medical benefits paid under public law by private insurance carriers, state governments, and self-insurers.

Expenditures not offset by other revenues.

Covers expenditures for Substance Abuse and Mental Health Services Administration, Indian Health Service; school health and other programs.

Source: U. S. Centers for Medicare & Medicaid Services. Office of the Actuary. "Health Accounts": http://www.cms.hhs.gov/statistics/nhe /default.asp>.

Table 121. Health Services and Supplies—Per Capita Consumer Expenditures by Object: 1990 to 2003

[In dollars, except percent. Based on Social Security Administration estimates of total U.S. population as of July 1, excluding Armed Forces and Federal employees abroad and civilian population of Puerto Rico and island areas. Excludes medical research and construction1

| Object of expenditure | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 |
|---|--|---|---|--|--|--|---|---|
| Total, national | 2,633 10.5 | 3,530 4.6 | 3,962 4.2 | 4,154 4.9 | 4,389 5.7 | 4,733 7.8 | 5,115 8.1 | 5,452 6.6 |
| Hospital care | 998 | 1,267 | 1,348 | 1,385 | 1,438 | 1,538 | 1,652 | 1,742 |
| | 619 | 813 | 914 | 954 | 1,010 | 1,085 | 1,162 | 1,249 |
| | 124 | 164 | 189 | 198 | 211 | 226 | 242 | 251 |
| Dental services | 71 | 105 | 126 | 129 | 135 | 147 | 157 | 164 |
| | 49 | 113 | 120 | 114 | 110 | 116 | 125 | 135 |
| | 158 | 224 | 311 | 368 | 423 | 485 | 552 | 605 |
| Prescription drugsOther nondurable medical products Durable medical equipment ² | 88 | 94 | 101 | 106 | 106 | 105 | 106 | 110 |
| | 42 | 52 | 60 | 61 | 62 | 64 | 67 | 69 |
| Nursing home care | 207 | 275 | 319 | 319 | 332 | 349 | 363 | 374 |
| | 38 | 84 | 107 | 119 | 128 | 142 | 155 | 167 |
| private health insurance | 157 | 223 | 231 | 258 | 282 | 313 | 361 | 404 |
| | 80 | 116 | 135 | 145 | 153 | 163 | 174 | 182 |
| Total, private consumer ³ Hospital care Physician and clinical services Dental services. Other professional services ² Home health care Prescription drugs. Other nondurable medical products Durable medical equipment ² Nursing home care Net cost of private health insurance | 1,458 426 386 120 47 20 132 86 33 90 117 | 1,755 450 491 156 68 37 179 90 38 95 | 1,995 474 553 180 86 53 245 97 43 116 147 | 2,107 494 567 189 88 52 290 101 43 118 164 | 2,241 524 602 200 92 48 330 101 43 122 178 | 2,407 562 641 212 99 44 377 100 43 125 203 | 2,605 609 689 226 103 44 426 101 43 124 240 | 2,807 654 747 234 108 47 459 104 43 133 276 |

¹ Change from immediate prior year. ² See footnotes for corresponding objects in Table 120. 3 Represents out-of-pocket payments and private health insurance.

Source: U. S. Centers for Medicare and Medicaid Services, Office of the Actuary, "Health Accounts"; https://www.cms.hhs.gov

Table 122. Government Expenditures for Health Services and Supplies: 2003

[In millions of dollars (721,658 represents \$721,658,000,000). Excludes Puerto Rico and island areas. Excludes medical research and construction]

| | | | | | | Other | r health servi | ces |
|--------------------------|--------------------|---------|-----------------|--------------------------------|---------------------------|----------|--------------------|--------------------------------|
| Type of service | Total ¹ | Federal | State and local | Medicare ² (OASDHI) | Public assist- ance | Veterans | Defense Dept. 4 | Workers' compen sation 5 |
| Total 1 | 721,658 | 507,480 | 214,178 | 283,104 | 279,019 | 24,549 | 17,223 | 33,975 |
| Hospital care | 300,770 | 242,051 | 58,720 | 156,427 | 90,724 | 18,146 | 10,567 | 11,178 |
| sérvices | 122.988 | 101.253 | 21.735 | 73.751 | 28.185 | 1.478 | 3.340 | 10.290 |
| Prescription drugs | 43,162 | 25,206 | 17,957 | 2.841 | 37,491 | 126 | 1.338 | 1,170 |
| Nursing home care | 67,264 | 45.511 | 21,753 | 13,729 | 51,230 | 2,305 | - | , - |
| Public administration | 36,394 | 20,218 | 16,175 | 8,188 | 19,328 | 106 | 757 | 7,686 |
| Public health activities | 53,752 | 7,432 | 46,319 | -, | , | - | - | - |

⁻ Represents zero. ¹ Includes other items not shown separately. ² Covers hospital and medical insurance payments and administrative costs under old-age, survivors, disability, and health insurance program. ³ Covers medicaid and other medical public assistance. Excludes funds paid into medicare trust fund by states to cover premiums for public assistance recipients and medically indigent persons. ⁴ Includes care for retirees and military dependents. ⁵ Medical benefits. Source: U. S. Centers for Medicare and Medicaid Services, Office of the Actuary, "Health Accounts"; <a href="https://www.cms.hhs.gov/articles/stat

/statistics/nhe/default.asp>.

Table 123. Personal Health Care—Third Party Payments and Private Consumer Expenditures, 1990 to 2003, and Projections, 2004

[In billions of dollars (609.4 represents \$609,400,000,000), except percent. See headnote, Table 124]

| Item | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 , proj |
|-----------------------------------|-------|-------|---------|---------|---------|---------|---------|---------|--------------------|
| Personal health care expenditures | 609.4 | 865.7 | 1,009.8 | 1,065.6 | 1,136.1 | 1,235.5 | 1,342.9 | 1,440.8 | 1,549.0 |
| Third party payments, total | 472.1 | 719.3 | 834.2 | 880.9 | 943.0 | 1.033.5 | 1.128.7 | 1.210.3 | 1.303.1 |
| Percent of personal health care | 77.5 | 83.1 | 82.6 | 82.7 | 83.0 | 83.7 | 84.0 | 84.0 | 84.1 |
| Private insurance payments | 203.6 | 288.7 | 343.4 | 367.0 | 399.3 | 437.6 | 479.1 | 518.7 | 558.8 |
| Public expenditures | 237.9 | 386.4 | 436.4 | 457.6 | 489.2 | 541.6 | 593.3 | 631.5 | 680.2 |
| Other 1 | 30.6 | 44.2 | 54.4 | 56.3 | 54.4 | 54.3 | 56.2 | 60.0 | 64.2 |
| Private consumer expenditures 2 | 340.9 | 435.1 | 519.0 | 551.8 | 592.4 | 639.6 | 693.3 | 749.2 | 804.6 |
| Percent met by private insurance | 59.7 | 66.3 | 66.2 | 66.5 | 67.4 | 68.4 | 69.1 | 69.2 | 69.4 |
| Hospital care | 108.4 | 122.1 | 133.0 | 140.2 | 150.6 | 163.3 | 178.4 | 193.7 | 206.0 |
| Percent met by private insurance | 89.6 | 91.4 | 91.0 | 91.1 | 91.6 | 91.8 | 91.7 | 91.6 | 91.5 |
| Physician and clinical services | 98.1 | 133.2 | 155.3 | 161.1 | 172.9 | 186.2 | 202.0 | 221.2 | 236.5 |
| Percent met by private insurance | 69.0 | 80.3 | 80.0 | 80.2 | 81.4 | 82.2 | 82.8 | 83.0 | 83.1 |
| Prescription drugs | 33.6 | 48.5 | 68.9 | 82.3 | 94.9 | 109.4 | 124.8 | 136.0 | 153.4 |
| Percent met by private insurance | 29.2 | 46.5 | 55.7 | 58.2 | 59.6 | 61.1 | 61.8 | 60.9 | 61.5 |

¹ Includes nonpatient revenues and industrial inplant health services. ² Includes expenditures not shown separately, Represents out-of-pocket payments and private health insurance benefits. Excludes net cost of insurance.

Source: U. S. Centers for Medicare and Medicaid Services, Office of the Actuary, "Health Accounts"; http://cms.hhs.gov/statistics/nhe

/default.asp>.

[/]statistics/nhe/default.asp>.

Table 124. Personal Health Care Expenditures by Object and Source of Payment: 2003

[In millions of dollars (1,440,759 represents \$1,440,759,000,000). Excludes Puerto Rico and island areas. Covers all expenditures for health services and supplies, except net cost of insurance and administration, government public health activities, and expenditures of philanthropic agencies for fund raising activities]

| | | | Priv | ate payme | nts | | | |
|--|---|--|---|--|---|--|---|--|
| | | | | Consumer | | | | |
| Object of expenditure | Total | Total | Total | Out of pocket pay- ments | Private health insur- ance | Other ¹ | Govern- ment | Third party pay- ments ² |
| Total | 1,440,759 | 809,246 | 749,220 | 230,483 | 518,737 | 60,026 | 631,513 | 1,210,276 |
| Hospital care Physician and clinical services Dental services Other professional services ³ Home health care. Prescription drugs Other nondurable medical products Durable medical equipment ³ Nursing home care Other personal health care. | 369,746 74,270 48,507 40,009 179,204 32,468 20,393 110,797 | 215,096 246,759 69,396 34,892 15,095 136,042 30,739 12,791 43,533 4,906 | 193,746 221,238 69,359 32,054 13,884 136,042 30,739 12,791 39,368 | 16,309 37,649 32,864 13,272 6,595 53,151 30,739 8,996 30,908 | 177,437 183,589 36,495 18,782 7,289 82,891 3,795 8,459 | 21,350 25,521 37 2,837 1,211 - - 4,165 4,906 | 300,770 122,988 4,874 13,615 24,914 43,162 1,729 7,602 67,264 44,594 | 499,557 332,097 41,406 35,234 33,414 126,053 1,729 11,397 79,889 49,499 |

Represents zero or rounds to zero.
 ¹ Includes nonpatient revenues and industrial plant.
 ² Coverance, other private payments, and government.
 ³ See footnotes for corresponding items on Table 120. ² Covers private health insurance, other private payments, and government.

Table 125. Hospital Care, Physician and Clinical Services, and Nursing Home Care Expenditures by Source of Payment: 1990 to 2003

[In billions of dollars (253.9 represents \$253,900,000,000)]

| Source of payment | 1990 | 1995 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 |
|--|--|--|--|--|--|--|---|---|---|
| Hospital care, total Out-of-pocket payments Third-party payments Private health insurance Other private funds Government Federal State and local | 253.9 | 343.6 | 367.6 | 378.5 | 393.4 | 413.1 | 446.4 | 484.2 | 515.9 |
| | 11.2 | 10.5 | 11.1 | 11.9 | 12.4 | 12.7 | 13.4 | 14.8 | 16.3 |
| | 242.7 | 333.1 | 356.5 | 366.6 | 381.0 | 400.4 | 433.1 | 469.4 | 499.6 |
| | 97.1 | 111.5 | 114.7 | 121.0 | 127.8 | 137.9 | 149.9 | 163.6 | 177.4 |
| | 10.3 | 14.7 | 18.0 | 19.8 | 20.5 | 20.2 | 19.5 | 20.1 | 21.3 |
| | 135.2 | 206.8 | 223.8 | 225.8 | 232.7 | 242.3 | 263.7 | 285.7 | 300.8 |
| | 102.7 | 166.6 | 182.3 | 181.0 | 186.0 | 193.6 | 212.7 | 229.8 | 242.1 |
| | 32.4 | 40.2 | 41.5 | 44.7 | 46.7 | 48.7 | 50.9 | 55.9 | 58.7 |
| Medicare ¹ | 67.8 | 107.4 | 122.7 | 121.1 | 122.6 | 126.4 | 138.9 | 148.6 | 156.4 |
| | 27.6 | 54.5 | 58.1 | 61.0 | 66.3 | 69.9 | 74.2 | 83.0 | 87.0 |
| Physician and clinical services, total Out-of-pocket payments Third-party payments Private health insurance Other private funds Government Federal State and local Medicare 1 Medicaid 2 | 157.5 | 220.5 | 241.0 | 256.8 | 270.9 | 290.2 | 315.1 | 340.8 | 369.7 |
| | 30.4 | 26.2 | 28.8 | 31.1 | 31.8 | 32.1 | 33.1 | 34.8 | 37.6 |
| | 127.1 | 194.3 | 212.2 | 225.8 | 239.1 | 258.1 | 282.0 | 306.0 | 332.1 |
| | 67.7 | 107.0 | 116.4 | 124.2 | 129.2 | 140.8 | 153.1 | 167.2 | 183.6 |
| | 11.3 | 17.6 | 20.1 | 21.6 | 22.4 | 21.3 | 22.3 | 23.6 | 25.5 |
| | 48.2 | 69.8 | 75.7 | 80.0 | 87.4 | 96.0 | 106.6 | 115.2 | 123.0 |
| | 38.7 | 56.4 | 62.2 | 66.0 | 72.4 | 79.6 | 88.2 | 95.0 | 101.3 |
| | 9.4 | 13.3 | 13.5 | 14.0 | 15.0 | 16.4 | 18.3 | 20.3 | 21.7 |
| | 30.2 | 41.9 | 47.0 | 49.8 | 54.1 | 59.3 | 65.3 | 69.0 | 73.8 |
| | 7.0 | 14.8 | 16.3 | 16.7 | 17.6 | 19.1 | 21.6 | 24.4 | 26.1 |
| Nursing home care, total Out-of-pocket payments Third-party payments Private health insurance Other private funds Government. Federal State and local | 52.7 19.8 32.9 3.1 3.9 25.9 15.8 10.2 | 74.6 20.1 54.5 5.6 4.8 44.1 28.5 15.5 | 85.1 21.6 63.5 7.0 5.2 51.2 34.3 17.0 | 89.5 25.1 64.4 7.4 4.6 52.3 35.1 17.2 | 90.7 25.9 64.7 7.7 4.6 52.4 34.5 17.9 | 95.3 27.4 67.9 7.5 4.3 56.1 37.7 18.4 | 101.2 28.3 72.9 7.9 3.9 61.1 42.4 18.7 | 106.6 28.3 78.2 8.1 3.8 66.4 46.2 20.1 | 110.8 30.9 79.9 8.5 4.2 67.3 45.5 21.8 |
| Medicare ¹ | 1.7 | 6.9 | 9.8 | 10.3 | 8.6 | 9.5 | 12.2 | 13.6 | 13.7 |
| | 23.2 | 35.4 | 39.6 | 40.1 | 41.8 | 44.5 | 46.7 | 50.5 | 51.0 |

¹ Medicare expenditures come from federal funds. ² Medicaid expenditures come from federal and state and local funds.

Source: U. S. Centers for Medicare and Medicaid Services, Office of the Actuary "Health Accounts"; http://cms.hhs.gov/statistics/nhe/default.asp.

Source: U. S. Centers for Medicare and Medicaid Services, Office of the Actuary, "Health Accounts"; http://cms.htm.gov/statistics /nhe/default.asp>.

Table 126. Retail Prescription Drug Sales: 1995 to 2004

[2,125 represents 2,125,000,000]

| Sales outlet | Unit | 1995 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--|--|---|---|---|---|---|---|---|---|---|
| Number of prescriptions. Traditional chain Independent Mass merchant. Supermarkets Mail order | Mil Mil Mil | 2,125 914 666 238 221 86 | 2,316 1,038 646 254 269 109 | 2,481 1,129 651 272 306 123 | 2,707 1,246 680 289 357 134 | 2,865 1,344 689 293 394 146 | 3,009 1,415 700 314 418 161 | 3,139 1,474 708 339 444 174 | 3,215 1,494 726 345 462 189 | 3,274 1,510 728 353 470 214 |
| Retail sales . Traditional chain . Independent . Mass merchant. Supermarkets . Mail order . | Bil. dol Bil. dol Bil. dol Bil. dol | 72.2 28.8 21.1 7.7 7.4 7.4 | 93.8 38.2 23.7 9.6 10.3 11.9 | 108.7 45.5 26.1 10.9 12.0 14.3 | 125.8 53.8 28.9 11.8 13.8 17.4 | 145.6 61.2 31.4 13.5 17.4 22.1 | 164.1 67.7 33.9 15.2 19.8 27.6 | 182.7 75.9 35.4 18.0 23.1 30.2 | 203.1 85.4 38.3 19.5 25.1 34.9 | 221.0 90.6 40.5 21.5 27.0 41.3 |
| Average Prices ¹ All prescriptions | Dollars | 30.01 40.22 14.84 | 35.72 49.55 16.95 | 38.43 53.51 17.33 | 42.42 60.66 18.16 | 45.79 65.29 19.33 | 50.06 69.75 21.72 | 55.37 77.49 24.89 | 59.52 85.57 27.69 | 63.59 95.86 28.71 |
| Percentage of Number of Drug Prescriptions by Brand/Generic Mix Brand drugs | | 59.8 40.2 | 57.6 42.4 | 58.3 41.7 | 57.1 42.9 | 57.6 42.4 | 59.0 41.0 | 57.9 42.1 | 55.0 45.0 | 51.9 48.1 |

¹Excludes mail order.

Table 127. Prescription Drug Use in the Past Month by Sex, Age, Race, and Hispanic Origin: 1988–1994 and 1999–2002

[Data are based on National Health and Nutrition Examination Survey, a sample of the civilian noninstitutionalized population]

| | Pe | rcent of po | opulation usin | g at least | one prescript | ion drug ir | n past month | |
|---------------------------------------|-------------|------------------|----------------|-------------|------------------------|-------------|--------------|----------------|
| | | | No | t Hispanio | or Latino ² | | | |
| Sex and age | All perso | ins ¹ | White | • | Black or A Americ | | Mexica | n ³ |
| | 1988- | 1999- | 1988- | 1999- | 1988- | 1999- | 1988- | 1999- |
| | 1994 | 2002 | 1994 | 2002 | 1994 | 2002 | 1994 | 2002 |
| Both sexes, age adjusted ⁴ | 39.1 | 45.3 | 41.1 | 48.9 | 36.9 | 40.1 | 31.7 | 31.7 |
| | 32.7 | 39.9 | 34.2 | 43.1 | 31.1 | 35.4 | 27.5 | 25.8 |
| | 45.0 | 50.4 | 47.6 | 54.5 | 41.4 | 43.8 | 36.0 | 37.8 |
| Both sexes, crude | 37.8 | 45.1 | 41.4 | 50.9 | 31.2 | 36.0 | 24.0 | 23.7 |
| | 30.6 | 38.7 | 33.5 | 43.9 | 25.5 | 30.8 | 20.1 | 18.8 |
| | 44.6 | 51.2 | 48.9 | 57.6 | 36.2 | 40.6 | 28.1 | 28.9 |
| Under 18 years old | 20.5 | 24.2 | 22.9 | 27.6 | 14.8 | 18.6 | 16.1 | 15.9 |
| | 31.3 | 35.9 | 34.3 | 41.3 | 27.8 | 28.5 | 21.1 | 19.2 |
| | 54.8 | 64.1 | 55.5 | 66.1 | 57.5 | 62.3 | 48.1 | 49.3 |
| | 73.6 | 84.7 | 74.0 | 85.4 | 74.5 | 81.1 | 67.7 | 72.0 |
| Male: Under 18 years old | 20.4 | 26.2 | 22.3 | 30.6 | 15.5 | 19.8 | 16.3 | 16.2 |
| | 21.5 | 27.1 | 23.5 | 31.2 | 21.1 | 21.5 | 14.9 | 13.0 |
| | 47.2 | 55.6 | 48.1 | 57.4 | 48.2 | 54.0 | 43.8 | 36.4 |
| | 67.2 | 80.1 | 67.4 | 81.0 | 64.4 | 78.1 | 61.3 | 66.8 |
| Female: Under 18 years old | 20.6 | 22.0 | 23.6 | 24.4 | 14.2 | 17.3 | 16.0 | 15.6 |
| | 40.7 | 44.6 | 44.7 | 51.7 | 33.4 | 34.2 | 28.1 | 26.2 |
| | 62.0 | 72.0 | 62.6 | 74.7 | 64.4 | 69.0 | 52.2 | 62.4 |
| | 78.3 | 88.1 | 78.8 | 88.8 | 81.3 | 83.1 | 73.0 | 76.3 |

¹ Includes persons of other races and Hispanic origins, not shown separately. ² Starting with data year 1999 race-specific estimates are not comparable with estimates for earlier years, see footnote 2, Table 156. ³ Persons of Mexican origin may be of any race. ⁴ Age adjusted to the 2000 standard population using four age groups: Under 18, 18 to 44, 45 to 64, and 65 years and over. See text Section 2.

Source: National Center for Health Statistics Health, United States, 2005. http://www.cdc.gov/nchs/hus.htm>.

Source: National Association of Chain Drug Stores, Alexandria, VA, NACDS Foundation Chain Pharmacy Industry Profile, 2005 (copyright); http://www.nacds.org.

Table 128. Consumer Price Indexes of Medical Care Prices: 1980 to 2004

[1982–1984 = 100. Indexes are annual averages of monthly data based on components of consumer price index for all urban consumers; for explanation, see text, Section 14, Prices. See Appendix III]

| | | | Medic | al care ser | vices | | | al care lodities | Annual percent change ³ | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|--|
| Year | | | Professional services | | | Hoonital | | Prescrip- tion | | | | |
| | Medical care, total | Total ¹ | Total ¹ | Physi- cians | Dental | Hospital and related services | Total ² | drugs and medical supplies | Medical care, total | Medical care services | Medical care com- modities | |
| 1980 1985 1990 | 74.9 113.5 162.8 | 74.8 113.2 162.7 | 77.9 113.5 156.1 | 76.5 113.3 160.8 | 78.9 114.2 155.8 | 69.2 116.1 178.0 | 75.4 115.2 163.4 | 72.5 120.1 181.7 | 11.0 6.3 9.0 | 11.3 6.1 9.3 | 9.3 7.2 8.4 | |
| 1995 | 220.5 234.6 242.1 250.6 260.8 272.8 285.6 297.1 310.1 | 224.2 239.1 246.8 255.1 266.0 278.8 292.9 306.0 321.3 | 201.0 215.4 222.2 229.2 237.7 246.5 253.9 261.2 271.5 | 208.8 222.9 229.5 236.0 244.7 253.6 260.6 267.7 278.3 | 206.8 226.6 236.2 247.2 258.5 269.0 281.0 292.5 306.9 | 257.8 278.4 287.5 299.5 317.3 338.3 367.8 394.8 417.9 | 204.5 215.3 221.8 230.7 238.1 247.6 256.4 262.8 269.3 | 235.0 249.3 258.6 273.4 285.4 300.9 316.5 326.3 337.1 | 4.5 2.8 3.2 3.5 4.1 4.6 4.7 4.0 4.4 | 5.1 2.9 3.2 3.4 4.3 4.8 5.1 4.5 5.0 | 1.9 2.3 3.0 4.0 3.2 4.0 3.6 2.5 2.5 | |

¹ Includes other services not shown separately.
² Includes other commodities not shown separately.
³ Percent change from the immediate prior year.

Table 129. Average Annual Expenditures Per Consumer Unit for Health Care: 1990 to 2003

[In dollars, except percent. See text, Section 13, Income, Expenditures and Wealth and headnote, Table 669. For composition of regions, see map, inside front cover]

| | Health | care, total | | | | Per | cent distril | bution |
|---|--|---|--|--|--|---|---|--|
| Item | Amount | Percent of total expendi- tures | Health insur- ance | Medical services | Drugs and medical supplies ¹ | Health insur- ance | Medical services | Drugs and medical supplies |
| 1990 1995 1995 2000 2001 2002 2003 Age of reference person: | 1,480 1,732 1,959 2,066 2,182 2,350 2,416 | 5.2 5.4 5.3 5.4 5.5 5.8 5.9 | 581 860 923 983 1,061 1,168 1,252 | 562 512 558 568 573 590 591 | 337 360 479 515 549 592 574 | 39.3 49.7 47.1 47.6 48.6 49.7 51.8 | 38.0 29.6 28.5 27.5 26.3 25.1 24.5 | 22.8 20.8 24.5 24.9 25.2 25.2 23.8 |
| Under 25 years old. 25 to 34 years old 35 to 44 years old 45 to 54 years old 55 to 64 years old 65 to 74 years old 75 years old and over | 546 | 2.4 | 281 | 129 | 137 | 51.5 | 23.6 | 25.1 |
| | 1,468 | 3.6 | 810 | 394 | 264 | 55.2 | 26.8 | 18.0 |
| | 2,105 | 4.5 | 1,109 | 598 | 398 | 52.7 | 28.4 | 18.9 |
| | 2,479 | 4.9 | 1,166 | 718 | 596 | 47.0 | 29.0 | 24.0 |
| | 3,059 | 6.9 | 1,572 | 742 | 745 | 51.4 | 24.3 | 24.4 |
| | 3,626 | 10.8 | 1,974 | 681 | 971 | 54.4 | 18.8 | 26.8 |
| | 3,856 | 15.4 | 2,031 | 695 | 1,130 | 52.7 | 18.0 | 29.3 |
| Race of reference person: White and other | 2,566 | 6.0 | 1,316 | 640 | 610 | 51.3 | 24.9 | 23.8 |
| | 1,309 | 4.6 | 774 | 229 | 306 | 59.1 | 17.5 | 23.4 |
| Origin of reference person: Hispanic | 1,439 | 4.2 | 747 | 365 | 328 | 51.9 | 25.4 | 22.8 |
| | 2,527 | 6.1 | 1,309 | 616 | 602 | 51.8 | 24.4 | 23.8 |
| Region of residence: Northeast Midwest South West | 2,127 | 5.0 | 1,237 | 448 | 442 | 58.2 | 21.1 | 20.8 |
| | 2,586 | 6.4 | 1,332 | 621 | 632 | 51.5 | 24.0 | 24.4 |
| | 2,396 | 6.4 | 1,223 | 563 | 610 | 51.0 | 23.5 | 25.5 |
| | 2,525 | 5.6 | 1,227 | 729 | 569 | 48.6 | 28.9 | 22.5 |
| Size of consumer unit: One person. Two or more persons Two persons Three persons Four persons Five persons or more. | 1,558 | 6.6 | 779 | 360 | 419 | 50.0 | 23.1 | 26.9 |
| | 2,774 | 5.8 | 1,449 | 687 | 637 | 52.2 | 24.8 | 23.0 |
| | 3,093 | 7.1 | 1,597 | 700 | 795 | 51.6 | 22.6 | 25.7 |
| | 2,532 | 5.3 | 1,326 | 642 | 564 | 52.4 | 25.4 | 22.3 |
| | 2,581 | 4.7 | 1,402 | 694 | 485 | 54.3 | 26.9 | 18.8 |
| | 2,379 | 4.5 | 1,224 | 705 | 450 | 51.5 | 29.6 | 18.9 |
| Income before taxes: Complete income reporters ² | 2,495 | 5.8 | 1,267 | 612 | 616 | 50.8 | 24.5 | 24.7 |
| Quintiles of income: Lowest 20 percent. Second 20 percent. Third 20 percent Fourth 20 percent Highest 20 percent. Incomplete reporters of income. | 1,439 | 7.8 | 742 | 262 | 435 | 51.6 | 18.2 | 30.2 |
| | 2,132 | 8.0 | 1,124 | 378 | 631 | 52.7 | 17.7 | 29.6 |
| | 2,553 | 7.0 | 1,306 | 636 | 611 | 51.2 | 24.9 | 23.9 |
| | 2,745 | 5.4 | 1,440 | 695 | 610 | 52.5 | 25.3 | 22.2 |
| | 3,606 | 4.4 | 1,723 | 1,087 | 796 | 47.8 | 30.1 | 22.1 |
| | 2,055 | 6.4 | 1,167 | 480 | 409 | 56.8 | 23.4 | 19.9 |

¹ Includes prescription and nonprescription drugs. 2 A complete reporter is a consumer unit providing values for at least one of the major sources of income.

Source: U.S. Bureau of Labor Statistics, CPI Detailed Report, January 2005.

Source: U.S. Bureau of Labor Statistics, Consumer Expenditure Survey, annual; http://www.bls.gov/cex/>.

Table 130. Medicare Benefits by Type of Provider: 1990 to 2004

[In millions of dollars (65,721 represents \$65,721,000,000). For years ending Sept. 30. Distribution of benefits by type is estimated and subject to change]

| Type of provider | 1990 | 1995 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|---|--------------------------------|--|---|---|--|---|---|--|
| Hospital insurance benefits, total Inpatient hospital Skilled nursing facility | 2,761 3,295 | 113,395 81,095 8,684 15,715 | 129,107 86,334 11,230 8,615 | 125,992 86,858 10,357 4,496 | 135,979 93,237 12,745 3,696 3,464 | 144,140 101,713 15,168 4,879 | 153,144 108,255 14,764 4,979 | 163,764 113,634 16,464 5,496 |
| Hospice | 318 2,335 | 1,854 6,047 | 2,494 20,435 | 2,818 21,463 | 22,837 | 4,516 17,865 | 5,879 19,267 | 7,238 20,932 |
| Supplementary medical insurance benefits, total. Physician fee schedule. Durable medical equipment. Carrier lab 1. | 41,498 (NA) (NA) (NA) | 63,490 31,110 3,576 2,819 | 79,151 33,389 4,270 2,086 | 88,876 35,958 4,577 2,194 | 100,514 40,447 5,222 2,361 | 108,068 44,216 6,134 2,692 | 119,455 47,384 7,557 2,941 | 131,378 52,022 7,868 3,202 |
| Other carrier ² Hospital ³ Home health Intermediary lab ⁴ Other intermediary ⁵ Managed care | (NA) (NA) | 4,513 8,448 223 1,437 5,110 6,253 | 6,398 8,453 344 1,597 5,644 16,970 | 7,154 8,516 4,281 1,748 6,099 18,348 | 8,396 11,774 4,192 1,928 6,945 19,249 | 10,304 13,456 4,824 2,149 8,241 16,052 | 12,412 14,727 5,174 2,412 9,645 17,203 | 13,821 16,885 5,684 2,652 10,415 18,830 |

NA Not available.

Lab services paid under the lab fee schedule performed in a physician's office lab or an independent lab.

Includes free-standing ambulatory surgical centers facility costs, ambulance, and supplies.

Includes the hospital facility costs for Medicare Part B services which are predominantly in the outpatient department. The physician reimbursement associated with these services is included on the "Physician Fee Schedule" line.

Lab fee services paid under the lab fee schedule performed in a hospital outpatient department.
Includes ESRD free-standing dialysis facility payments and payments to rural health clinics, outpatient rehabilitation facilities, psychiatric hospitals, and federally qualified health centers.

Table 131. Medicare—Enrollment by State and Other Areas: 1995 to 2003

[(37,535 represents 37,535,000) Hospital and/or medical insurance enrollment as July 1]

| State and area | 1995 | 2000 | 2002 | 2003 | State and area | 1995 | 2000 | 2002 | 2003 |
|----------------|--------|--------|--------|--------|----------------|-------|-------|-------|-------|
| All areas | 37,535 | 39,620 | 40,489 | 41,087 | MO | 833 | 861 | 874 | 884 |
| | | | | | MT | 130 | 137 | 140 | 142 |
| U.S | 36,758 | 38,762 | 39,594 | 40,173 | NE | 249 | 254 | 256 | 257 |
| | | | | | NV | 194 | 240 | 261 | 274 |
| AL | 642 | 685 | 706 | 719 | NH | 156 | 170 | 176 | 180 |
| AK | 34 | 42 | 46 | 48 | NJ | 1,168 | 1,203 | 1,213 | 1,220 |
| AZ | 602 | 675 | 708 | 729 | NM | 211 | 234 | 244 | 250 |
| AR | 423 | 439 | 446 | 453 | NY | 2,630 | 2,715 | 2,747 | 2,763 |
| CA | 3,633 | 3,901 | 4,009 | 4,078 | NC | 1,027 | 1,133 | 1,178 | 1,205 |
| CO | 421 | 467 | 484 | 493 | ND | 103 | 103 | 103 | 103 |
| CT | 502 | 515 | 518 | 522 | OH | 1,666 | 1,701 | 1,713 | 1,727 |
| DE | 101 | 112 | 116 | 119 | OK | 488 | 508 | 515 | 521 |
| DC | 78 | 75 | 74 | 74 | OR | 469 | 489 | 504 | 513 |
| FL | 2,628 | 2,804 | 2,876 | 2,921 | PA | 2,071 | 2,095 | 2,101 | 2,110 |
| GA | 833 | 916 | 951 | 974 | RI | 168 | 172 | 172 | 172 |
| HI | 149 | 165 | 171 | 175 | SC | 509 | 568 | 592 | 606 |
| ID | 150 | 165 | 173 | 178 | SD | 117 | 119 | 121 | 122 |
| IL | 1,617 | 1,635 | 1,646 | 1,661 | TN | 771 | 829 | 855 | 872 |
| IN | 823 | 852 | 865 | 878 | TX | 2,080 | 2,265 | 2,338 | 2,390 |
| IA | 474 | 477 | 479 | 482 | UT | 187 | 206 | 215 | 220 |
| KS | 383 | 390 | 392 | 394 | VT | 83 | 89 | 91 | 93 |
| KY | 586 | 623 | 637 | 648 | VA | 818 | 893 | 927 | 946 |
| LA | 581 | 602 | 612 | 620 | WA | 688 | 736 | 759 | 775 |
| ME | 201 | 216 | 223 | 227 | WV | 330 | 338 | 343 | 347 |
| MD | 602 | 645 | 664 | 674 | WI | 762 | 783 | 794 | 804 |
| MA | 933 | 961 | 963 | 966 | WY | 60 | 65 | 67 | 69 |
| MI | 1,347 | 1,403 | 1,426 | 1,445 | | | | | |
| MN | 631 | 654 | 667 | 676 | PR | 477 | 537 | 562 | 575 |
| MS | 397 | 419 | 429 | 437 | Other areas | 300 | 321 | 333 | 340 |
| | | | | | | | | | |

Source: U.S. Centers for Medicare and Medicaid Services, "Medicare Beneficiaries enrolled as of July 1 of each year, 1995-1998," published July 1999. "Medicare Beneficiaries Enrolled by State as of July 1, 1999-2003"; published September 2004. http://www.cms.hhs.gov/statistics/enrollment/default.asp.

Source: U.S. Centers for Medicare and Medicaid Services, unpublished data. http://www.cms.hhs.gov/publications /trusteesreport/2005/>

Table 132. Medicare Enrollees: 1980 to 2004

[In millions (28.4 represents 28,400,000). As of July 1. Includes Puerto Rico and island areas and enrollees in foreign countries and unknown place of residence]

| Item | 1980 | 1990 | 1995 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Total | 28.4 | 34.3 | 37.6 | 39.7 | 40.1 | 40.5 | 41.1 | 41.7 |
| | 25.5 | 31.0 | 33.2 | 34.3 | 34.5 | 34.7 | 35.0 | 35.4 |
| | 3.0 | 3.3 | 4.4 | 5.4 | 5.6 | 5.8 | 6.1 | 6.3 |
| Hospital insurance | 28.0 | 33.7 | 37.2 | 39.3 | 39.7 | 40.1 | 40.6 | 41.2 |
| | 25.0 | 30.5 | 32.7 | 33.8 | 34.0 | 34.2 | 34.6 | 34.9 |
| | 3.0 | 3.3 | 4.4 | 5.4 | 5.6 | 5.8 | 6.1 | 6.3 |
| Supplementary medical insurance Aged | 27.3 | 32.6 | 35.6 | 37.3 | 37.7 | 38.0 | 38.4 | 38.8 |
| | 24.6 | 29.6 | 31.7 | 32.6 | 32.7 | 32.9 | 33.1 | 33.3 |
| | 2.7 | 2.9 | 3.9 | 4.8 | 4.9 | 5.1 | 5.3 | 5.5 |

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary. CMS Statistics Medicare Enrollment. http://www.cms.hhs.gov/statistics/enrollment/default.ASP.

Table 133. Medicare Disbursements by Type of Beneficiary: 1990 to 2004

[In millions of dollars (109,709 represents \$109,709,000,000). For years ending September 30. Distribution of benefits by type is estimated and subject to change]

| Type of beneficiary | 1990 | 1995 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--|--|---|---|---|---|---|--|---|
| Total disbursements | 109,709 | 180,096 | 211,959 | 219,276 | 241,175 | 256,856 | 277,846 | 301,488 |
| Hospital insurance disbursements | 66,687 65,722 58,503 7,218 6,467 751 - 191 774 | 114,883 113,394 100,107 13,288 12,300 988 - 189 1,300 | 131,441 129,107 113,289 15,818 14,794 1,024 179 177 1,978 | 130,284 125,992 110,261 15,731 14,705 1,026 1,706 236 2,350 | 141,723 135,979 118,816 17,163 16,029 1,134 3,103 274 2,368 | 148,031 144,140 125,248 18,892 17,627 1,265 1,168 259 2,464 | 153,792 153,144 132,415 20,729 19,341 1,388 -2,174 280 2,542 | 166,998 163,764 141,277 22,487 20,954 1,533 - 314 2,920 |
| Supplementary medical insurance disbursements. Benefits | 43,022 41,498 36,837 4,661 3,758 903 | 65,213 63,489 54,830 8,660 7,363 1,297 | 80,518 79,151 67,965 11,187 9,838 1,349 -179 36 1,510 | 88,992 88,875 76,340 12,535 11,683 852 -1,706 43 1,780 | 99,452 100,514 86,108 14,406 13,657 749 -3,103 55 1,986 | 108,825 108,068 91,667 16,400 15,523 877 -1,168 95 1,830 | 124,055 119,455 100,505 18,950 17,981 969 2,174 70 2,356 | 134,490 131,378 109,936 21,442 20,448 994 79 3,033 |

Represents zero.
 Represents persons entitled because of End Stage Renal Disease only. Benefits for those who have ESRD, but would be entitled due to their aged or disabled status are included in aged and disabled benefits.
 Beginning 1998, home health agency transfers are excluded from total supplementary medical insurance disbursements and included in total hospital insurance disbursements.

3 Beginning in 2002, Peer Review Organizations were renamed Quality Improvement Organizations.

4 Includes costs of experiments and demonstration projects. Includes costs of the health care fraud and abuse control program.

Source: U.S. Centers for Medicare and Medicaid Services, Annual Report of the Boards of Trustees http://www.cms.hhs.gov/publications /trusteesreport/tr2005.pdf> (accessed 26 September 2005).

Table 134. Medicare Trust Funds: 1990 to 2004

[In billions of dollars (126.3 represents \$126,300,000,000)]

| Type of trust fund | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|---|-------------------------------------|-------------------------------------|---|---|-------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|
| TOTAL MEDICARE | | | | | | | | | |
| Total income Total expenditures. Assets, end of year. Net change in assets. | 126.3 111.0 114.4 15.3 | 175.3 184.2 143.4 -8.9 | 228.3 213.4 166.6 14.9 | 232.5 213.0 186.2 19.5 | 257.1 221.8 221.5 35.3 | 273.3 244.8 250.0 28.5 | 284.8 265.7 269.1 19.1 | 291.6 280.8 280.0 10.8 | 317.7 308.9 288.8 8.8 |
| HOSPITAL INSURANCE (HI) | | | | | | | | | |
| Net contribution income ¹ | 72.1 8.5 66.2 98.9 | 103.3 10.8 116.4 130.3 | 130.7 9.3 134.0 120.4 | 140.3 10.1 128.8 141.4 | 154.5 11.7 128.5 177.5 | 160.9 14.0 141.2 208.7 | 162.7 15.1 149.9 234.8 | 159.2 15.8 152.1 256.0 | 167.1 16.0 167.6 269.3 |
| SUPPLEMENTARY MEDICAL INSURANCE (SMI) | | | | | | | | | |
| Net premium income | 11.3 33.0 1.6 42.5 15.5 | 19.7 39.0 1.6 65.0 13.1 | ⁴ 20.9 ⁴ 64.1 2.7 76.1 46.2 | ⁴ 19.0 ⁴ 59.1 2.8 80.7 44.8 | 20.6 65.9 3.5 88.9 44.0 | 22.8 72.8 3.1 99.7 41.3 | 25.1 78.3 2.8 111.0 34.3 | 27.4 86.4 2.0 123.8 24.0 | 31.4 100.4 1.5 135.0 19.4 |

¹ Includes income from taxation of benefits beginning in 1994. Includes premiums from aged ineligibles enrolled in HI. ² Includes recoveries of amounts reimbursed from the trust fund. ³ Beginning 1998, monies transferred to the SMI trust fund for home health agency costs, as provided for by P.L. 105-33, are included in HI benefit payments, but excluded from SMI benefit payments. ⁴ Premiums withheld from check and associated general revenue contributions that were to occur on January 3, 1999, actually occurred on December 31, 1998. These amounts are therefore excluded from 1999 data.

Source: U.S. Centers for Medicare and Medicaid Services, Annual Report of the Board of Trustees of the Annual Report of the Federal Hospital Insurance and Supplementary Medical Insurance Trust Funds; http://www.cms.hhs.gov/publications/trusteesreport/2005.pdf (accessed 26 September 2005).

Table 135. Medicaid—Selected Characteristics of Persons Covered: 2003

[In thousands, except percent (35,394 represents 35,394,000). Represents number of persons as of March of following year who were enrolled at any time in year shown. Excludes unrelated individuals under age 15. Person did not have to receive medical care paid for by medicaid in order to be counted. See headnote, Table 557]

| Poverty status | Total ¹ | White alone 2 | Black alone ³ | Hispanic ⁴ | Under 18 years old | 18-44 years old | 45-64 years old | 65 years old and over |
|--|-----------------------------------|----------------------------------|-----------------------------|--------------------------------|----------------------------------|--------------------------------|--------------------------|------------------------------|
| Persons covered, total Below poverty level Above poverty level Percent of population | 35,394 15,103 20,291 | 23,792 9,305 14,487 | 8,736 4,702 4,034 | 8,453 4,093 4,360 | 19,140 8,497 10,643 | 8,949 3,976 4,973 | 4,116 1,734 2,382 | 3,190 895 2,295 |
| covered | 12.3 42.1 8.1 | 10.3 38.3 7.0 | 24.3 53.5 14.8 | 21.0 45.2 14.0 | 26.2 66.0 17.7 | 8.1 28.8 5.1 | 5.9 30.7 3.7 | 9.2 25.2 7.4 |

¹ Includes other races not shown separately. ² White alone refers to people who reported White and did not report any other category. ³ Black alone refers to people who reported Black and did not report any other race category. ⁴ Persons of race category. Hispanic origin may be of any race.

Table 136. Medicaid—Beneficiaries and Payments: 1999 to 2002

[For year ending September 30 (40,300 represents 40,300,000). Starting in 1999, states were required to submit all their eligibility and claims data to the Centers for Medicare & Medicaid Services (CMS) on a quarterly basis through the Medicaid Statistical Information System (MSIS). The Federal requirement for the HCFA-Form 2082 (used for 1998 and preceding years) was eliminated.]

| Basis of eligibility | Е | Beneficiaries | (1,000) 1 | | | Payments | (mil. dol.) | |
|--|--|---|---|--|--|---|---|---|
| and type of service | 1999 | 2000 | 2001 | 2002 | 1999 | 2000 | 2001 | 2002 |
| Total | 40,300 | 42,887 | 46,164 | 49,755 | 147,373 | 168,443 | 186,914 | 213,491 |
| Age 65 and over Blind/Disabled Children Adults Foster Care Children Unknown BCCA WOMEN ² | 3,698 6,692 18,045 7,449 734 3,682 (NA) | 3,730 6,890 19,018 8,671 761 3,817 (NA) | 3,812 7,118 20,340 9,769 775 4,349 (Z) | 3,886 7,414 22,369 11,238 816 4,027 | 40,471 63,028 20,765 15,142 2,806 5,161 (NA) | 44,560 72,772 23,490 17,671 3,309 6,639 (NA) | 48,431 80,494 26,771 20,097 3,773 7,347 | 51,733 91,889 31,247 23,460 4,282 10,848 33 |
| Capitated care ³ . Clinic services Dental services Home health services ICF/MR services' Inpatient hospital services Lab and X-ray services Mental health facility services Other care Outpatient hospital services Other practitioner services Other practitioner services PCCM services' Prescribed drugs Physician services Sterilizations Unknown | 20,679 6,661 5,577 809 121 4,479 10,104 97 1,624 8,482 12,324 3,946 3,963 19,428 18,053 4,062 133 166 | 21,292 7,678 5,922 1,007 119 4,913 11,439 1,706 9,022 13,170 4,758 5,649 20,325 18,965 4,559 137 74 | 23,356 8,464 7,019 1,014 117 4,879 12,339 91 1,702 9,709 13,731 5,103 6,378 21,911 20,021 4,978 144 45 | 25,864 9,499 7,886 1,065 117 5,051 14,067 99 1,766 10,959 14,861 5,571 7,178 24,424 22,103 5,688 164 | 21,225 5,439 1,156 2,714 8,757 21,341 1,144 1,639 31,976 12,401 5,895 464 445 15,934 6,421 9,845 119 | 25,026 6,138 1,413 3,133 9,376 24,131 1,292 1,769 34,528 14,755 7,082 664 177 19,898 6,809 11,629 128 | 29,368 5,603 1,897 3,521 9,701 25,943 1,623 1,959 37,323 16,617 7,496 762 187 23,764 13,135 140 438 | 33,634 6,694 2,309 3,925 10,681 29,127 2,157 2,122 39,282 19,877 8,471 842 200 28,408 8,355 15,363 166 1,879 |

Z Less than 500.

Beneficiaries data do not add due to number of beneficiaries that are reported in

Women-Breast and Cervical Cancer Assistance.

HMO payments and prepaid health plans.
for mentally retarded.

Inpatient mental health-aged and inpatient mental health-under 21.

Are applied to the property of the payments for, other care not shown separately.

Primary Care Case Management Services. NA Not available. more than one category. Women-Breast and Cervical Cancer Assistance.

India of the statement of the stateme non-medical health care institutions.

Source: U.S. Census Bureau, "Table HI02. Health Insurance Coverage Status and Type of Coverage by Selected Characteristics for People in the Poverty Universe: 2003"; published August 2004; http://pubdb3.census.gov/macro/032004/health/toc.htm; and "Table HI03. Health Insurance Coverage Status and Type of Coverage by Selected Characteristics for Poor People in the Poverty Universe: 2003"; published August 2004; http://pubdb3.census.gov/macro/032004/health/toc.htm>.

Source: U.S. Centers for Medicare and Medicaid Services, "Medicaid Program Statistics, Medicaid Statistical Information System"; http://www.cms.hhs.gov/medicaid/msis/mstats.asp.

Table 137. Medicaid—Summary by State: 2000 and 2002

[In the thousands (42,887 represents 42,887,000). For year ending September 30. See headnote, Table 136.]

| State | Beneficia (1,00 | | Payme (mil. | | State | Beneficia (1,000 | | Paymer (mil. d | nts ² lol) |
|-------|--------------------|--------------|----------------|----------------|-------|---------------------|------------|-------------------|--------------------------|
| | 2000 | 2002 | 2000 | 2002 | | 2000 | 2002 | 2000 | 2002 |
| U.S | 42,887 | 49,755 | 168,443 | 213,491 | MO | 890 | 1,036 | 3,274 | 4,072 |
| AL | 619 | 765 | 2,393 | 3,204 | MT | 104 229 | 104 256 | 422 960 | 533 1,255 |
| AK | 96 | 110 | 473 | 687 | NV | 138 | 202 | 516 | 724 |
| AZ | 681 | 878 | 2,112 | 2,882 | NH | 97 | 104 | 651 | 746 |
| AR | 489 | 579 | 1,543 | 2,015 | NJ | 822 | 954 | 4.714 | 5,497 |
| CA | 7,918 | 9,301 | 17,105 | 23,636 | NM | 376 | 799 | 1.249 | 1.797 |
| CO | 381 | 426 | 1,809 | 2,166 | NY | 3,420 | 3,921 | 26.148 | 31,489 |
| CT | 420 | 479 | 2,839 | 3,245 | NC | 1,214 | 1,355 | 4,834 | 6.041 |
| DE | 115 | 167 | 529 | 651 | ND | 63 | 70 | 358 | 423 |
| DC | 139 | 193 2.676 | 793 | 1,027 | он | 1,305 | 1,656 | 7.115 | 9.186 |
| FL | 2,373 1,369 | 1,637 | 7,433 3,624 | 9,827 4,796 | OK | 507 | 631 | 1,604 | 2,238 |
| HI | 1,369 | 200 | 600 | 695 | OR | 558 | 621 | 1.714 | 2,136 |
| ID | 131 | 176 | 594 | 792 | PA | 1,492 | 1,627 | 6,366 | 8,524 |
| iL | 1,519 | 1,731 | 7,807 | 9,122 | RI | 179 | 199 | 1,070 | 1,251 |
| IN | 706 | 849 | 2,977 | 3,725 | SC | 689 | 809 | 2,765 | 3,383 |
| IA | 314 | 353 | 1,477 | 1,856 | SD | 102 | 118 | 402 | 504 |
| KS | 263 | 289 | 1,227 | 1,501 | TN | 1,568 | 1,732 | 3,491 | 4,748 |
| KY | 764 | 808 | 2,921 | 3,459 | TX | 2,633 | 2,953 | 9,277 | 11,121 |
| LA | 761 | 899 | 2,632 | 3,234 | UT | 225 | 275 | 960 | 1,216 |
| ME | 194 | 276 | 1,310 | 1,717 | VT | 139 | 154 | 480 | 607 |
| MD | 626 | 693 | 3,003 | 3,662 | VA | 627 | 665 | 2,479 | 3,018 |
| MA | 1,060 | 1,066 | 5,413 | 6,387 | WA | 896 | 1,039 | 2,435 | 4,373 |
| MI | 1,352 | 1,450 | 4,881 | 5,919 | WV | 342 | 362 | 1,394 | 1,578 |
| MN | 558 | 621 | 3,280 | 4,439 | WI | 577 | 716 | 2,968 | 3,606 |
| MS | 605 | 712 | 1,808 | 2,500 | WY | 46 | 59 | 215 | 280 |

² Payments are for fiscal year and Persons who had payments made on their behalf at any time during the fiscal year. reflect federal and state contribution payments. Data exclude disproportionate share hospital payments. Disproportionate share hospitals receive higher medicaid reimbursement than other hospitals because they treat a disproportionate share of Medicaid patients.

Table 138. State Children's Health Insurance Program (SCHIP)—Enrollment and Expenditures by State: 2000 and 2004

[(3,357.4 represents 3,357,400). For year ending September 30. This program provides health benefits coverage to children living in families whose incomes exceed the eligibility limits for medicaid. Although it is generally targeted to families with incomes at or below 200 percent of the federal poverty level, each state may set its own income eligibility limits, within certain guidelines. States have three options: they may expand their medicaid programs, develop a separate child health program that functions independently of medicaid, or do a combination of both]

| State | Enrollm (1,00 | | Expenditi (mil. de | | State | Enrollme (1,000 | | Expenditu (mil. de | ures ² ol.) |
|------------|------------------|--------------|-----------------------|--------------|----------|--------------------|---------------|-----------------------|---------------------------|
| | 2000 | 2004 | 2000 | 2004 | | 2000 | 2004 | 2000 | 2004 |
| US | 3,357.4 | 6,058.9 | 1,928.8 | 4,600.7 | мо | 72.8 | 176.0 | 41.2 | 80.2 |
| AL | 37.6 | 79.4 | 31.9 | 19.4 | MT | 8.3 | 15.3 | 4.3 | 14.3 |
| AK | 13.4 | 18.9 | 18.1 | 72.8 | NE | 11.4 | 33.3 | 6.1 | 35.3 |
| AZ | 59.6 | 87.7 | 29.4 | 258.9 | NV | 15.9 | 38.5 | 9.0 | 20.6 |
| AR | 1.9 | (NA) | 1.5 | 28.5 | NH | 4.3 | 11.0 | 1.6 | 7.3 |
| CA | 484.4 | 1,035.8 | 187.3 | 661.6 | NJ | 89.0 | 127.2 | 46.9 | 221.9 |
| CO | 34.9 | 57.2 | 13.9 | 37.6 | NM | 8.0 | 20.8 | 3.4 | 21.4 |
| <u>CT</u> | 19.9 | 21.4 | 12.8 | 17.2 | NY | 769.5 | 826.6 | 401.0 | 296.9 |
| DE | 4.5 | 10.3 | 1.5 | 5.3 | NC | 103.6 | 174.3 | 65.5 | 166.2 |
| <u>D</u> C | 2.3 | 6.1 | 5.8 | 7.2 | ND | 2.6 | 5.1 | 1.8 | 6.9 |
| FL | 227.5 | 419.7 | 125.7 | 176.5 | OH | 118.3 | 220.2 | 53.1 | 167.1 |
| GA | 120.6 | 280.1 | 48.7 | 215.0 | OK | 57.7 | 100.8 | 51.3 | 46.1 |
| H | (z) | 19.2 | 0.4 | 10.5 | OR | 37.1 | 46.7 | 12.5 | 25.3 |
| ID | 12.4 | 17.4 | 7.5 | 14.4 | PA | 119.7 | 177.4 | 70.7 | 126.6 |
| L | 62.5 | 234.0 | 32.7 | 309.8 | RI | 11.5 | 25.6 | 10.4 | 25.2 |
| IN | 44.4 | 80.7 | 53.7 | 65.4 | SC | 60.4 | 75.6 | 46.6 | 50.8 |
| IA | 20.0 | 40.8 | 15.5 | 37.3 | SD TN | 5.9 | 13.4 | 3.1 | 10.9 |
| KS KY | 26.3 | 44.4 94.5 | 12.8 60.0 | 39.6 71.5 | TX | 14.9 131.1 | (NA) 650.9 | 41.7 41.4 | 4.5 282.5 |
| LA | 55.6 50.0 | 105.6 | 25.3 | 94.4 | Lift | 25.3 | 38.7 | 12.8 | 28.0 |
| ME | 22.7 | 29.2 | 11.4 | 25.2 | VT | 4.1 | 6.7 | 12.0 | 3.2 |
| MD | 93.1 | 111.5 | 92.2 | 106.4 | VA | 37.7 | 99.6 | 18.6 | 63.0 |
| MA | 113.0 | 166.5 | 44.2 | 119.1 | WA | 2.6 | 17.0 | 0.6 | 39.7 |
| MI | 55.4 | (NA) | 36.2 | 159.5 | WV | 21.7 | 36.9 | 9.7 | 30.8 |
| MN | (Z) | 4.8 | (Z) | 72.7 | Wi | 47.1 | 67.9 | 21.4 | 93.7 |
| MS | 12.2 | 82.9 | 21.1 | 101.9 | WY | 2.5 | 5.5 | 1.0 | 5.2 |

NA Not available. Z Less than 50 or \$50,000.

Number of children ever enrolled during the year in SCHIP. Expenditures for which states are entitled to federal reimbursement under Title XXI and which reconcile any advance of Title XXI. Federal funds made on the basis of estimates.

Source: U.S. Centers for Medicare and Medicaid Services, "Medicaid Program Statistics, Medicaid Statistical Information System"; http://www.cms.hhs.gov/medicaid/msis/mstats.asp.

Source: U.S. Centers for Medicare & Medicaid Services, *The State Children's Health Insurance Program, Annual Enrollment Report* and the Statement of Expenditures for the SCHIP Program (CMS-21). See http://www.cms.hhs.gov/schip/enrollment/>.

Table 139. Medicaid Managed Care Enrollment by State and Other Areas: 1995 to 2004

[For year ending June 30. (33,373 represents 33,373,000)]

| State and | Total enroll- | Manage enrollr | | State and | Total enroll- | Manage enrollr | | State and | Total enroll- | Manage enrollr | |
|----------------------|----------------------------|---------------------------|----------------------|----------------|---------------------------|-------------------|----------------------|----------------|---------------------------|---------------------|----------------------|
| area | ment ¹ (1,000) | Number (1,000) | Percent of total | area | ment ¹ (1,000) | Number (1,000) | Percent of total | area | ment ¹ (1,000) | Number (1,000) | Percent of total |
| 1995 2000 2003 | 33,373 33,690 42,741 | 9,800 18,786 24,406 | 29.4 55.8 58.4 | IL | 1,740 804 285 | 159 510 262 | 9.1 63.4 92.1 | NC ND OH | 1,112 52 1,645 | 789 33 507 | 70.9 63.0 30.8 |
| 2004, total | 44,356 | 26,914 | 60.7 | KS KY LA | 269 679 919 | 153 626 724 | 57.0 92.2 78.8 | OK OR PA | 519 427 1,600 | 354 345 1,266 | 68.2 80.9 79.1 |
| U.S | 43,472 | 26,071 | 60.0 | ME | 259 | 155 | 59.8 | RI | 181 | 125 | 69.2 |
| AL | 801 | 440 | 54.9 | MD | 696 | 470 | 67.5 | SC | 846 | 70 | 8.3 |
| AK | 97 | | | MA | 947 | 582 | 61.4 | <u>SD</u> | 98 | 96 | 97.8 |
| AZ | 905 | 806 | 89.1 | MI | 1,410 | 1,255 | 89.0 | <u>TN</u> | 1,345 | 1,345 | 100.0 |
| AR | 594 | 386 | 65.0 | MN | 569 | 361 | 63.5 | TX | 2,692 | 1,151 | 42.7 |
| CA CO | 6,471 | 3,259 | 50.4 | MS | 638 | 73 | 11.5 | UT | 189 | 167 | 88.6 |
| CT | 378 | 369 | 97.6 | MO | 974 86 | 432 | 44.4 | VA | 131 | 86 | 66.0 |
| DE | 402 | 303 | 75.4 | MT | | 58 | 67.1 | | 607 | 399 | 65.7 |
| DC | 135 139 | 100 88 | 73.7 63.8 | NE NV | 207 169 | 149 90 | 72.3 53.1 | WA | 1,081 298 | 835 156 | 77.3 52.5 |
| | | 1.450 | 65.7 | NH | 96 | 90 | 53.1 | WI | 792 | 374 | 5∠.5 47.2 |
| | 2,207 | | 96.2 | LALI | | F 40 | 67.0 | 1407 | 792 59 | 3/4 | 47.2 |
| GA | 1,323 | 1,273 | | | 798 421 | 542 | 67.9 | PR | 873 | 040 | 00 5 |
| HI | 190 | 149 | 78.0 | NM | | 273 | 64.9 58.2 | | 11 | 843 | 96.5 |
| ID | 166 | 132 | 79.3 | NY | 4,023 | 2,342 | 58.2 | VI | - 11 | _ | |

Represents zero.
 ¹ The unduplicated Medicaid enrollment figures include individuals in state health care reform programs that expand eligibility beyond traditional Medicaid eligibility standards.
 ² The unduplicated managed care enrollment figures include enrollees receiving comprehensive and limited benefits.

Table 140. Health Maintenance Organizations (HMOs): 1990 to 2003

[As of January 1 (33.0 represents 33,000,000). An HMO is a prepaid health plan delivering comprehensive care to members through designated providers, having a fixed periodic payment for health care services, and requiring members to be in a plan for a specified period of time (usually 1 year). A group HMO delivers health services through a physician group that is controlled by the HMO unit or contracts with one or more independent group practices to provide health services. An individual practice association (IPA) HMO contracts directly with physicians in independent practice, and/or contracts with one or more associations of physicians in independent practice, and/or contracts. Data are based on a census of HMOs]

| Model type | | | Number o | of plans | | | Enrollment ¹ (mil.) | | | | | |
|------------|------------|------------|------------|------------|------------|------------|--------------------------------|--------------|--------------|--------------|--------------|--------------|
| Model type | 1990 | 1995 | 2000 | 2001 | 2002 | 2003 | 1990 | 1995 | 2000 | 2001 | 2002 | 2003 |
| Total | 572 | 550 | 568 | 541 | 500 | 454 | 33.0 | 46.2 | 80.9 | 79.5 | 76.1 | 71.8 |
| IPA | 360 212 | 323 107 | 278 102 | 257 104 | 229 100 | 203 105 | 13.7 19.3 | 17.4 12.9 | 33.4 15.2 | 33.1 15.6 | 31.6 14.9 | 28.0 16.1 |
| Mixed | (NA) | 120 | 188 | 180 | 171 | 146 | (NA) | 15.9 | 32.3 | 30.8 | 29.5 | 27.7 |

NA Not available. ¹ 1990–1995 exclude enrollees participating in open-ended plans; beginning 1999, includes open-ended enrollment.

Source: HealthLeaders-InterStudy, Nashville, TN, The InterStudy Competitive Edge, annual (copyright).

Table 141. Persons Enrolled in Health Maintenance Organizations (HMOs) by State: 2000 and 2003

[71,673 represents 71,673,000. Data are based on a census of health maintenance organizations. Pure and open-ended enrollment as of January 1]

| State | Number 2003 | Percen popula | | State | Number 2003 | Percent of population | | State | Number 2003 | Percer popula | |
|------------|----------------|------------------|------|----------|----------------|-----------------------|--------------|----------|----------------|------------------|--------------|
| | (1,000) | 2000 | 2003 | | (1,000) | 2000 | 2003 | | (1,000) | 2000 | 2003 |
| US 1 | 71,673 | 29.7 | 24.9 | KS | 211 | 17.9 | 7.8 | ND | 2 | 2.5 | 0.4 |
| AL | 171 | 7.2 | 3.8 | KY LA | 1,278 547 | 31.5 17.0 | 31.2 12.2 | OH OK | 2,123 486 | 25.1 14.7 | 18.6 13.9 |
| AK | - 171 | 7.2 | - | ME | 274 | 22.3 | 21.1 | OR | 851 | 41.1 | 24.2 |
| AZ | 1,161 | 30.9 | 21.3 | MD | 1,340 | 43.9 | 30.6 | PA | 3,911 | 33.9 | 31.7 |
| AR | 192 | 10.4 | 7.1 | MA | 2,489 | 53.0 | 38.7 | RI | 339 | 38.1 | 31.7 |
| CA | 17,026 | 53.5 | 48.5 | MI | 2,613 | 27.1 | 26.0 | SC | 266 | 9.9 | 6.5 |
| CO | 1,366 | 39.5 | 30.3 | MN | 1,386 | 29.9 | 27.6 | SD | 81 | 6.7 | 10.6 |
| CT | 1,306 | 44.6 | 37.8 | MS | 24 | 1.1 | 0.8 | TN | 1,046 | 33.0 | 18.0 |
| DE | 123 | 22.0 | 15.3 | MO | 1,830 | 35.2 | 32.3 | TX | 2,789 | 18.5 | 12.8 |
| DC | 858 | 35.2 | 27.8 | MT | 47 | 7.0 | 5.2 | UT | 600 | 35.3 | 25.9 |
| FL | 4,339 | 31.4 | 26.0 | NE | 152 | 11.2 | 8.8 | VT | 61 | 4.6 | 9.9 |
| GA | 1,151 | 17.4 | 13.4 | NV | 459 | 23.5 | 21.1 | VA | 852 | 18.5 | 16.5 |
| HI | 374 | 30.0 | 30.0 | NH | 331 | 33.7 | 25.9 | WA | 917 | 15.2 | 15.1 |
| ID | 38 | 7.9 | 2.8 | NJ | 2,323 | 30.9 | 27.0 | WV | 163 | 10.3 | 10.1 |
| <u> L </u> | 1,852 | 21.0 | 14.7 | NM | 562 | 37.7 | 30.3 | WI | 1,582 | 30.2 | 29.1 |
| IN | 731 | 12.4 | 11.9 | NY | 6,207 | 35.8 | 32.4 | WY | 12 | 1.4 | 2.4 |
| IA | 279 | 7.4 | 9.5 | NC | 963 | 17.8 | 11.6 | | | | |

⁻ Represents zero.

¹ Includes Guam and Puerto Rico not shown separately.

Source: HealthLeaders-InterStudy, Nashville, TN, The InterStudy Competitive Edge, annual (copyright).

Source: U.S. Centers for Medicare and Medicaid Services, "2004 Medicaid Managed Care Enrollment Report";">http://www.cms.hhs.gov/medicaid/medicai

Table 142. Health Insurance Coverage Status by Selected Characteristics: 1990 to 2003

[Persons as of following year for coverage in the year shown (248.9 represents 248,900,000). Government health insurance includes medicare, medicaid, and military plans. Based on Current Population Survey; see text, Section 1, Population, and Appendix III]

| | | | N | umber (m | il.) | | | Percent | | | |
|--|---|--|--|--|--|---|--|--|--|---|---|
| Characteristic | | Cov | | private or Ith insura | | ent | Not covered | | ed by priv | | Not covered |
| Characteristic | Total | | Private Government | | by health | i | nsurance | | by | | |
| | per- sons | Total ¹ | Total | Group health ² | Medi- care | Medi- caid ³ | insur- ance | Total ¹ | Private | Medi- caid ³ | insur- ance |
| 1990 1995 ⁴ | 248.9 264.3 279.5 285.9 288.3 | 214.2 223.7 239.7 242.4 243.3 | 182.1 185.9 201.1 199.0 197.9 | 150.2 161.5 177.8 175.3 174.0 | 32.3 34.7 37.7 38.4 39.5 | 24.3 31.9 29.5 33.2 35.6 | 34.7 40.6 39.8 43.6 45.0 | 86.1 84.6 85.8 84.8 84.4 | 73.2 70.3 71.9 69.6 68.6 | 9.7 12.1 10.6 11.6 12.4 | 13.9 15.4 14.2 15.2 15.6 |
| Age: Under 18 years Under 6 years 6 to 11 years 12 to 17 years 18 to 24 years 25 to 34 years 35 to 44 years 45 to 54 years 65 years and over. Sex: Male Female Race: White alone Black alone Asian alone | 73.6 23.8 23.9 25.8 27.8 39.2 43.6 41.1 28.4 34.7 141.2 147.1 232.3 36.1 11.9 | 65.2 21.4 21.3 22.5 19.4 28.9 35.7 35.1 24.7 34.4 117.4 125.9 198.3 29.0 9.6 | 48.5 14.8 15.8 16.5 25.6 32.5 32.0 21.6 21.2 97.0 100.9 19.3 8.1 | 45.0 14.0 14.9 16.1 13.4 23.9 30.4 29.7 19.3 12.2 86.5 87.5 144.8 7.2 | 0.5 0.2 0.1 0.1 0.2 0.5 0.9 1.6 2.5 33.3 17.3 22.1 33.8 4.0 | 19.4 7.5 6.3 5.6 3.0 3.1 2.9 2.4 1.8 3.2 15.9 19.7 24.0 8.8 1.2 | 8.4 2.5 2.6 3.3 8.4 10.3 7.9 6.0 3.7 23.8 21.2 34.0 7.1 2.2 | 88.6 89.7 89.0 87.3 69.8 73.6 85.5 87.0 99.2 83.2 85.6 85.4 80.4 81.2 | 65.9 62.0 66.3 69.1 59.4 65.3 74.7 77.9 76.0 61.1 68.7 68.6 71.4 53.5 68.6 | 26.4 31.4 26.3 21.8 10.8 7.8 6.6 5.7 6.2 9.2 11.3 13.4 10.3 24.4 | 11.4 10.3 11.0 12.7 30.2 26.4 18.1 14.5 13.0 0.8 16.8 14.4 14.6 |
| Hispanic origin ⁶ Household income: | 40.4 | 27.2 | 18.2 | 16.8 | 2.5 | 8.5 | 13.2 | 67.3 | 45.0 | 21.0 | 32.7 |
| Less than \$25,000 \$25,000-\$49,999 \$50,000-\$74,999 \$75,000 or more Persons below poverty | 63.4 74.7 57.7 92.6 35.9 | 48.0 59.9 50.5 85.0 24.9 | 22.8 47.7 46.0 81.4 8.6 | 14.6 41.0 42.3 76.1 5.6 | 18.0 11.7 4.7 5.1 5.0 | 19.7 9.8 3.5 2.5 15.1 | 15.3 14.8 7.2 7.6 11.0 | 75.8 80.2 87.5 91.8 69.3 | 35.9 63.8 79.8 88.0 23.9 | 31.1 13.2 6.1 2.7 42.1 | 24.2 19.9 12.5 8.2 30.7 |

Includes other government insurance, not shown separately. Persons with coverage counted only once in total, even though they may have been covered by more than one type of policy.

Beginning 1997 persons with no coverage other than access to Indian Health Service are no longer considered covered by health insurance; instead they are considered to be uninsured. The effect of this change on the overall estimates of health insurance coverage is negligible; however, the decrease in the number of people covered by Medicaid may be partially due to this change.

Sample expanded by 28,000 households.

Persons of Hispanic origin may be any race.

Source: U.S. Census Bureau, Current Population Reports, P60-226, and unpublished data. See also http://www.census.gov/hhes/www.this/sh/thins/htmln3.html.

/hhes/www/hlthins/hlthin03.html>.

Table 143. Persons With and Without Health Insurance Coverage by State: 2003

[243,320 represents 243,320,000. Based on the Current Population Survey and subject to sampling error; see text, Section 1, Population, and Appendix III]

| State | Total | rsons State | State | Total persons | Total persons not covered | | Children not covered | | | | |
|----------|--------------------|-------------------|------------------|-------------------|------------------------------|----------|----------------------|-------------------|------------------|-------------------|------------------|
| State | covered (1,000) | Number (1,000) | Percent of total | Number (1,000) | Percent of total | State | covered (1,000) | Number (1,000) | Percent of total | Number (1,000) | Percent of total |
| U.S | 243,320 | 44,961 | 15.6 | 8,373 | 11.4 | MO | 5,004 | 620 177 | 11.0 | 103 | 7.3 17.7 |
| AL | 3,798 | 629 | 14.2 | 95 | 8.7 | MT NE | 739 1,532 | 195 | 19.4 11.3 | 38 31 | 7.0 |
| AK | 523 | 122 | 18.9 | 24 | 12.3 | NV | 1,824 | 426 | 18.9 | 103 | 17.4 |
| AZ | 4,626 | 951 | 17.0 | 223 | 14.6 | NH | 1.133 | 131 | 10.3 | 17 | 5.5 |
| AR | 2,206 | 465 | 17.4 18.4 | 71 | 10.5 12.5 | NJ | 7,378 | 1,201 | 14.0 | 237 | 11.0 |
| CA CO | 28,895 3.708 | 6,499 772 | 17.2 | 1,196 159 | 13.7 | NM | 1,457 | 414 | 22.1 | 65 | 13.2 |
| CT | 3,765 | 357 | 10.4 | 71 | 8.3 | NY | 16,104 | 2,866 | 15.1 | 432 | 9.4 |
| DE | 729 | 91 | 11.1 | 17 | 8.5 | NC | 6,829 | 1,424 | 17.3 | 249 | 11.9 |
| DC | 475 | 79 | 14.3 | 12 | 11.4 | ND | 563 | 69 | 10.9 | 11 | 7.5 |
| FL | 13,849 | 3,071 | 18.2 | 616 | 15.5 | OH | 9,885 | 1,362 | 12.1 | 236 | 8.3 |
| GA | 7,162 | 1,409 | 16.4 | 314 | 13.7 | OK | 2,737 | 701 | 20.4 | 154 | 17.9 |
| 변 | 1,126 | 127 | 10.1 | 23 | 7.4 | OR | 2,957 | 613 | 17.2 | 113 | 13.5 |
| ID | 1,107 | 253 | 18.6 | 51 | 13.7 | PA | 10,771 | 1,384 | 11.4 | 239 | 8.4 |
| IL IN | 10,810 5,296 | 1,818 853 | 14.4 13.9 | 320 143 | 10.0 9.0 | RI | 946 3,481 | 108 584 | 10.2 14.4 | 13 92 | 5.2 8.9 |
| IA | 2.593 | 329 | 11.3 | 60 | 8.6 | SD | 659 | 91 | 12.2 | 16 | 8.4 |
| KS | 2,389 | 294 | 11.0 | 45 | 6.4 | TN | 5,131 | 778 | 13.2 | 150 | 10.8 |
| KY | 3,537 | 574 | 14.0 | 107 | 10.5 | TX | 16,484 | 5,374 | 24.6 | 1,264 | 20.0 |
| LA | 3,517 | 912 | 20.6 | 182 | 15.2 | UT | 2,055 | 298 | 12.7 | 69 | 9.0 |
| ME | 1,150 | 133 | 10.4 | 17 | 6.0 | VT | 553 | 58 | 9.5 | 5 | 3.9 |
| MD | 4,731 | 762 | 13.9 | 114 | 8.1 | VA | 6,424 | 962 | 13.0 | 162 | 8.9 |
| MA | 5,685 | 682 | 10.7 | 118 | 7.9 | WA | 5,147 | 944 | 15.5 | 125 | 8.4 |
| MI | 8,838 | 1,080 | 10.9 | 147 | 5.8 | WV | 1,491 | 296 | 16.6 | 34 | 8.4 |
| MN MS | 4,633 2,343 | 444 511 | 8.7 17.9 | 77 92 | 6.2 12.1 | WY | 4,836 411 | 593 78 | 10.9 15.9 | 104 15 | 7.7 12.5 |

Source: U.S. Census Bureau, Current Population Reports, P60-226, and unpublished data. See also http://www.census.gov/hhes/www/hlthins/hlthin03.html.

Table 144. People Without Health Insurance for the Entire Year by Selected Characteristics: 2000 and 2003

[In thousands, except as noted (279,517 represents 279,517,000). Based on the Current Population Survey; Annual Demographic Survey and subject to sampling error; see text, Section 1 and Appendix III]

| | | 2000 | | 2003 | | | | |
|---|--|--|---|--|---|---|--|--|
| Characteristic | | Uninsured | persons | | Uninsured | persons | | |
| | Total persons | Number | Percent distribution | Total persons | Number | Percent distribution | | |
| Total ¹ | 279,517 | 39,804 | 100.0 | 288,280 | 44,961 | 100.0 | | |
| Under 18 years 18 to 24 years 25 to 34 years 35 to 44 years 45 to 64 years 65 years and over | 26,815 38,865 44,566 63,391 | 8,617 7,406 8,507 6,898 8,124 251 | 21.6 18.6 21.4 17.3 20.4 0.6 | 73,580 27,824 39,201 43,573 69,443 34,659 | 8,373 8,414 10,345 7,885 9,657 286 | 18.6 18.7 23.0 17.5 21.5 0.6 | | |
| Male | 136,559 142,958 | 20,791 19,013 | 52.2 47.8 | 141,227 147,053 | 23,788 21,173 | 52.9 47.1 | | |
| White | 228,208 193,931 35,597 12,693 | 30,075 18,683 6,683 2,287 | 75.6 46.9 16.8 5.7 | (NA) (NA) (NA) (NA) | (NA) (NA) (NA) (NA) | (NA) (NA) (NA) (NA) | | |
| White alone ² | (NA) (NA) (NA) | (NA) (NA) (NA) | (NA) (NA) (NA) | 232,254 36,121 11,869 | 33,983 7,080 2,228 | 75.6 15.7 5.0 | | |
| Hispanic ³ | 36,093 | 11,883 | 29.9 | 40,425 | 13,237 | 29.4 | | |

NA Not available.

¹ Includes other races not shown separately.

² Refers to people who reported specified race and did not report any other race category.

³ Persons of Hispanic origin may be of any race.

Table 145. Percent of Workers Participating in Health Care Benefit Programs and Percent of Participants Required to Contribute: 2004

[Based on National Compensation Survey, a sample survey of 4,703 private industry establishments of all sizes, representing over 102 million workers; see Appendix III. See also Table 639]

| | | nt of wor | | Single co | verage med | ical care | Family coverage medical care | | | |
|------------------------|----------------------|---------------------|-------------|---|---|---|---|---|---|--|
| Characteristic | Med- ical care | Den- tal care | Vision care | Employee contribu- tions not required (percent) | Employee contribu- tions required (percent) | Average monthly contribu- tion 1 (dol.) | Employee contribu- tions not required (percent) | Employee contribu- tions required (percent) | Average monthly contribu- tion 1 (dol.) | |
| Total | 53 | 37 | 22 | 24 | 76 | 67.57 | 11 | 89 | 264.59 | |
| | 59 | 43 | 25 | 22 | 78 | 69.07 | 9 | 91 | 271.60 | |
| | 60 | 40 | 25 | 30 | 70 | 63.15 | 16 | 84 | 242.81 | |
| | 24 | 16 | 11 | 19 | 81 | 72.40 | 9 | 91 | 294.58 | |
| Full-time ² | 66 | 46 | 27 | 24 | 76 | 67.05 | 11 | 89 | 263.65 | |
| | 11 | 8 | 6 | 29 | 71 | 78.61 | 17 | 83 | 284.66 | |
| Union ³ | 81 | 68 | 50 | 43 | 57 | 56.53 | 33 | 67 | 195.12 | |
| | 50 | 33 | 19 | 21 | 79 | 68.98 | 7 | 93 | 273.51 | |

¹ The average is presented for all covered workers and excludes workers without the plan provision. Averages are for plans stating a flat monthly cost. ² Employees are classified as working either a full-time or part-time schedule based on the definition used by each establishment. ³ Union workers are those whose wages are determined through collective bargaining.

Table 146. Outpatient Prescription Drug Benefits: 2002

[In percent. Based on National Compensation Survey, a sample survey of 2,924 private industry establishments of all sizes, representing over 103 million workers; Summary of coverage, all private industry workers. see Appendix III. See also Table 639]

| Characteristic | All workers | White collar | Blue collar | Service |
|--|---------------------|---------------------------------------|--|---------------------------------------|
| Total with outpatient prescription ¹ Coverage for brand name drugs Higher reimbursement for generic drugs. Coverage for mail order drugs ² Prescription card plan. Higher reimbursement for formulary drugs Not determinable | 99 83 70 9 | 100 99 84 73 8 30 5 | 100 99 78 65 12 22 7 | 100 99 90 75 6 22 7 |

¹ Sum of individual items is greater than the total because some participants were in plans with more than one type of coverage. ² Programs that provide drugs for maintenance purposes, that is, drugs required on a continuous basis.

Source: U.S. Census Bureau, "Table H101. Health Insurance Coverage Status and Type of Coverage by Selected Characteristics: 2003;" http://pubdb3.census.gov/macro/032004/health/toc.htm.

Source: U.S. Bureau of Labor Statistics, National Compensation Survey: Employee Benefits in Private Industry in the United States, 2004. See also http://www.bls.gov/ncs/ebs/sp/ebsm0002.pdf (accessed: 9 July 2005).

Source: U.S. Bureau of Labor Statistics, National Compensation Survey: Employee Benefits in Private Industry in the United States, 2002–2003, http://www.bls.gov/ncs/ebs/sp/ebbl0020.pdf (accessed: 8 July 2005).

Table 147. Medical Care Benefits of Workers by Type and Amount of Employee Contribution: 2004

[In percent. See headnote, Table 145]

| | | Individual | coverage | | | | Family of | coverage | |
|--|---|--|--|---|---|-------------------------------------|--|---|--|
| Type and amount of contribution | All employ- | White- collar occupa- tions | Blue- collar occupa- tions | Service occupa- tions | Type and amount of contribution | All employ- | White- collar occupa- tions | Blue- collar occupa- tions | Service occupa- tions |
| Total with contributory coverage | 100 | 100 | 100 | 100 | Total with contributory coverage | 100 | 100 | 100 | 100 |
| Flat monthly amount. Less than \$5.00 \$5.00-\$9.99 \$10.00-\$14.99 \$15.00-\$19.99 \$20.00-\$29.99 \$30.00-\$39.99 \$40.00-\$49.99 \$50.00-\$59.99 \$60.00-\$69.99 \$70.00-\$79.99 \$80.00-\$89.99 \$100.00-\$124.99 \$125.00 or more Dollar amount | 73 (Z) 1 2 2 6 8 9 10 8 7 6 3 6 7 | 74 (Z) 1 2 6 8 9 10 7 6 6 3 7 7 | 73 (Z) 2 3 3 5 9 8 9 7 7 6 2 4 6 | 74 (Z) 1 2 1 6 5 8 9 11 8 4 3 7 8 | Flat monthly amount . Less than \$25.00 \$25.00 \$49.99 \$50.00 \$74.99 \$75.00 \$99.99 \$100.00 \$124.99 \$175.00 \$199.99 \$175.00 \$199.99 \$150.00 \$174.99 \$175.00 \$199.99 \$250.00 \$224.99 \$225.00 \$224.99 \$225.00 \$274.99 \$275.00 \$299.99 \$250.00 \$324.99 \$250.00 \$324.99 \$3300.00 \$324.90 \$3300.00 \$324.90 \$3300.00 \$324.90 \$324.00 | 2 3 3 5 5 6 6 5 5 4 | 73 1 1 3 3 4 6 6 5 5 4 5 3 3 2 | 76 2 5 4 4 7 5 6 6 6 6 5 3 3 4 1 | 73 (Z) 1 2 2 4 2 5 7 4 2 5 2 11 |
| not specified Composite rate Varies Flexible benefits Percent of earnings Exists, but unknown Other | 1 4 2 (Z) 17 3 | 1 4 2 (Z) 16 2 | (Z) 3 1 (Z) 17 5 | 1 4 1 (Z) 18 2 | \$350.00 or more Composite rate \(^1\) Varies \(^2\). Flexible benefits \(^3\) Percent of earnings Exists, but unknown Other | 26 1 3 1 (Z) 18 3 | 26 1 3 2 (Z) 19 2 | 23 (Z) 2 1 (Z) 16 4 | 29 1 3 1 (Z) 20 3 |

A composite rate is a set contribution covering more than one benefit area; ta for individual plans cannot be determined.

 Based on worker attributes. - Represents zero. Z Less than 0.5 percent. for example, health care and life insurance. Cost data for individual plans cannot be determined. Based on worker attributes. For example, employee contributions may vary based on earnings, length of service, or age. Amount varies by options selected under a "cafeteria plan" or employer-sponsored reimbursement account.

Table 148. Annual Receipts/Revenue for Health Care Industries: 1998 to 2003

[In millions of dollars (374,348 represents \$374,348,000,000). Based on the North American Industry Classification System, 1997 (NAICS); see text, Section 15. All firms in NAICS 6211, 6212, 6213, and 6215 are defined as taxable. Estimates for the non-employer portion are derived from administrative records data provided by other federal agencies. These data are available only at the total revenue level. See Appendix III]

| Kind of business | NAICS | Tot | tal, all firms | 1 | Er | mployer firm | s |
|---|-----------------------|---|---|---|---|---|---|
| Kind of business | code | 1998 | 2000 | 2003 | 1998 | 2000 | 2003 |
| Ambulatory health care services Offices of physicians Offices of dentists Offices of other health practitioners ² Offices of chiropractors | 6211 | 374,348 181,579 51,476 30,018 6.946 | 415,962 202,913 58,812 32,512 7,576 | 525,594 256,391 70,820 40,321 9,370 | 328,083 181,579 51,476 30,018 6,946 | 364,769 202,913 58,812 32,512 7,576 | 460,203 256,391 70,820 40,321 9,370 |
| Offices of optometrists Offices of PT/OT/speech therapy & | | 6,885 | 7,941 | 8,948 | 6,885 | 7,941 | 8,948 |
| audiology ³ Outpatient care centers Medical & diagnostic laboratories. Home health care services | 6214 6215 6216 | 9,003 51,851 18,501 30,579 | 8,531 59,571 22,261 28,325 | 11,868 78,429 29,105 35,952 | 9,003 19,884 18,501 20,630 | 8,531 23,606 22,261 18,474 | 11,868 31,513 29,105 24,135 |
| Other ambulatory health care services | 622 6221 6222 | 10,345 397,373 370,862 14,686 | 11,568 430,329 402,578 14,944 | 14,575 536,268 502,289 15,208 | 5,996 42,054 35,193 3,813 | 6,191 44,847 37,256 4,406 | 7,918 64,256 53,602 4,611 |
| Other specialty hospitals Nursing and residential care facilities Nursing care facilities Residential mental retardation/health | 6223 623 6231 | 11,825 98,984 63,085 | 12,807 107,421 65,774 | 18,771 126,785 75,786 | 3,048 58,935 46,721 | 3,185 63,433 48,182 | 6,043 74,148 54,693 |
| facilities ² Residential mental retardation facilitiesCommunity care facilities for the elderly | 6232 62321 6233 | 12,479 8,287 18,041 | 14,353 9,301 21,504 | 17,750 11,344 26,318 | 3,721 2,536 7,893 | 4,203 2,834 10,354 | 5,291 3,639 13,307 |

 $^{^{\}rm 1}$ Includes taxable nonemployer firms, not shown separately. $^{\rm 2}$ Inclu $^{\rm 3}$ Offices of physical, occupational and speech therapists, and audiologists. ² Includes other kinds of business not shown separately.

Source: U.S. Bureau of Labor Statistics, "National Compensation Survey, Employee Benefits in Private Industry, March 2004"; http://www.bls.gov/ncs/ebs/sp/ebsm0002.pdf (accessed 9 July 2005).

Source: U.S. Census Bureau, Service Annual Survey, 2003. www.census.gov/svsd/www/sas62rpt.pdf (accessed 19 June 2005).

Table 149. Receipts for Selected Health Service Industries by Source of Revenue: 2000 and 2003

[In millions of dollars (202,913 represents \$202,913,000,000). Based on the 1997 North American Industry Classification System (NAICS), see text, Section 15. Based on a sample of employer firms only and does not include nonemployer revenue. See Appendix III]

| Source of revenue | Offices of physicians (NAICS 6211) | | Offices of dentists (NAICS 6212) | | Hosp (NAICS | | Nursing and residential care facilities (NAICS 623) | |
|---|---|--|--|--|--|--|---|---|
| | 2000 | 2003 | 2000 | 2003 | 2000 | 2003 | 2000 | 2003 |
| Total Medicare Medicaid. Other government ¹ Worker's compensation Private insurance Patient (out-of-pocket). Other patient care sources, n.e.c ³ Non-patient care revenue | 202,913 48,370 13,896 2,025 7,419 97,193 22,865 7,299 3,846 | 256,391 62,907 18,209 2,761 8,222 124,144 26,096 9,165 4,887 | 57,395 (S) 1,416 (S) (S) 30,232 25,747 (S) (S) | 69,559 (S) 2,476 (S) (S) 36,148 30,935 (S) (S) | 430,329 138,843 52,305 22,687 4,720 155,206 22,928 10,622 23,019 | 536,270 166,627 64,914 28,844 5,849 203,567 29,219 10,667 26,583 | 107,150 12,699 43,834 7,157 (S) 6,231 ² 27,019 3,300 6,910 | 119,640 17,228 51,762 9,281 (S) 6,280 ² 28,812 2,777 3,500 |

S Figure does not meet publication standards.

Veterans, National Institute of Health, Indian Affairs, etc.

Represents payment from patients and their families plus patients' assigned social security benefits.

Table 150. Employment in the Health Service Industries: 1990 to 2004

[In thousands (2,842 represents 2,842,000). See head note Table 620]

| Industry | NAICS code 1 | 1990 | 1995 | 2000 | 2002 | 2003 | 2004 |
|--|------------------------------|---|--|---|---|---|---|
| Ambulatory health care services ² Offices of physicians Offices of dentists Offices of other health practitioners Medical and diagnostic laboratories Home health care services | 6211 6212 6213 6215 | 2,842 1,278 513 276 129 288 | 3,768 1,540 592 395 146 622 | 4,320 1,840 688 438 162 633 | 4,633 1,968 725 486 175 680 | 4,786 2,003 744 503 182 733 | 4,946 2,054 760 523 189 773 |
| Hospitals. General medical and surgical hospitals. Psychiatric and substance abuse hospitals. Other hospitals Nursing and residential care facilities ² Nursing care facilities | 6221 6222 6223 623 | 3,513 3,305 113 95 1,856 1,170 | 3,734 3,520 101 112 2,308 1,413 | 3,954 3,745 86 123 2,583 1,514 | 4,160 3,930 90 140 2,743 1,573 | 4,245 4,005 92 148 2,786 1,580 | 4,294 4,051 92 151 2,815 1,575 |

¹ Based on the North American Industry Classification System 2002 code; see text, Section 15. ² Includes other industries not shown separately.

Table 151. Registered Nurses by Employment Status: 1996 and 2000

[As of March (2,559 represents 2,559,000). Based on a sample and subject to sampling variability; see source for details]

| Age, race and Hispanic origin status | | Employed | in nursing | Not ampleyed in |
|---|--|---|--|--|
| Age, race and Hispanic origin status | Total (1,000) | Number (1,000) | Percent distribution | Not employed in nursing (1,000) |
| 1996 | 2,559 2,697 | 2,116 2,202 | 100.0 100.0 | 443 495 |
| Less than 25 years | 66 1777 248 360 464 465 342 238 156 154 | 65 166 225 316 409 406 288 180 87 41 | 2.9 7.5 10.2 14.4 18.6 18.5 13.1 8.2 4.0 1.9 0.8 | 2 11 24 44 55 58 55 58 69 113 |
| White non-Hispanic Black non-Hispanic Asian non-Hispanic Native Hawaiian/Pacific Islander American Indian/Alaska Native Hispanic Two or more races non-Hispanic Unknown race/ethnic | 2,334 133 93 6 13 55 33 29 | 1,891 113 83 6 11 48 27 23 | 85.9 5.1 3.8 0.3 0.5 2.2 1.2 | 443 20 11 1 2 7 6 |

¹ Persons of Hispanic origin may be of any race.

Source: U.S. Census Bureau, Current Business Reports, Service Annual Survey: 2003. http://www.census.gov/svsd/www/sas62.html>.

Source: U.S. Bureau of Labor Statistics, Employment and Earnings, March issues. See also http://stats.bls.gov/ces/home.htm

Source: U.S. Department of Health and Human Services, Health Resources and Services Administration, *The Registered Nurse Population, March 2000*, September 2001. See also http://bhpr.hrsa.gov/.

Table 152. Physicians by Sex and Specialty: 1980 to 2003

[In thousands (467.7 represents 467,700). As of Dec. 31, except 1990 as of Jan. 1, and as noted. Includes Puerto Rico and island areas1

| | | 1980 ¹ | | 1990 ¹ | | 2000 ¹ | | 2003 ¹ |
|---|------------|-------------------|-------------|-------------------|-------------|-------------------|--------------|-------------------|
| Activity | Total | Office- based | Total | Office- based | Total | Office- based | Total | Office- based |
| Doctors of medicine, total | 467.7 | 272.0 | 615.4 | 361.0 | 813.8 | 490.4 | 871.5 | 529.8 |
| U.S. medical graduates | 370.0 | 226.2 | 483.7 | 286.2 | 616.8 | 376.5 | 654.3 | 407.8 |
| International medical graduates 2 | 97.7 | 45.8 | 131.8 | 74.8 | 197.0 | 113.9 | 217.2 | 122.0 |
| Sex: Male | 413.4 | 251.4 | 511.2 | 311.7 | 618.2 | 382.3 | 646.5 | 400.3 |
| Female | 54.3 | 20.6 | 104.2 | 49.2 | 195.5 | 108.1 | 225.0 | 129.5 |
| Allergy/immunology | 1.5 | 1.4 | 3.4 | 2.5 | 4.0 | 3.1 | 4.2 | 3.2 |
| Anesthesiology | 16.0 | 11.3 | 26.0 | 17.8 | 35.7 | 27.6 | 38.5 | 29.3 |
| Cardiovascular diseases | 9.8 | 6.7 | 15.9 | 10.7 | 21.0 | 16.3 | 22.3 | 17.3 |
| Child psychiatry | 3.3 | 2.0 | 4.3 | 2.6 | 6.2 | 4.3 | 6.7 | 4.8 |
| Dermatology | 5.7 7.0 | 4.4 4.2 | 7.6 15.4 | 6.0 9.8 | 9.7 21.1 | 8.0 14.6 | 10.3 23.3 | 8.5 16.4 |
| Diagnostic radiology | 7.0 5.7 | 3.4 | 14.2 | 8.4 | 23.1 | 14.5 | 26.6 | 17.7 |
| Family practice | 27.5 | 18.4 | 47.6 | 37.5 | 71.6 | 54.2 | 79.1 | 62.3 |
| Gastroenterology | 4.0 | 2.7 | 7.5 | 5.2 | 10.6 | 8.5 | 11.7 | 9.3 |
| General practice. | 32.5 | 29.6 | 22.8 | 20.5 | 15.2 | 13.0 | 13.2 | 11.2 |
| General surgery | 34.0 | 22.4 | 38.4 | 24.5 | 36.7 | 24.5 | 37.8 | 25.3 |
| Internal medicine | 71.5 | 40.6 | 98.3 | 58.0 | 134.5 | 89.7 | 147.6 | 99.7 |
| Neurology | 5.7 | 3.3 | 9.2 | 5.6 | 12.3 | 8.6 | 13.3 | 9.3 |
| Neurological surgery | 3.3 | 2.5 | 4.4 | 3.1 | 5.0 | 3.7 | 5.1 | 3.9 |
| Obstetrics and gynecology | 26.3 | 19.5 | 33.7 | 25.5 | 40.2 | 31.7 | 41.9 | 33.6 |
| Ophthalmology | 13.0 | 10.6 | 16.1 | 13.1 | 18.1 | 15.6 | 18.7 | 16.2 |
| Orthopedic surgery | 14.0 | 10.7 | 19.1 | 14.2 | 22.3 | 17.4 | 23.5 | 18.4 |
| Otolaryngology | 6.6 | 5.3 | 8.1 | 6.4 | 9.4 | 7.6 | 9.9 | 8.1 |
| Pathology | 13.6 | 6.1 | 16.6 | 7.5 | 18.8 | 10.6 | 18.9 | 10.6 |
| Pediatrics | 29.5 | 18.2 | 41.9 | 27.1 | 63.9 | 43.2 | 70.5 | 49.2 |
| Physical med./rehab | 2.1 | 1.0 | 4.1 | 2.2 | 6.5 | 4.3 | 7.1 | 4.9 |
| Plastic surgery | 3.0 | 2.4 | 4.6 | 3.8 | 6.2 | 5.3 | 6.7 | 5.7 |
| Psychiatry | 27.5 | 16.0 | 35.2 | 20.1 | 39.5 | 25.0 | 40.3 | 25.7 |
| Pulmonary diseases | 3.7 | 2.0 | 6.1 | 3.7 | 8.7 | 5.9 | 9.7 | 6.9 |
| Radiology | 11.7 | 7.8 | 8.5 | 6.1 | 8.7 | 6.7 | 4.3 | 3.3 |
| Radiation oncology | 1.6 7.7 | 1.0 6.2 | 2.8 9.4 | 2.0 | 3.9 10.3 | 3.0 | 8.9 10.6 | 7.0 8.8 |
| Urological surgery | 7.7 5.8 | 2.4 | 7.3 | 7.4 2.7 | 5.8 | 8.5 2.3 | 5.6 | 2.3 |
| Other specialtyOther surgical specialty 3 | 2.9 | 2.4 | 2.9 | 2.7 | 6.1 | 5.1 | 6.3 | 5.3 |
| Other remaining specialty 4 | 2.9 6.1 | 2.5 | 2.9 7.8 | 3.3 | 8.8 | 4.2 | 8.9 | 4.2 |
| Not classified | 20.6 | (X) | 12.7 | (X) | 45.1 | (X) | 50.4 | (X) |
| | 32.1 | (x) | 55.4 | (x) | 75.2 | (x) | 84.9 | (x) |
| Other categories 5 | 18.8 | (x) | 30.9 | (X) | 44.9 | (x) | 51.7 | (X) |
| Dooloid of Colcopality | 10.0 | (//) | 50.5 | (//) | -11.0 | (//) | 51.7 | (//) |

X Not applicable.

¹ Includes unspecified physicians.

² International medical graduates received their medical education in schools outside the United States and Canada.

³ Includes colon and rectal surgery and thoracic surgery.

⁴ Includes aerospace medicine, general preventive medicine, nuclear medicine, occupational medicine, medical genetics, and public health.

⁵ Includes inactive and address unknown.

⁶ Total number of DOs as of June 1. Data from American Osteopathic Association Fact Sheet, American Osteopathic Association, Chicago, IL. http://www.osteopathic.org/index.cfm?PageID=aoaannualrprt
Source: Except as noted, American Medical Association, Chicago, IL. https://www.osteopathic.org/index.cfm?PageID=aoaannualrprt
Source: Except as noted, American Medical Association, Chicago, IL. https://www.osteopathic.org/index.cfm?PageID=aoaannualrprt
Source: Except as noted, American Medical Association, Chicago, IL. https://www.osteopathic.org/index.cfm?pageID=aoaannualrprt
Source: Except as noted, American Medical Association, Chicago, IL. https://www.osteopathic.org/index.cfm?pageID=aoaannualrprt
Source: Except as noted, American Medical Association, Chicago, IL. https://www.osteopathic.org/index.cfm?

annual (copyright).

Table 153. Active Physicians, 2003, and Nurses, 2001, By State

[As of December. Excludes doctors of osteopathy, and physicians with addresses unknown. Includes all physicians not classified according to activity status]

| State | Physic | ians ¹ | Nurse | es | State | Physici | ans 1 | Nurse | es |
|-------------------|--------|-------------------|-----------|-------------------|----------------|---------|-------------------|---------|-------------------|
| State | Total | Rate ² | Total | Rate ² | State | Total | Rate ² | Total | Rate ² |
| United States | | 266 | 2,262,020 | 793 | Missouri | 13,732 | 241 | 52,970 | 940 |
| Alabama | | 212 | 36,400 | 814 | Montana | 2,079 | 227 | 7,620 | 842 |
| Alaska | | 222 | 4,930 | 778 | Nebraska | 4,216 | 242 | 15,970 | 928 |
| Arizona | | 209 | 34,880 | 657 | Nevada | 4,152 | 185 | 10,840 | 517 |
| Arkansas | 5,516 | 202 | 19,860 | 737 | New Hampshire | 3,392 | 263 | 11,190 | 889 |
| California | 92,470 | 261 | 185,550 | 536 | New Jersey | 26,804 | 310 | 71,500 | 840 |
| Colorado | 11,600 | 255 | 33,510 | 756 | New Mexico | 4,473 | 239 | 11,630 | 635 |
| Connecticut | | 362 | 32,740 | 953 | New York | 75,048 | 391 | 165,580 | 868 |
| Delaware | | 253 | 7,280 | 913 | North Carolina | 21,287 | 253 | 72,050 | 878 |
| Dist. of Columbia | | 768 | 8,600 | 1,498 | North Dakota | 1,529 | 241 | 6,460 | 1,014 |
| Florida | | 248 | 129,610 | 792 | Ohio | 29,153 | 255 | 103,870 | 912 |
| Georgia | 19,222 | 221 | 58,600 | 697 | Oklahoma | 6,034 | 172 | 22,890 | 660 |
| Hawaii | | 310 | 8,680 | 707 | Oregon | 9,342 | 262 | 26,040 | 750 |
| Idaho | | 170 | 8,400 | 636 | Pennsylvania | 36,421 | 295 | 132,120 | 1,074 |
| Illinois | | 272 | 104,830 | 837 | Rhode Island | 3,770 | 350 | 11,160 | 1,053 |
| Indiana | | 215 | 49,590 | 809 | South Carolina | 9,521 | 230 | 28,130 | 693 |
| lowa | | 188 | 30,190 | 1,030 | South Dakota | 1,640 | 215 | 8,440 | 1,114 |
| Kansas | 5,947 | 218 | 24,680 | 913 | Tennessee | 15,178 | 260 | 48,880 | 850 |
| Kentucky | 9,348 | 227 | 34,920 | 858 | Texas | 46,802 | 212 | 129,710 | 607 |
| Louisiana | 11,904 | 265 | 36,690 | 821 | Utah | 4,987 | 212 | 13,830 | 607 |
| Maine | 3,485 | 267 | 13,390 | 1,043 | Vermont | 2,250 | 363 | 5,820 | 949 |
| Maryland | 22,819 | 414 | 43,340 | 805 | Virginia | 20,220 | 274 | 55,440 | 770 |
| Massachusetts | 28,474 | 443 | 75,580 | 1,181 | Washington | 16,347 | 267 | 45,170 | 754 |
| Michigan | 24,004 | 238 | 83,950 | 839 | West Virginia | 4,168 | 230 | 15,850 | 880 |
| Minnesota | 14,088 | 278 | 46,990 | 943 | Wisconsin | 13,769 | 252 | 49,610 | 918 |
| Mississippi | 5,240 | 182 | 22,290 | 779 | Wyoming | 963 | 192 | 3,780 | 765 |

^{1 2002} and earlier data excludes federally-employed persons. 2 Per 100,000 resident population. Based on U.S. Census Bureau estimates as of July 1.

Source: Physicians: American Medical Association, Chicago, IL, Physician Characteristics and Distribution in the U.S., annual (copyright); Nurses: U.S. Dept. of Health and Human Services, Health Resources and Services Administration, unpublished data.

Table 154. Health Professions—Practitioners and Schools: 1990 to 2002

[(573 represents 573,000). Data on the number of schools and total enrollment are reported as of the beginning of the academic year; all other school data are reported as of the end of the academic year. Data are based on reporting by health professions' schools]

| | | | Registered nursing | | | | | | | |
|--------------------------------------|--|--|--|---|--|---|--|--|--|--|
| Year | Medi- cine | Osteo- pathy | Total | Bacca- laure- ate | Associ- ate's degree | Diploma | Licensed practical nursing | Den- tistry 1 | Optom- etry | Phar- macy |
| ACTIVE PERSONNEL (1,000) | | | | | | | | | | |
| 1990 | 573 646 738 752 | 28 36 45 42 | ² 1,790 ² 2,116 ² 2,249 ² 2,262 | 682 881 983 1,000 | 1,107 1,235 1,267 1,262 | (3) (3) (3) (3) | 441 399 374 (NA) | 148 159 168 (NA) | 26 29 32 (NA) | 168 181 196 (NA) |
| NUMBER OF SCHOOLS ⁴ | | | | | | | | | | |
| 1990 | 126 125 125 125 125 | 15 16 19 19 | 1,470 1,516 (NA) (NA) (NA) | 489 521 (NA) (NA) (NA) | 829 876 (NA) (NA) (NA) | 152 119 (NA) (NA) (NA) | 1,154 1,210 (NA) (NA) (NA) | 56 54 55 54 54 | 17 17 17 17 (NA) | 74 75 81 83 83 |
| TOTAL ENROLLMENT | | | | | | | | | | |
| 1990 1995 2000 2001 2002 | 65,016 66,788 66,377 66,160 66,253 | 6,615 8,146 10,388 10,817 11,101 | 201,458 268,350 192,202 (NA) (NA) | 74,865 112,659 89,508 (NA) (NA) | 106,175 135,895 95,598 (NA) (NA) | 20,418 19,796 7,096 (NA) (NA) | 46,720 59,428 (NA) (NA) (NA) | 16,412 16,353 17,242 17,349 17,487 | 4,723 5,201 5,464 5,428 (NA) | 23,013 27,667 29,586 30,301 31,769 |
| GRADUATES | | | | | | | | | | |
| 1990 | 15,398 15,883 15,714 15,785 15,652 | 1,529 1,843 2,279 2,510 2,534 | 66,088 97,052 (NA) (NA) (NA) | 18,571 31,254 (NA) (NA) (NA) | 42,318 58,749 (NA) (NA) (NA) | 5,199 7,049 (NA) (NA) (NA) | 35,417 44,234 (NA) (NA) (NA) | 4,233 3,908 4,171 4,367 4,349 | 1,115 1,219 1,315 1,310 (NA) | 6,956 7,837 7,260 7,000 7,573 |

NA Not available.

Personnel data exclude dentists in military service, U.S. Public Health Service, and U.S. Dept. of Veterans Affairs.

Includes nurses with advanced degrees.

Diploma nurses included with associate's degree nurses.

Some nursing schools offer more than one type of program. Numbers shown for nursing are number of nursing programs.

Table 155. Adults 18 Years and Over Who Used Complementary and Alternative Medicine (CAM), by Type of Therapy: 2002

[In thousands (149,271 represents 149,721,000) The denominators for statistics shown exclude persons with unknown CAM information. Estimates were age adjusted to the year 2000 U.S. standard population using four age groups: 18 to 24 years, 25 to 44 years, 45 to 64 years, and 65 years and over]

| Therapy | Ever used | Used during past 12 months | Therapy | Ever used | Used during past 12 months |
|---------------------------------|-----------|-------------------------------------|--|-----------|-------------------------------------|
| Any CAM ¹ use | 149,271 | 123,606 | Manipulative and body-based therapies: | | |
| Alternative medical systems: | | | Chiropractic care | 40,242 | 15,226 |
| Acupuncture | 8.188 | 2.136 | Massage | 18,899 | 10,052 |
| Ayurveda | 751 | 154 | Mind-body therapies: | | |
| Homeopathic treatment | 7,379 | 3,433 | Biofeedback | 1.986 | 278 |
| Naturopathy | 1,795 | 498 | Meditation | 20,698 | 15,336 |
| | | | Guided imagery | 6,067 | 4,194 |
| Biologically-based therapies: | | | Progressive relaxation | 8,518 | 6,185 |
| Chelation therapy | 270 | (B) | Deep breathing exercises | 29,658 | 23,457 |
| Folk medicine | 1,393 | 233 | Hypnosis | 3,733 | 505 |
| Nonvitamin, nonmineral, natural | | | Yoga | 15,232 | 10,386 |
| products | 50,613 | 38,183 | Tai chi | 5,056 | 2,565 |
| Diet-based therapies 2 | 13,799 | 7,099 | Qi gong | 950 | 527 |
| Vegetarian diet | 5,324 | 3,184 | Prayer for health reasons 3 | 110,012 | 89,624 |
| Macrobiotic diet | 1,368 | 317 | Prayed for own health | 103,662 | 85,432 |
| Atkins diet | 7,312 | 3,417 | Others ever prayed for your | | 40 40= |
| Pritikin diet | 580 | 137 | health | 62,348 | 48,467 |
| Ornish diet | 290 | (B) | Participate in prayer group | 25,167 | 18,984 |
| Zone diet | 1,062 | 430 | Healing ritual for own health | 9,230 | 4,045 |
| Megavitamin therapy | 7,935 | 5,739 | Energy healing therapy/Reiki | 2,264 | 1,080 |

B Base figure too small to meet statistical standards for reliability of derived figures.

1 Respondents may have reported using more than one type of therapy.

2 The sum of the categories listed under "Diet-based therapies" are greater than the total number of "Diet-based therapies" because respondents could choose more than one diet-based therapy.

3 The sum of the categories listed under "Prayer for health reasons" are greater than the total number of "Prayer for health reasons" because respondents could choose more than one method of prayer.

Source: U.S. Department of Health and Human Services, Bureau of Health Professions, unpublished data; American Medical Association, Chicago, IL, *Physician Characteristics and Distribution in the U.S.*, annual; and American Association of Colleges of Osteopathic Medicine, Rockville, MD, *Annual Statistical Report*.

Source: U.S. National Center for Health Statistics, Advance Data, No. 343. May 27, 2004. http://www.cdc.gov/nchs/data/ad/ad343.pdf.

Table 156. Percent Distribution of Number of Visits to Health Care Professionals by Selected Characteristics: 2002 and 2003

[Covers ambulatory visits to doctor's offices and emergency departments, and home health care visits during a 12-month period. Based on the redesigned National Health Interview Survey, a sample survey of the civilian noninstitutionalized population. See Appendix III1

| Characteristic | None | e | 1-3 v | isits | 4-9 v | isits | 10 or more visits | | |
|--------------------------------------|---------------------|--------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--|
| Characteristic | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | |
| All persons 1 | 15.9 | 15.8 | 45.5 | 45.8 | 25.2 | 24.8 | 13.4 | 13.6 | |
| Age: Under 6 years | 5.6 | 5.5 | 47.0 | 46.0 | 37.1 | 39.0 | 10.4 | 9.4 | |
| | 13.0 | 14.0 | 59.0 | 58.7 | 22.3 | 20.8 | 5.7 | 6.6 | |
| | 22.6 | 22.4 | 45.7 | 46.7 | 19.4 | 19.1 | 12.4 | 11.8 | |
| | 14.8 | 14.7 | 41.9 | 42.2 | 26.9 | 26.6 | 16.4 | 16.5 | |
| | 9.1 | 7.1 | 33.7 | 34.0 | 36.8 | 35.7 | 20.5 | 23.3 | |
| 75 years and over Sex: 1 Male | 7.3 20.6 11.4 | 20.6 11.1 | 28.6 46.5 44.5 | 28.6 46.8 44.9 | 35.8 22.2 28.0 | 36.0 21.9 27.7 | 28.3 10.7 16.1 | 30.0 10.7 16.3 | |
| White only | 15.6 | 15.7 | 45.1 | 45.6 | 25.4 | 25.1 | 13.8 | 13.6 | |
| | 15.3 | 14.7 | 45.8 | 45.8 | 26.0 | 25.2 | 13.0 | 14.3 | |
| Alaska Native only Asian only | 18.1 | 23.3 | 43.7 | 41.4 | 21.7 | 20.6 | 16.6 | 14.7 | |
| | 21.2 | 22.6 | 49.7 | 47.8 | 20.3 | 20.7 | 8.8 | 8.9 | |
| | 13.5 | 11.1 | 43.7 | 44.9 | 27.3 | 23.0 | 15.4 | 21.0 | |
| Race and Hispanic origin: 1 Hispanic | 25.7 | 25.3 | 41.5 | 42.9 | 21.1 | 20.3 | 11.7 | 11.5 | |
| | 14.0 | 13.5 | 45.8 | 46.2 | 26.1 | 26.1 | 14.2 | 14.2 | |
| | 15.3 | 14.6 | 45.7 | 45.9 | 26.0 | 25.3 | 13.1 | 14.2 | |

Stimates are age adjusted to the year 2000 standard using six age groups: Under 18 years, 18-44 years, 45-54 years, 55-64 years, and 75 years and over.
Estimates by race and Hispanic origin are tabulated using the 1997 Standards for Estimates are age adjusted to the year 2000 standard using six age groups. Under 18 years, 16-44 years, 45-34 years, 35-34 years, 65-74 years, and 75 years and over.

Estimates by race and Hispanic origin are tabulated using the 1997 Standards for Federal data on race and ethnicity. Estimates for specific race groups are shown when they meet requirements for statistical reliability and confidentiality. The categories "White only," "Black or African American only," "American Indian and Alaska Nature (Al/AN) only," and "Asian only" include persons who reported only one racial group; and the category "20 or more races" includes persons who reported more than one of the five racial groups in the 1997 Standards or one of the five racial groups and "Some other race.'

Source: U.S. National Center for Health Statistics, Health, United States, 2005. See also <www.cdc.gov/nchs/htus/htm>

Table 157. Ambulatory Care Visits to Physicians' Offices and Hospital **Outpatient and Emergency Departments: 2003**

[1,114.5 represents 1,114,500,000. Based on the annual National Ambulatory Medical Care Survey and National Hospital Ambulatory Medical Care Survey and subject to sampling error; see source for details. For composition of regions, see map inside front cover]

| | N | umber of v | visits (mil.) | | V | isits per 10 | 00 persons | |
|---|--|---|--|--|---|---|---|---|
| Characteristic | Total | Physi- cian offices | Outpa- tient dept. | Emer- gency dept. | Total | Physi- cian offices | Outpa- tient dept. | Emer- gency dept. |
| Total | 1,114.5 | 906.0 | 94.6 | 113.9 | 390.3 | 317.3 | 33.1 | 39.9 |
| Age: Under 15 years old. 15 to 24 years old 25 to 44 years old 45 to 64 years old 65 to 74 years old 75 years old and over. | 192.0 | 145.2 | 22.1 | 24.7 | 316.4 | 239.3 | 36.3 | 40.8 |
| | 101.4 | 72.4 | 11.2 | 17.7 | 252.8 | 180.6 | 28.0 | 44.2 |
| | 261.2 | 203.6 | 24.8 | 32.9 | 317.7 | 247.5 | 30.1 | 40.0 |
| | 301.5 | 257.3 | 23.2 | 21.0 | 442.0 | 377.2 | 34.1 | 30.8 |
| | 120.8 | 106.4 | 7.2 | 7.2 | 667.8 | 588.2 | 40.0 | 39.5 |
| | 137.6 | 121.1 | 6.1 | 10.4 | 849.9 | 748.2 | 37.5 | 64.2 |
| Sex: Male | 458.5 | 368.7 | 36.8 | 52.9 | 328.8 | 264.4 | 26.4 | 37.9 |
| | 656.1 | 537.3 | 57.8 | 61.0 | 449.1 | 367.8 | 39.5 | 41.8 |
| Race: White. Black/African-American Asian Native Hawaiian/Other Pacific Islander. American Indian/Alaska Native More than one race reported | 932.5 | 777.1 | 69.6 | 85.8 | 404.6 | 337.2 | 30.2 | 37.2 |
| | 129.7 | 84.3 | 20.7 | 24.7 | 363.1 | 235.9 | 58.0 | 69.3 |
| | 41.9 | 37.1 | 2.7 | 2.0 | 353.2 | 313.2 | 22.9 | 17.1 |
| | 13.7 | 12.9 | 0.3 | 10.5 | ¹ 761.3 | ¹ 599.3 | 68.0 | ¹ 94.0 |
| | 3.1 | 12.1 | 10.4 | 0.7 | 115.0 | ¹ 75.8 | 114.3 | 24.9 |
| | 3.5 | 2.5 | 10.8 | 0.2 | 83.0 | 59.6 | 119.6 | 3.8 |
| Region: Northeast Midwest South West | 239.4 | 189.4 | 26.2 | 23.8 | 446.7 | 353.5 | 48.8 | 44.5 |
| | 232.7 | 182.1 | 25.4 | 25.2 | 361.5 | 282.9 | 39.5 | 39.2 |
| | 415.8 | 339.0 | 31.9 | 45.0 | 406.8 | 331.6 | 31.2 | 44.0 |
| | 226.6 | 195.5 | 111.1 | 19.9 | 346.7 | 299.2 | ¹ 17.0 | 30.5 |
| Primary source of payment: Private insurance Medicare Medicaid Worker's compensation Self pay No charge Other. Unknown | 588.1 237.9 142.3 13.2 64.9 7.1 26.4 34.6 | 508.9 206.3 92.2 10.4 41.5 2.7 20.5 23.5 | 37.7 13.0 25.7 0.6 7.3 13.3 3.1 3.8 | 41.5 18.5 24.4 2.1 16.1 1.1 2.8 7.4 | (X) (X) (X) (X) (X) (X) (X) | (X) (X) (X) (X) (X) (X) (X) | (X) (X) (X) (X) (X) (X) (X) | (X) (X) (X) (X) (X) (X) (X) |

X Not applicable ¹ Figures do not meet standard of reliability or precision.

Source: U.S. National Center for Health Statistics, Advance Data, No. 358, May 26, 2005; and unpublished data. http://www.cdc.gov/nchs/about/major/ahcd/adata.htm

Table 158. Visits to Office-Based Physicians and Hospital Outpatient Departments by Diagnosis: 2000 and 2003

[369.0 represents 369,000,000. See headnote, Table 157]

| Leading diagnoses ¹ | | nber il.) | 1.0 | per 1000 ons ² | Leading diagnoses ¹ | | Number (mil.) | | per 1000 ons ² |
|---|-------------------|----------------------------|----------------|---------------------------------|---|-----------------------------|-----------------------------|---------------------------|---------------------------------|
| | 2000 | 2003 | 2000 | 2003 | | 2000 | 2003 | 2000 | 2003 |
| MALE | | | | | FEMALE | | | | |
| All ages | 369.0 | 405.5 | 2,760 | 2,908 | All ages | 537.8 | 595.1 | 3,829 | 4,074 |
| Under 15 years old ³ Routine infant or child | 85.3 | 89.2 | 2,765 | 2,873 | Under 15 years old ³ Routine infant or child | 75.4 | 78.1 | 2,556 | |
| health check Otitis media and Eustachian | 17.9 | 16.8 | 580 | 541 | health check | 17.5 | 14.0 | 593 | 472 |
| tube disorders | 7.1 8.5 | 8.3 7.9 | 231 276 | 269 253 | Acute respiratory infections ⁴ | 8.1 | 7.8 | 276 | 263 |
| Asthma | 3.1 | 3.4 3.3 | 101 110 | 111 106 | tube disorders | 6.6 2.3 | 6.5 3.3 | 222 78 | 218 112 |
| | | | | | Asthma | 1.2 | 2.1 | 40 | 71 |
| 15 to 44 years old ³ | 3.9 3.6 3.0 | 103.8 4.3 4.0 3.4 | 66 60 50 | 1,707 71 65 56 | 15 to 44 years old ³ | 194.8 24.5 6.1 6.0 | 208.1 25.7 9.8 7.6 | 3,199 402 100 98 | 3,383 417 160 124 |
| Chronic sinusitis | 1.4 2.8 | 2.6 2.4 | 24 47 | 43 39 | Complications of pregnancy, childbirth and the puerperium. General medical examination. | 6.2 6.6 | 7.4 5.5 | 102 108 | 121 89 |
| 45 to 64 years old ³ | 6.8 | 112.6 7.6 | 233 | 231 | 45 to 64 years old ³ | 141.0 8.3 | 167.9 8.2 | 4,511 264 | 4,779 232 |
| Diabetes mellitus | 5.8 3.1 | 5.1 4.7 | 199 106 | 155 143 | disorders | 6.6 5.6 | 8.1 6.0 5.9 | 212 181 | 232 170 |
| disorders | 2.9 2.3 | 4.5 3.8 | 99 79 | 135 114 | Rheumatism, excluding back Gynecological examination | 4.6 3.1 | 5.9 | 146 100 | 169 167 |
| 65 years old and over ³ Essential hypertension | 88.2 6.6 | 99.9 7.2 | 6,340 478 | 6,886 498 | 65 years old and over ³ | 126.6 11.8 | 141.0 11.2 | 6,736 628 | 7,128 566 |
| Malignant neoplasms | 7.1 4.8 | 6.3 5.5 | 507 344 | 435 379 | disorders | 6.3 6.0 4.0 | 8.1 5.3 4.3 | 333 318 212 | 409 269 219 |
| ischemic heart disease | 4.1 4.9 | 3.7 3.6 | 296 349 | 257 251 | Heart disease, excluding ischemic. | 3.6 | 4.3 | 194 | 217 |

Based on the International Classification of Diseases, 9th Revision, Clinical Modification, (ICD-9-CM).
Based on U.S. sus Bureau estimated civilian population as of July 1.
3 Includes other first-listed diagnoses, not shown separately. Census Bureau estimated civilian population as of July 1. Excluding pharyngitis.

Source: U.S. National Center for Health Statistics, unpublished data. http://www.cdc.gov/nchs/about/major/ahcd/adata.htm

Table 159. Visits to Hospital Emergency Departments by Diagnosis: 2003 [52,908 represents 52,908,000. See headnote, Table 157]

| Leading diagnoses ¹ | Number (1,000) | Rate per 1,000 per- sons 2 | Leading diagnoses ¹ | Number (1,000) | Rate per 1,000 per- sons ² |
|---|-------------------|--|--|-------------------|---|
| MALE | | | FEMALE | | |
| All ages | 52,908 | 379 | All ages | 60,995 | 418 |
| Under 15 years old ³ | 13,524 1,469 | 436 47 | Under 15 years old ³ ⁴ | 11,209 1,163 | 378 39 |
| tube disorders | 1,070 | 34 | tube disorders | 971 | 33 |
| Contusions with intact skin surfaces | 656 | 21 | Pyrexia of unknown origin | 618 | 21 |
| Pyrexia of unknown origin | 643 | 21 | Contusions with intact skin surfaces | 479 | 16 |
| 15 to 44 years old ³ | 22,102 | 363 | 15 to 44 years old ³ | 28,535 | 464 |
| Open wound, excluding head Contusions with intact skin surfaces | 1,500 | 25 18 | Abdominal pain | 1,660 | 27 |
| | 1,101 788 | 13 | Complications of pregnancy, childbirth, and the puerperium | 1.494 | 24 |
| Abdominal pain | 758 | 12 | Contusions with intact skin surfaces | 1,494 | 18 |
| Strains and sprains, excluding ankle | 750 | 12 | Sprains and strains of neck and back . | 889 | 14 |
| and hack | 743 | 12 | Spinal disorders | 886 | 14 |
| and back | 9.772 | 295 | Spinal disorders | 11,220 | 319 |
| Chest pain | 673 | 20 | Chest pain | 789 | 22 |
| Open wound, excluding head | 420 | 13 | Abdominal pain | 533 | 15 |
| Contusions with intact skin surfaces | 412 | 12 | Contusions with intact skin surfaces | 468 | 13 |
| Spinal disorders | 362 | 11 | Spinal disorders | 461 | 13 |
| Spinal disorders | 7,511 | 518 | 65 years old and over 3 | 10,031 | 507 |
| Chest pain | 431 | 30 | Heart disease, excluding ischemic | 619 | 31 |
| Heart disease, excluding ischemic | 416 | 29 | Chest pain | 601 | 30 |
| Pneumonia | 303 | 21 | Contusions with intact skin surfaces | 409 | 21 |
| Abdominal pain | 240 234 | 17 16 | Abdominal pain | 375 | 19 18 |
| Chronic and unspecified bronchitis | 234 | 16 | Pneumonia | 359 | 18 |

² Based on U.S. ¹ Based on the International Classification of Diseases, 9th Revision, Clinical Modification, (ICD-9-CM).
² Based on U.S. sus Bureau estimated civilian population as of July 1.
³ Includes other first-listed diagnoses, not shown separately. Census Bureau estimated civilian population as of July 1. ³ Includes other first-listed di ⁴ Excluding pharyngitis.
Source: U.S. National Center for Health Statistics, *Advance Data*, No. 358; May 26, 2005.

Table 160. Hospitals—Summary Characteristics: 1980 to 2003

[For beds, (1,365 represents 1,365,000). Covers hospitals accepted for registration by the American Hospital Association; see text, this section. Short-term hospitals have an average patient stay of less than 30 days; long-term, an average stay of longer duration. Special hospitals include obstetrics and gynecology; eye, ear, nose, and throat; rehabilitation; orthopedic; and chronic and other special hospitals except psychiatric, tuberculosis, alcoholism, and chemical dependency hospitals]

| Item | 1980 | 1990 | 1995 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 |
|--|--|---|---|--|--|--|--|--|--|
| Number: All hospitals . With 100 beds or more. Nonfederal 1. Community hospitals 2 . Nongovernmental nonprofit. For profit. State and local government. Long-term general and special. Psychiatric. Tuberculosis. Federal. | 6,965 | 6,649 | 6,291 | 6,021 | 5,890 | 5,810 | 5,801 | 5,794 | 5,764 |
| | 3,755 | 3,620 | 3,376 | 3,216 | 3,140 | 3,102 | 3,084 | 3,032 | 3,007 |
| | 6,606 | 6,312 | 5,992 | 5,746 | 5,626 | 5,565 | 5,558 | 5,554 | 5,525 |
| | 5,830 | 5,384 | 5,194 | 5,015 | 4,956 | 4,915 | 4,908 | 4,927 | 4,895 |
| | 3,322 | 3,191 | 3,092 | 3,026 | 3,012 | 3,003 | 2,998 | 3,025 | 2,984 |
| | 730 | 749 | 752 | 771 | 747 | 749 | 754 | 766 | 790 |
| | 1,778 | 1,444 | 1,350 | 1,218 | 1,197 | 1,163 | 1,156 | 1,136 | 1,121 |
| | 157 | 131 | 112 | 125 | 1,197 | 131 | 136 | 124 | 126 |
| | 534 | 757 | 657 | 579 | 516 | 496 | 491 | 477 | 477 |
| | 11 | 4 | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| | 359 | 337 | 299 | 275 | 264 | 245 | 243 | 240 | 239 |
| Beds (1,000) ³ : All hospitals . Rate per 1,000 population ⁴ Beds per hospital Nonfederal Community hospitals ² Rate per 1,000 population ⁴ Nongovernmental nonprofit For profit State and local government Long-term general and special Psychiatric Tuberculosis Federal | 1,365 6.0 196 1,248 988 4.3 692 87 209 39 215 2 | 1,213 4.9 182 1,113 927 3.7 657 102 169 25 158 (Z) 98 | 1,081 4.1 172 1,004 873 3.3 610 106 157 19 110 (Z) 78 | 1,013 3.7 168 956 840 3.0 588 113 139 18 95 (Z) | 994 3.6 169 939 830 3.0 587 107 136 20 87 (Z) 55 | 984 3.5 169 931 824 2.9 583 110 131 18 87 (Z) 53 | 987 3.5 170 936 826 2.9 585 109 132 19 89 (Z) 53 | 976 3.4 168 926 821 2.8 582 108 130 18 85 (Z) | 965 3.3 167 917 813 2.8 575 110 120 18 85 (Z) 47 |
| Average daily census (1,000): All hospitals Community hospitals ² Nongovernmental nonprofit For profit State and local government. | 1,060 | 844 | 710 | 662 | 657 | 650 | 658 | 662 | 657 |
| | 747 | 619 | 548 | 525 | 526 | 526 | 533 | 540 | 539 |
| | 542 | 455 | 393 | 377 | 381 | 382 | 385 | 391 | 389 |
| | 57 | 54 | 55 | 60 | 58 | 61 | 63 | 64 | 65 |
| | 149 | 111 | 100 | 87 | 86 | 83 | 85 | 84 | 84 |
| Expenses (bil. dol.): ⁵ All hospitals. Nonfederal ¹ Community hospitals ² Nongovernmental nonprofit For profit State and local government Long-term general and special Psychiatric Tuberculosis Federal | 91.9 | 234.9 | 320.3 | 355.5 | 372.9 | 395.4 | 426.8 | 462.2 | 498.1 |
| | 84.0 | 219.6 | 300.0 | 332.9 | 349.2 | 371.5 | 399.3 | 432.5 | 467.2 |
| | 76.9 | 203.7 | 285.6 | 318.8 | 335.2 | 356.6 | 383.7 | 416.6 | 450.1 |
| | 55.8 | 150.7 | 209.6 | 238.0 | 251.5 | 267.1 | 287.3 | 312.7 | 337.7 |
| | 5.8 | 18.8 | 26.7 | 31.7 | 31.2 | 35.0 | 37.3 | 40.1 | 44.0 |
| | 15.2 | 34.2 | 49.3 | 49.1 | 52.5 | 54.5 | 59.1 | 63.8 | 68.4 |
| | 1.2 | 2.7 | 2.2 | 2.6 | 2.8 | 2.8 | 3.3 | 3.6 | 3.6 |
| | 5.8 | 12.9 | 11.7 | 11.2 | 11.0 | 11.9 | 13.2 | 12.1 | 13.1 |
| | 0.1 | 0.1 | 0.4 | (Z) | (Z) | (Z) | (Z) | (Z) | (Z) |
| | 7.9 | 15.2 | 20.2 | 22.6 | 23.7 | 23.9 | 27.5 | 29.7 | 30.9 |
| Personnel (1,000): ⁶ All hospitals Nonfederal ¹ Community hospitals ² Nongovernmental nonprofit For profit State and local government Long-term general and special Psychiatric Tuberculosis Federal | 3,492 3,213 2,873 2,086 189 598 56 275 3 279 | 4,063 3,760 3,420 2,533 273 614 55 280 1 303 | 4,273 3,971 3,714 2,702 343 670 38 215 1 301 | 4,407 4,071 3,831 2,834 383 614 37 198 1 | 4,369 4,074 3,838 2,862 362 614 42 191 1 295 | 4,454 4,157 3,911 2,919 378 614 41 200 1 297 | 4,535 4,236 3,987 2,971 379 637 44 201 1 299 | 4,610 4,312 4,069 3,039 380 651 46 193 1 299 | 4,650 4,350 4,108 3,058 391 658 45 194 1 |
| Outpatient visits (mil.) | 263.0 | 368.2 | 483.2 | 545.5 | 573.5 | 592.7 | 612.0 | 640.5 | 648.6 |
| | 82.0 | 92.8 | 99.9 | 99.0 | 103.8 | 106.9 | 109.8 | 114.2 | 115.1 |

² Short term (average length of stay less than ¹ Includes hospital units of institutions. Z Less than 500 beds or \$50 million. 2 Less than 500 beds or 550 million. Includes hospital units of institutions. Short term (average length of stay less than 30 days) general and special (e.g., obstetrics and gynecology; eye, ear, nose and throat; rehabilitation etc. except psychiatric, tuberculosis, alcoholism and chemical dependency). Excludes hospital units of institutions. Beginning 1990, number of beds at end of reporting period; prior years, average number in 12-month period. Based on Census Bureau estimated resident population as of July 1. Estimates reflect revisions based on the 2000 Census of Population. Excludes new construction. Includes full-time equivalents of part-time personnel.

Source: Health Forum, An American Hospital Association Company, Chicago, IL, Hospital Statistics 2005 Edition, and prior years (copyright). http://www.healthforum.com/>.

Table 161. Average Cost to Community Hospitals Per Patient: 1980 to 2003

[In dollars, except percent. Covers non-federal short-term general or special hospitals (excluding psychiatric or tuberculosis hospitals and hospital units of institutions). Total cost per patient based on total hospital expenses (payroll, employee benefits, professional fees, supplies, etc.). Data have been adjusted for outpatient visits]

| Type of expense and hospital | 1980 | 1990 | 1995 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 |
|---|----------------------------------|---------------------------------|---------------------------------|-------------------------------------|-------------------------------------|---------------------------------------|---|---|---|---|
| Average cost per day, total Annual percent change 1 Nongovernmental nonprofit For profit State and local government | 245 12.9 246 257 239 | 687 7.8 692 752 635 | 968 4.0 994 947 878 | 1,033 2.6 1,074 962 914 | 1,067 3.3 1,111 968 949 | 1,103 3.3 1,140 999 1,007 | 1,149 4.2 1,182 1,057 1,064 | 1,217 5.9 1,255 1,121 1,114 | 1,290 6.0 1,329 1,181 1,188 | 1,379 6.9 1,429 1,264 1,238 |
| Average cost per stay, total Nongovernmental nonprofit For profit | 1,851 1,902 1,676 1,750 | 4,947 5,001 4,727 4,838 | 6,216 6,279 5,425 6,445 | 6,262 6,393 5,219 6,475 | 6,386 6,526 5,262 6,612 | 6,512 6,608 5,350 6,923 | 6,649 6,717 5,642 7,106 | 6,980 7,052 5,972 7,400 | 7,346 7,458 6,161 7,773 | 7,796 7,905 6,590 8,205 |

¹ Change from immediate prior year.

Source: Health Forum, An American Hospital Association Company, Chicago, IL, Hospital Statistics 2005 Edition, and prior years (copyright). https://www.healthforum.com/>.

Table 162. Community Hospitals—States: 2000 and 2003

[For beds, 823.6 represents 823,600. For definition of community hospitals see footnote 2, Table 160]

| | hospi | er of tals | (1,00 | ds 00) | adm (1,0 | | daily ce (1,00 | | visi (mi | | per o (do | |
|----------------|-------|---------------|------------|------------|-------------|--------|-------------------|-------|-------------|-------|--------------|--------|
| | 2000 | 2003 | 2000 | 2003 | 2000 | 2003 | 2000 | 2003 | 2000 | 2003 | 2000 | 2003 |
| United States | 4,915 | 4.895 | 823.6 | 813.3 | 33,089 | 34,783 | 525.7 | 538.8 | 521.4 | 563.1 | 1,149 | 1,379 |
| Alabama | 108 | 107 | 16.4 | 15.6 | 680 | 709 | 9.8 | 9.7 | 8.0 | 8.9 | 980 | 1.166 |
| Alaska | 18 | 19 | 1.4 | 1.5 | 47 | 46 | 0.8 | 0.8 | 1.3 | 1.4 | 1,495 | 1,952 |
| | 61 | 61 | 10.9 | 10.8 | 539 | 603 | 6.8 | 7.3 | 5.3 | 6.7 | 1,311 | 1,570 |
| Arizona | 83 | 88 | 9.8 | 9.9 | 368 | 388 | 5.7 | 5.7 | 4.4 | 4.6 | 908 | 1,130 |
| Arkansas | | | | | | | | | | | | |
| California | 389 | 370 | 72.7 | 74.3 | 3,315 | 3,474 | 47.8 | 51.5 | 44.9 | 48.0 | 1,438 | 1,763 |
| Colorado | 69 | 68 | 9.4 7.7 | 9.5 7.2 | 397 | 444 | 5.4 | 6.2 | 6.7 | 7.0 | 1,280 | 1,551 |
| Connecticut | 35 | 34 | | | 349 | 372 | 5.8 | 5.6 | 6.7 | 6.8 | 1,373 | 1,684 |
| Delaware | 5 | 6 | 1.8 | 2.0 | 83 | 97 | 1.4 | 1.7 | 1.5 | 2.0 | 1,311 | 1,508 |
| District | - 44 | 40 | 0.0 | 0.4 | 400 | 405 | 0.5 | ۰ | 4.0 | 4.0 | 4 540 | 4 00 4 |
| of Columbia | 11 | 10 | 3.3 | 3.4 | 129 | 135 | 2.5 | 2.5 | 1.3 | 1.6 | 1,512 | 1,824 |
| Florida | 202 | 203 | 51.2 | 50.7 | 2,119 | 2,296 | 31.0 | 32.8 | 21.8 | 22.0 | 1,161 | 1,387 |
| Georgia | 151 | 146 | 23.9 | 24.6 | 863 | 926 | 15.0 | 16.5 | 11.2 | 12.8 | 978 | 1,044 |
| Hawaii | 21 | 24 | 3.1 | 3.1 | 100 | 112 | 2.3 | 2.2 | 2.5 | 1.9 | 1,088 | 1,350 |
| Idaho | 42 | 39 | 3.5 | 3.4 | 123 | 136 | 1.8 | 1.9 | 2.2 | 2.8 | 1,003 | 1,235 |
| Illinois | 196 | 192 | 37.3 | 35.0 | 1,531 | 1,594 | 22.4 | 22.4 | 25.1 | 27.0 | 1,278 | 1,497 |
| Indiana | 109 | 112 | 19.2 | 18.9 | 700 | 712 | 10.8 | 11.0 | 14.1 | 15.0 | 1,132 | 1,352 |
| lowa | 115 | 116 | 11.8 | 11.0 | 360 | 363 | 6.8 | 6.5 | 9.2 | 9.7 | 740 | 952 |
| Kansas | 129 | 134 | 10.8 | 10.6 | 310 | 331 | 5.7 | 5.9 | 5.3 | 6.0 | 837 | 952 |
| Kentucky | 105 | 103 | 14.8 | 14.9 | 582 | 600 | 9.1 | 9.3 | 8.7 | 8.5 | 929 | 1,106 |
| Louisiana | 123 | 127 | 17.5 | 17.8 | 654 | 690 | 9.8 | 10.6 | 10.0 | 10.8 | 1,075 | 1,177 |
| Maine | 37 | 37 | 3.7 | 3.7 | 147 | 149 | 2.4 | 2.2 | 3.2 | 3.9 | 1,148 | 1,416 |
| Maryland | 49 | 51 | 11.2 | 11.6 | 587 | 645 | 8.2 | 8.7 | 6.0 | 6.5 | 1,315 | 1,571 |
| Massachusetts | 80 | 79 | 16.6 | 16.0 | 740 | 785 | 11.7 | 11.9 | 16.7 | 19.6 | 1,467 | 1,631 |
| Michigan | 146 | 144 | 26.1 | 25.8 | 1,106 | 1,168 | 16.9 | 17.1 | 24.9 | 27.0 | 1,211 | 1,382 |
| Minnesota | 135 | 131 | 16.7 | 16.4 | 571 | 615 | 11.2 | 11.3 | 7.3 | 9.1 | 932 | 1,109 |
| Mississippi | 95 | 92 | 13.6 | 13.0 | 425 | 416 | 8.0 | 7.4 | 3.7 | 4.0 | 719 | 882 |
| Missouri | 119 | 119 | 20.1 | 19.3 | 773 | 831 | 11.7 | 11.9 | 14.8 | 15.7 | 1,185 | 1,403 |
| Montana | 52 | 53 | 4.3 | 4.3 | 99 | 107 | 2.9 | 2.9 | 2.6 | 2.7 | 579 | 733 |
| Nebraska | 85 | 85 | 8.2 | 7.5 | 209 | 212 | 4.8 | 4.4 | 3.4 | 3.7 | 743 | 1,043 |
| Nevada | 22 | 25 | 3.8 | 4.3 | 199 | 213 | 2.7 | 3.0 | 2.2 | 2.3 | 1,285 | 1,608 |
| New Hampshire | 28 | 28 | 2.9 | 2.8 | 111 | 118 | 1.7 | 1.7 | 2.8 | 3.1 | 1,201 | 1,389 |
| New Jersey | 80 | 78 | 25.3 | 22.8 | 1,074 | 1,108 | 17.3 | 16.9 | 16.3 | 14.7 | 1,299 | 1,411 |
| New Mexico | 35 | 37 | 3.5 | 3.7 | 174 | 166 | 2.0 | 2.1 | 3.1 | 4.5 | 1,388 | 1,563 |
| New York | 215 | 207 | 66.4 | 64.7 | 2,416 | 2,499 | 52.1 | 50.6 | 46.4 | 48.0 | 1,118 | 1,402 |
| North Carolina | 113 | 113 | 23.1 | 23.3 | 971 | 987 | 16.0 | 16.6 | 12.4 | 14.5 | 1,061 | 1,200 |
| North Dakota | 42 | 40 | 3.9 | 3.6 | 89 | 88 | 2.3 | 2.1 | 1.7 | 1.8 | 747 | 859 |
| Ohio | 163 | 163 | 33.8 | 33.0 | 1,404 | 1,458 | 20.6 | 20.6 | 26.9 | 30.0 | 1,198 | 1,504 |
| Oklahoma | 108 | 108 | 11.1 | 11.0 | 429 | 450 | 6.2 | 6.5 | 4.7 | 5.5 | 1,031 | 1,177 |
| Oregon | 59 | 58 | 6.6 | 6.8 | 330 | 342 | 3.9 | 4.0 | 7.3 | 8.2 | 1,461 | 1,842 |
| Pennsylvania | 207 | 201 | 42.3 | 40.9 | 1,796 | 1,824 | 28.8 | 28.2 | 31.8 | 33.0 | 1,080 | 1,326 |
| Rhode Island | 11 | 11 | 2.4 | 2.4 | 119 | 122 | 1.7 | 1.8 | 2.1 | 2.0 | 1,313 | 1,591 |
| South Carolina | 63 | 61 | 11.5 | 11.1 | 495 | 506 | 8.0 | 8.1 | 7.8 | 7.4 | 1,101 | 1,355 |
| South Dakota | 48 | 50 | 4.3 | 4.4 | 99 | 103 | 2.8 | 2.7 | 1.7 | 1.5 | 476 | 747 |
| Tennessee | 121 | 125 | 20.6 | 20.3 | 737 | 813 | 11.5 | 12.4 | 10.3 | 10.0 | 1,078 | 1,187 |
| Texas | 403 | 414 | 55.9 | 57.3 | 2,367 | 2,550 | 33.1 | 36.4 | 29.4 | 32.3 | 1,274 | 1,482 |
| Utah | 42 | 42 | 4.3 | 4.4 | 194 | 215 | 2.4 | 2.5 | 4.5 | 4.5 | 1,375 | 1,654 |
| Vermont | 14 | 14 | 1.7 | 1.5 | 52 | 52 | 1.1 | 0.9 | 1.2 | 2.2 | 888 | 1,148 |
| Virginia | 88 | 84 | 16.9 | 17.2 | 727 | 758 | 11.4 | 12.0 | 9.5 | 11.2 | 1,057 | 1,277 |
| Washington | 84 | 85 | 11.1 | 11.2 | 505 | 516 | 6.6 | 6.8 | 9.6 | 10.3 | 1,511 | 1.827 |
| West Virginia | 57 | 57 | 8.0 | 7.8 | 288 | 296 | 4.8 | 4.8 | 5.2 | 5.8 | 844 | 993 |
| Wisconsin | 118 | 121 | 15.3 | 14.8 | 558 | 588 | 9.1 | 9.2 | 10.9 | 11.8 | 1.055 | 1,282 |
| Wyoming | 24 | 23 | 1.9 | 1.8 | 48 | 53 | 1.1 | 0.9 | 0.9 | 0.9 | 677 | 943 |

¹ Inpatients receiving treatment each day; excludes newborn.

Source: Health Forum, An American Hospital Association Company, Chicago, IL, Hospital Statistics 2005 Edition, and prior years (copyright). https://www.healthforum.com/>.

Table 163. Hospital Use Rates by Type of Hospital: 1980 to 2003

| Type of hospital | 1980 | 1990 | 1995 | 1999 | 2000 | 2001 | 2002 | 2003 |
|--|------|-------|-------|-------|-------|-------|-------|-------|
| Community hospitals: Admissions per 1,000 population Admissions per bed. Average length of stay Outpatient visits per admission Outpatient visits per 1,000 population Surgical operations (million Number per admission | 159 | 125 | 116 | 116 | 117 | 118 | 120 | 120 |
| | 37 | 34 | 35 | 39 | 40 | 40 | 42 | 43 |
| | 7.6 | 7.2 | 6.5 | 5.9 | 5.8 | 5.7 | 5.7 | 5.7 |
| | 5.6 | 9.7 | 13.4 | 15.3 | 15.8 | 15.9 | 16.1 | 16.2 |
| | 890 | 1,207 | 1,556 | 1,816 | 1,852 | 1,890 | 1,932 | 1,937 |
| | 18.8 | 21.9 | 23.2 | 26.3 | 26.1 | 26.5 | 27.6 | 27.1 |
| | 0.5 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| Nonfederal psychiatric: Admissions per 1,000 population 2 Days in hospital per 1,000 population 2 | 2.5 | 2.9 | 2.7 | 2.4 | 2.4 | 2.6 | 2.5 | 2.6 |
| | 295 | 190 | 122 | 94 | 93 | 94 | 92 | 91 |

² Based on U.S. Census Bureau estimated resident ¹ For definition of community hospitals, see footnote 2, Table 160. population as of July 1. Estimates reflect revisions based on the 2000 Census of Population. by number of admissions.

4 18.8 represents 18,800,000. Number of inpatient days divided

Table 164. Hospital Utilization Rates by Sex: 1990 to 2003

[30,788 represents 30,788,000. Represents estimates of inpatients discharged from noninstitutional, short-stay hospitals, exclusive of federal hospitals. Excludes newborn infants. Based on sample data collected from the National Hospital Discharge Survey, a sample survey of hospital records of patients discharged in year shown; subject to sampling variability

| Item and Sex | 1990 | 1995 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 |
|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Patients discharged (1,000) | 30,788 | 30,722 | 30,914 | 31,827 | 32,132 | 31,706 | 32,653 | 33,727 | 34,738 |
| Patients discharged per 1,000 persons, total ¹ | 122 | 116 | 114 | 117 | 117 | 114 | 115 | 118 | 120 |
| | 100 | 94 | 93 | 93 | 95 | 92 | 93 | 95 | 98 |
| | 143 | 136 | 135 | 139 | 138 | 135 | 137 | 139 | 141 |
| Days of care per 1,000 persons, total ¹ Male | 784 | 620 | 582 | 589 | 581 | 560 | 562 | 572 | 578 |
| | 694 | 551 | 508 | 517 | 510 | 491 | 490 | 506 | 507 |
| | 869 | 686 | 653 | 658 | 649 | 627 | 631 | 635 | 646 |
| Average stay (days) | 6.4 | 5.4 | 5.1 | 5.1 | 5.0 | 4.9 | 4.9 | 4.9 | 4.8 |
| | 6.9 | 5.8 | 5.5 | 5.5 | 5.4 | 5.3 | 5.3 | 5.3 | 5.2 |
| | 6.1 | 5.0 | 4.8 | 4.7 | 4.7 | 4.6 | 4.6 | 4.6 | 4.6 |

¹ Rates are computed using Census Bureau estimates of the civilian population as of July 1, based on the 2000 census. Population estimates used to calculate rates for 2001-2003 were based on the 2000 census. Rates for 1991-2000 data were computed using postcensual estimates of the civilian population based on the 1990 census.

Table 165. Hospital Discharges and Days of Care: 2002 and 2003

[32,727 represents 32,727,000. See headnote, Table 164. For composition of regions, see map, inside front cover]

| | | Disch | arges | | Days of ca | ro nor | Average stay | |
|------------------------|---------------|--------|--------------|----------|------------|--------|--------------|------|
| Age, race and region | Numb (1,00 | | Per 1,000 pe | ersons 1 | 1,000 pers | | (days | |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| Total | 33,727 | 34,738 | 118 | 120 | 572 | 578 | 4.9 | 4.8 |
| Age: | | | | | | | | |
| Under 1 year old | 810 | 833 | 201 | 208 | 1,134 | 1,218 | 5.6 | 5.9 |
| 1 to 4 years old | 713 | 751 | 46 | 48 | 159 | 149 | 3.5 | 3.1 |
| 5 to 14 years old | 1,016 | 986 | 25 | 24 | 109 | 108 | 4.4 | 4.5 |
| 15 to 24 years old | 3,083 | 3,138 | 77 | 77 | 266 | 268 | 3.5 | 3.5 |
| 25 to 34 years old | 3,897 | 4,011 | 99 | 102 | 328 | 353 | 3.3 | 3.5 |
| 35 to 44 years old | 3,757 | 3,683 | 84 | 83 | 368 | 359 | 4.4 | 4.3 |
| 45 to 64 years old | 7,723 | 8,120 | 116 | 118 | 575 | 582 | 5.0 | 4.9 |
| 65 to 74 years old | 4,642 | 4,861 | 254 | 265 | 1,412 | 1,429 | 5.6 | 5.4 |
| 75 years old and over | 8,085 | 8,356 | 467 | 475 | 2,795 | 2,776 | 6.0 | 5.8 |
| Race: | | | | | | | | |
| White | 20.806 | 21.292 | 90 | 91 | 436 | 437 | 4.9 | 4.8 |
| Black | 3,995 | 4,102 | 109 | 111 | 584 | 611 | 5.3 | 5.5 |
| Asian/Pacific Islander | 538 | 550 | 45 | 44 | 243 | 231 | 5.4 | 5.2 |
| American Indian/ | | | | | | | | |
| Eskimo/Aleut | 173 | 120 | 63 | 43 | 330 | 224 | 5.2 | 5.2 |
| Region: | | | | | | | | |
| Northeast | 6.990 | 7,267 | 129 | 134 | 727 | 735 | 5.6 | 5.5 |
| Midwest | 7.503 | 7,786 | 115 | 119 | 512 | 520 | 4.4 | 4.4 |
| South | 12.994 | 13.055 | 127 | 126 | 618 | 610 | 4.9 | 4.9 |
| West | 6,239 | 6,631 | 96 | 100 | 430 | 455 | 4.5 | 4.5 |
| | 0,200 | 5,001 | - 00 | 100 | 100 | 100 | 7.0 | 7.0 |

¹ Based on U.S. Census Bureau estimated civilian population as of July 1. Population estimates based on the 2000 Census were used to calculate rates.

Source: Health Forum, An American Hospital Association Company, Chicago, IL, Hospital Statistics 2005 Edition, and prior years (copyright); https://www.healthforum.com/>.

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, Series 13; and unpublished data. http://www.cdc.gov/nchs/products/pubs/pubd/series/ser.htm

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, Series 13; and unpublished data. http://www.cdc.gov/nchs/products/pubs/pubd/series/ser.htm.

Table 166. Hospital Discharges and Days of Care by Sex: 2003

[13,874 represents 13,874,000. Represents estimates of inpatients discharged from noninstitutional, short-stay hospitals, exclusive of federal hospitals. Diagnostic categories are based on the International Classification of Diseases, Ninth Revision, Clinical Modification. See headnote, Table 164]

| Age and first-listed | Disch | arges Per | Days of care | Aver- | Age and first-listed | Disch | arges Per | Days of care | Aver- |
|--|---|--|---|---|--|--|---|--|--|
| diagnosis | Num- ber (1,000) | 1,000 per- sons | 1,000 per- sons 1 | age stay (days) | diagnosis | Num- ber (1,000) | 1,000 per- sons | 1,000 per- sons 1 | age stay (days) |
| MALE | | | | | FEMALE | | | | |
| All ages 2 | 13,874 | 104.4 | 546.7 | 5.2 | All ages 2 | 20,864 | 135.1 | 605.2 | 4.5 |
| Under 18 years ³ Pneumonia | 221 207 77 | 44.9 5.9 5.5 2.0 | 200.0 19.1 21.6 6.1 | 4.5 3.2 3.9 3.0 | Under 18 years ³ Pneumonia | 159 | 42.2 4.5 3.6 1.3 | 190.9 13.9 ⁶ 15.4 ⁶ 3.1 | 4.5 3.1 ⁶ 4.3 ⁶ 2.4 |
| 18 to 44 years ³ | 2,683 470 323 203 171 | 47.7 8.4 5.8 3.6 3.0 | 236.0 40.8 46.2 14.9 15.5 | 4.9 4.9 8.0 4.1 5.1 | 18 to 44 years ³ Delivery Serious mental illness ⁴ Injuries and poisoning | 7,537 3,874 333 268 | 135.2 69.5 6.0 4.8 | 444.2 179.6 48.2 18.9 | 3.3 2.6 8.1 3.9 |
| 45 to 64 years ³ Diseases of heart Ischemic heart disease. Injuries and poisoning Malignant neoplasms Acute myocardial infarction Serious mental illness ⁴ | 4,016 827 494 369 221 161 147 | 120.1 24.7 14.8 11.0 6.6 4.8 4.4 | 605.0 99.0 56.1 60.9 44.7 25.0 39.9 | 5.0 4.0 3.8 5.5 6.7 5.2 9.1 | 45 to 64 years ³ | 4,104 498 310 242 226 2,552 | 116.5 14.1 8.8 6.9 6.4 255.5 | 560.9 59.7 48.8 25.0 37.9 | 4.8 4.2 5.5 3.6 5.9 |
| 65 to 74 years ³ Diseases of heart Ischemic heart disease Malignant neoplasms | 2,309 553 294 161 | 276.5 66.3 35.2 19.3 | 1,465.3 290.0 147.4 124.7 | 5.3 4.4 4.2 6.5 | Diseases of heart | 480 205 184 144 132 | 48.0 20.5 18.5 14.5 13.2 | 229.6 86.8 103.2 98.5 54.7 | 4.8 4.2 5.6 6.8 4.1 |
| 75 years old and over ³ . Diseases of heart | 3,188 728 311 262 228 205 192 | 483.1 110.3 47.2 39.7 34.6 31.1 29.1 | 2,844.9 560.2 238.8 245.2 226.1 170.6 142.2 | 5.9 5.1 5.1 6.2 6.5 5.5 4.9 | 75 years old and over ³ . Diseases of heart Injuries and poisoning Ischemic heart disease. Pneumonia Congestive heart failure | 5,168 1,067 507 352 327 325 | | 2,734.8 480.1 271.0 150.8 189.9 159.4 | 5.8 4.9 5.9 4.7 6.4 5.4 |

Based on Census Bureau estimated civilian population as of July 1.

 Average length of stay and rates per 1,000 population are age-adjusted to the year 2000 standard using five age groups; Under 18 years, 18-44 years, 45-64 years, 65-74 years, and 75 years and over.

 Includes other first-listed diagnoses ngt shown separately.

 Excludes discharges from facilities such as the Department of Veterans Affairs or long-term hospitals. Includes abuse, dependence, and withdrawal.

 Estimates are considered unreliable. Data has a relative standard error of 20 to 30 percent.

Source: U.S. National Center for Health Statistics, Health, United States 2005. See also <www.cdc.gov/nchs/hus.htm>.

Table 167. Organ Transplants and Grafts: 1990 to 2004

[As of end of year. Based on reports of procurement programs and transplant centers in the United States, except as noted]

| Procedure | Number of procedures Number of centers | | | | | | | | Number of people waiting, | 1-year patient survival rates, 2003 |
|--------------------|--|--------|--------|--------|--------|--------|------------------|-------------------------|------------------------------------|---|
| | 1990 | 1995 | 2000 | 2002 | 2003 | 2004 | 1990 | 2004 | 2004 | (percent) |
| Transplant: 1 | | | | | | | | | | |
| Heart | 2,095 | 2,342 | 2,172 | 2,153 | 2,057 | 2,016 | 148 | 134 | 3,133 | 87.7 |
| Heart-lung | 52 | 69 | 47 | 33 | 29 | 39 | 79 | 60 | 164 | 56.4 |
| Lung | 203 | 869 | 955 | 1,042 | 1,085 | 1,173 | 70 | 68 | 3,521 | 82.8 |
| Liver | 2,631 | 3,818 | 4,816 | 5,326 | 5,671 | 6,168 | 85 | 123 | 17,409 | 86.3 |
| Kidney | 9,358 | 10,957 | 13,258 | 14,741 | 15,129 | 16,000 | 232 | 246 | 62,454 | 98 |
| Kidney-pancreas | 459 | 915 | 910 | 903 | 871 | 880 | (NA) | (NA) | 2,461 | 95.5 |
| Pancreas | 60 | 103 | 420 | 546 | 502 | 604 | ` 84 | `138 | 1,685 | 94.2 |
| Intestine | 1 | 21 | 29 | 107 | 116 | 152 | (NA) | 46 | 189 | 82.4 |
| Multi-organ | 71 | 124 | 213 | 320 | 350 | 438 | (NA) | (NA) | (NA) | (NA) |
| Cornea grafts 2 | 40,631 | 44,652 | 46,949 | 46,625 | 46,436 | 46,841 | ³ 107 | (NA) ³ 88 | (NA) | (NA) |
| Bone grafts(1,000) | 350 | 450 | 800 | 1,050 | 1,200 | 1,500 | 30 | 61 | ` (X) | (NA) |
| Skin grafts 4 5 | 5,500 | 5,500 | 13,000 | 15,000 | 16,000 | 19,000 | 25 | 44 | (X) | (NA) |

NA Not available. X Not applicable.

1 Kidney-pancreas and heart-lung transplants are each counted as one organ. All other multi-organ transplants, excluding kidney-pancreas and heart-lung, are included in the multi-organ row. Based on the Organ Procurement and Transplant Network (OPTN) as of July 18, 2005. The data have been supplied by UNOS under contract with HHS. This work was supported in part by Health Resources and Services Administration contract 231-00-0015. The authors alone are responsible for the reporting and interpretation of these data. Data subject to change based on future data submission or correction.

2 1990-1992, number of procedures and eye banks include Canada. On, the data is for the U.S. only.

3 Eye banks.
4 Procedure data are shown in terms of square feet.
5 Data for 2000-2003 has been revised.

Source: U.S. Department of Health and Human Services, Health Resources and Services Administration, Office of Special Programs, Division of Transplantation, Rockville, MD; United Network for Organ Sharing (UNOS), Richmond, VA; University Renal Research and Education Association, Ann Arbor, MI; American Association of Tissue Banks, McLean, VA; and Eye Bank and Eye Bank Association of America, Washington, DC; and unpublished data. See also www.optn.org/latestdata/ptData>.

Table 168. Procedures for Inpatients Discharged From Short-Stay Hospitals: 1990 to 2003

[23,051 represents 23,051,000. Procedure categories are based on the International Classification of Diseases, Ninth Revision, Clinical Modification. See headnote, Table 164]

| One and have of according | Numb | er of proc | edures (1, | 000) | Rate | per 1,000 | population | n 1 |
|---|---|---|---|---|---|---|---|---|
| Sex and type of procedure | 1990 | 1995 | 2000 | 2003 | 1990 | 1995 | 2000 | 2003 |
| Surgical procedures, total ² . Cardiac catheterization Removal of coronary artery obstruction ³ Repair of current obstetric laceration Cesarean section Reduction of fracture ⁴ . | 23,051 995 285 795 945 609 | 22,530 1,068 434 964 785 577 | 23,244 1,221 1,025 1,136 855 628 | 25,826 1,257 1,244 1,198 1,130 643 | 92.4 4.0 1.2 3.2 3.8 2.4 | 86.2 4.1 1.7 3.7 3.0 2.2 | 83.6 4.4 3.7 4.1 3.1 2.3 | 89.2 4.3 4.3 4.1 3.9 2.2 |
| Male, total ² . Removal of coronary artery obstruction ³ Cardiac catheterization Coronary artery bypass graft. | 8,538 200 620 286 | 8,388 285 660 423 | 8,689 655 732 371 | 9,878 812 763 346 | 70.6 1.7 5.1 2.4 | 65.9 2.2 5.2 3.3 | 63.9 4.8 5.4 2.7 | 69.6 5.7 5.4 2.4 |
| Female, total ² . Repair of current obstetric laceration | 14,513 795 945 591 | 14,142 964 785 583 | 14,556 1,136 855 633 | 15,948 1,198 1,130 615 | 113.0 6.2 7.4 4.6 | 7.2 5.8 4.3 | 102.4 8.0 6.0 4.5 | 108.1 8.1 7.7 4.2 |
| Diagnostic and other nonsurgical procedures 5 Angiocardiography and arteriography 6 Respiratory therapy. Manual assisted delivery CAT scan 7 Diagnostic ultrasound | 17,455 1,735 1,164 750 1,506 1,608 | 17,278 1,834 1,127 866 967 1,181 | 16,737 2,005 991 898 754 886 | 18,063 1,984 1,154 977 867 866 | 70.0 7.0 4.7 3.0 6.0 6.4 | 66.1 7.0 4.3 3.3 3.7 4.5 | 60.2 7.2 3.6 3.2 2.7 3.2 | 62.4 6.9 4.0 3.4 3.0 3.0 |
| Male, total ⁵ Angiocardiography and arteriography ⁶ Respiratory therapy. CAT scan ⁷ | 7,378 1,051 586 736 | 7,261 1,076 572 473 | 6,965 1,157 507 345 | 7,560 1,120 592 402 | 61.0 8.7 4.9 6.1 | 57.1 8.5 4.5 3.7 | 51.2 8.5 3.7 2.5 | 53.3 7.9 4.2 2.8 |
| Female, total ⁵ Manual assisted delivery Fetal EKG and fetal monitoring Diagnostic ultrasound | 10,077 750 1,377 941 | 10,016 866 935 682 | 9,772 898 750 501 | 10,503 977 829 464 | 78.5 5.9 10.8 7.3 | 74.6 6.5 7.0 5.1 | 68.8 6.3 5.5 3.5 | 71.2 6.6 5.6 3.1 |

Based on Census Bureau estimated civilian population as of July 1. Population estimates based on the 1990 Census were used to calculate rates for 1990 and 1995. Population estimates based on the 2000 gensus were used to calculate rates for 2000 and 2003. Encludes other types of surgical procedures not shown separately. Beginning 1996, includes separately coded "insertion of stent."

4 Excluding skull, nose, and jaw. Includes other nonsurgical procedures not shown separately.

Guing the standard of the standard

Table 169. Hospital Utilization Measures for HIV Patients: 1990 to 2003

[HIV represents human immunodeficiency virus. See headnote, Table 164]

| Measure of utilization | Unit | 1990 | 1995 | 2000 | 2001 | 2002 | 2003 |
|-------------------------------|-----------------------|---------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Number of patients discharged | Rate 1,000 Rate | 2,188 86.9 | 249 9.4 2,326 87.6 9.3 | 173 6.2 1,257 45.2 7.3 | 185 6.5 1,435 50.6 7.8 | 189 6.6 1,322 46.0 7.0 | 207 7.2 1,696 58.6 8.2 |

¹ Per 10,000 population. Based on Census Bureau estimated civilian population as of July 1. Beginning in 1997, rates are based on civilian population estimates that have been adjusted for net underenumeration in the 1990 census. Population estimates for the 2000 census were first used to calculate rates in 2001. The 2000 population estimates were based on the 1990 census.

Table 170. Skilled Nursing Facilities: 1980 to 2003

[(436 represents 436,000). Covers facilities and beds certified for participation under Medicare and are deemed to meet Medicaid standards. Includes facilities which have transfer agreements with one or more participating hospitals, and are engaged primarily in providing skilled nursing care and related services for the rehabilitation of injured, disabled, or sick persons]

| Item | Unit | 1980 ¹ | 1990 ¹ | 1995 | 1999 | 2000 | 2001 | 2002 ² | 2003 ² |
|--------------------------------|-------|-------------------|-------------------|---------------|---------------|---------------|---------------|-------------------|-------------------|
| Skilled nursing facilities | 1,000 | 5,052 436 | 8,937 509 | 13,122 652 | 14,913 837 | 14,913 837 | 14,841 939 | 14,755 1,050 | 14,838 1,261 |
| Per 1,000 Medicare enrollees 3 | Rate | 20.0 | 15.2 | 17.7 | 21.6 | 21.3 | 23.7 | 26.2 | 31.1 |

¹ Facility data are as of July 1. ² Facility data are as of December 31. ³ Based on total number of beneficiaries enrolled in the medicare hospital insurance program as of July 1 of year stated.

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, series 13; and unpublished data; https://www.cdc.gov /nchs/products/pubs/pubd/series/ser.htm>

Source: National Center for Health Statistics, Vital and Health Statistics, Series 13; and unpublished data. http://www.cdc.gov /nchs/products/pubs/pubd/series/ser.htm>

Source: U.S. Centers for Medicare and Medicaid Services, Data Compendium 2003, Other Medicare Providers and Suppliers. http://www.cms.hhs.gov/researchers/pubs/datacompendium/2003/03pg56b.pdf

Table 171. Home Health and Hospice Care Patients by Selected Characteristics: 2000

[In percent, except as indicated (1,460.8 represents 1,460,800). Based on the National Home and Hospice Care Survey. Home health care is provided to individuals and families in their place of residence. Hospice care is available in both the home and inpatient settings.]

| | Cı | urrent patients | 1 | | Discharges ² | |
|------------------------------|---------|---------------------|--------------|---------|-------------------------|--------------|
| Item | Total | Home health care | Hospice care | Total | Home health care | Hospice care |
| Total (1,000) | 1,460.8 | 1,355.3 | 105.5 | 7,800.1 | 7,179.0 | 621.1 |
| PERCENT DISTRIBUTION | | | | | | |
| Age: 3 Under 45 years old | 13.2 | 13.9 | 4.5 | 13.7 | 14.5 | 3.9 |
| 45-54 years old | 6.5 | 6.7 | 5.1 | 6.2 | 6.3 | 5.0 |
| 55-64 years old | 8.9 | 8.9 | 8.9 | 10.2 | 10.0 | 11.5 |
| 65 years old and over | 71.3 | 70.5 | 81.4 | 70.0 | 69.1 | 79.6 |
| 65-69 years old | 7.1 | 7.1 | 7.3 | 9.4 | 9.4 | 10.1 |
| 70-74 years old | 10.2 | 10.2 | 9.9 | 11.1 | 10.8 | 14.5 |
| 75-79 years old | 17.1 | 16.8 | 20.9 | 15.5 | 15.8 | 12.5 |
| 80-84 years old | 14.6 | 14.5 | 16.1 | 16.2 | 16.2 | 15.9 |
| 85 years old and over | 22.3 | 21.9 | 27.2 | 17.8 | 17.0 | 26.5 |
| Sex: | | | | | | |
| Male | 35.8 | 35.2 | 42.6 | 37.3 | 36.2 | 49.8 |
| _ Female | 64.2 | 64.8 | 57.4 | 62.7 | 63.8 | 50.2 |
| Race: | | | | | | |
| White | 76.3 | 76.0 | 82.8 | 79.5 | 79.1 | 84.1 |
| Black | 12.4 | 12.6 | 10.6 | 9.8 | 10.0 | 8.1 |
| Unknown | 9.0 | 9.4 | 5.0 | 8.3 | 8.5 | 5.5 |

¹ Patients on the rolls of the agency as of midnight the day prior to the survey. ² Patients removed from the rolls of the agency during the 12 months prior to the day of the survey. A patient could be included more than once if the individual had more than one episode of care during the year. ³ For current patients, current age for discharged patients, age at time of discharge. Source: U.S. National Center for Health Statistics, Health, U.S., 2002 http://www.cdc.gov/nchs/hus.htm.

Table 172. Nursing Homes—Selected Characteristics: 1999

[Beds: 1,624 represents 1,624,000. Covers licensed and/or certified nursing homes in the conterminous United States that had three or more beds. Based on the 1999 National Nursing Home Survey, a two-stage survey sample of nursing homes and their residents. Subject to sampling variability.]

| | | Bed | ds | Curre reside | | Full-t | ime equiva | lent employment | | |
|-------------------|-------------------------------------|-------------------------|------------------------|-------------------------|------------------------------|-----------------------------|--------------------------|-------------------------|------------------------------|--|
| Characteristic | | Per | | | Occu- | Adminis med and the | | Nur | sing | |
| | Nursing homes | Number (1,000) | nursing home | Number (1,000) | pancy rate | Number (1,000) | Rate per 100 beds | Number (1,000) | Rate per 100 beds | |
| Total | 18,000 | 1,965 | 109 | 1,627 | 82.8 | 96.6 | 4.9 | 961 | 48.9 | |
| certified | 14,700 ² 600 2,100 | 1,698 49 177 | 116 82 89 | 1,414 37 143 | 83.3 75.5 80.8 | 83.2 2.8 9.0 | 4.9 5.7 5.1 | 842 26 75 | 49.6 53.1 42.4 | |
| Not certified | ² 500 | 40 | 80 | 33 | 82.5 | 1.6 | 4.0 | 18 | 45.0 | |
| Less than 50 beds | 2,000 7,000 7,500 1,400 | 72 503 998 392 | 36 72 133 280 | 59 414 826 328 | 81.9 82.3 82.8 83.7 | 7.1 28.8 45.0 15.7 | 9.9 5.7 4.5 4.0 | 43 252 476 190 | 59.7 50.1 47.7 48.5 | |

Number of residents divided by number of available beds multiplied by 100.
Figure does not meet standards of reliability or precision.

Table 173. Mental Health Facilities—Summary by Type of Facility: 2002

[Beds: 211.2 represents 211,200. Facilities, beds and inpatients as of year-end. Excludes private psychiatric office practice and psychiatric service modes of all types in hospitals or outpatient clinics of federal agencies other than U.S. Dept. of Veterans Affairs. Excludes data from Puerto Rico, Virgin Islands, Guam, and other territories]

| Type of facility | Number of | Number of Inpatient beds | | | ients | Inpatient care episodes 2 |
|---|--------------|--------------------------|--------------|---------------|-------------|---------------------------|
| Type of facility | facilities | Total (1,000) | Rate 1 | Total (1,000) | Rate 1 | (1,000) |
| Total | 4,301 | 211.2 | 73.3 | 180.5 | 62.7 | 2,443 |
| State and county | 222 | 57.2 | 19.9 | 52.6 | 18.3 | 294 |
| Private ³ | 761 1,285 | 64.1 40.2 | 22.3 14.0 | 53.6 28.5 | 18.6 9.9 | 506 1,123 |
| Veterans Administration ⁵ Other ⁶ | 140 1,893 | 9.7 39.9 | 3.4 13.9 | 8.4 37.5 | 2.9 13.0 | 198 178 |

¹ Rate per 100,000 population. Based on U.S. Census Bureau estimated civilian population as of July 1. ² "Inpatient care episodes" is defined as the number of residents in inpatient facilities at the beginning of the year plus the total additions to inpatient facilities during the year. ³ Includes residential treatment centers for emotionally disturbed children. ⁴ Non-federal hospitals with separate psychiatric services. ⁵ Includes U.S. Department of Veterans Affairs (VA) neuropsychiatric hospitals, VA general hospitals with separate psychiatric settings and VA freestanding psychiatric outpatient clinics. ⁸ Includes other multiservice mental health facilities with two or more settings, which are not elsewhere classified, as well as freestanding partial care facilities which only provide psychiatric partial care services. Number of facilities, expenditures, and staff data also include freestanding psychiatric partial care facilities.
Source: U.S. Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, unpublished

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, Series 13, No. 152, The National Nursing Home Survey: 1999 Summary. See also http://www.cdc.gov/nchs/fastats/nursingh.htm>.

Source: U.S. Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, unpublished data. See also http://www.mentalhealth.samhsa.gov/cmhs/MentalHealthStatistics/.

Table 174. Injury and Poisoning Episodes and Conditions by Age and Sex: 2003

[23,782 represents 23,782,000. Covers all medically attended injuries and poisonings occurring during the 3-month period prior to the survey interview. Age adjustment is used to adjust for differences in the age distribution of populations being compared. There may be more than one condition per episode. Based on the redesigned National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

| - | | | ı | Both sexes | 6 | | | | |
|---|--------|-------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------------|----------------|------------------|
| External cause and nature of injury | Total | Total, age-ad- justed 1 | Under 12 years old | 12 to 21 years old | 22 to 44 years old | 45 to 64 years old | 65 years old and over | Male, total | Female, total |
| EPISODES Number (1,000) | 23,782 | (X) | 3,473 | 4,493 | 8,229 | 4,725 | 2,862 | 12,739 | 11,043 |
| population, total 2 | 83.2 | 82.1 | 72.3 | 110.1 | 86.9 | 69.2 | 83.5 | 91.3 | 75.4 |
| | 28.0 | 27.4 | 27.6 | 33.1 | 19.1 | 22.5 | 58.0 | 26.2 | 29.7 |
| or an object | 10.5 | 9.7 | 12.8 | 22.8 | 9.0 | 7.3 | ⁴ 2.7 | 14.1 | 7.0 |
| | 13.2 | 12.9 | 8.3 | 22.7 | 17.4 | 8.2 | 7.3 | 14.6 | 11.9 |
| | 11.8 | 12.0 | 4.0 | 12.0 | 17.2 | 13.0 | .5.0 | 13.3 | 10.3 |
| Cutting, piercing instruments Poisoning ⁵ CONDITIONS | 6.6 | 6.8 | ⁴ 5.34 | 5.7 | 9.2 | 6.1 | ⁴ 3.0 | 8.6 | 4.6 |
| | 2.5 | 2.4 | ⁴ 4.24 | ⁴ 3.6 | 2.2 | ⁴ 1.94 | ⁴ 1.1 | 2.6 | 2.5 |
| Annual rate per 1,000 population, total ² Sprains/strains Open wounds. Fractures. Contusions | 105.7 | 104.6 | 81.7 | 137.9 | 113.3 | 89.1 | 113.1 | 112.3 | 99.4 |
| | 22.0 | 21.9 | 6.8 | 33.7 | 31.4 | 18.6 | 10.5 | 23.1 | 21.0 |
| | 13.6 | 13.6 | 20.6 | 14.0 | 13.7 | 11.6 | 7.4 | 17.5 | 9.9 |
| | 15.8 | 15.4 | 14.1 | 20.5 | 12.6 | 12.0 | 28.7 | 16.7 | 14.9 |
| | 8.1 | 7.8 | 4.7 | 11.6 | 6.3 | 7.7 | 14.4 | 7.5 | 8.7 |

X Not applicable.

Data were age-adjusted using the 2000 standard population.

Includes other items not shown separately.

Includes the categories "Motor vehicle traffic"; "Pedal cycle, other"; "Pedestrian, other"; and "Transport, other".

Figure does not meet standard of reliability or precision.

Poisoning episodes are assumed to have a single condition resulting. from the episode.

Source: U.S. National Center for Health Statistics, unpublished data. See also http://www.cdc.gov/nchs/injury.htm.

Table 175. Injuries Associated With Consumer Products: 2002

[Estimates calculated from a representative sample of hospitals with emergency treatment departments in the United States. Data are estimates of the number of emergency room treated cases nationwide associated with various products. Product involvement does not necessarily mean the product caused the accident. Products were selected from the U.S. Consumer Product Safety Commission's National Electronic Injury Surveillance System]

| Product | Number | Product | Number |
|---|--|--|---|
| Home workshop equipment: | | Sofas, couches, davenports, etc | 135,190 |
| Saws (hand or power) | 92,384 36,894 | Home entertainment equipment: Televisions | 42,811 |
| Household packaging and containers: Household containers and packaging Bottles and jars | 216,498 76,487 | Personal use items: Footwear | 114,454 95,228 |
| Housewares: Knives. Tableware and flatware. Drinking glasses | 441,250 106,852 86,909 | Jewelry Yard and garden equipment: Lawn mowers | 73,943 72,480 |
| Home furnishings: Beds | 495,050 307,843 298,234 261,622 216,221 163,417 | Sports and recreation equipment: Bicycles. All-terrain vehicles Skateboards Trampolines Swimming pools Playground climbing equipment | 521,328 113,900 113,192 89,393 82,304 81,745 |

Excludes baby changing and television tables or stands.

Source: National Safety Council, Itasca, IL, Injury Facts, Annual(copyright). http://www.nsc.org/lrs/statstop.htm

Table 176. Costs of Unintentional Injuries: 2003

[607.7 represents \$607,700,000,000. Covers costs of deaths or disabling injuries together with vehicle accidents and fires]

| | | Amo | unt (bil. c | lol.) | | Percent distribution | | | | |
|--------------------------------|--------------------|------------------|-------------|-------|-------|----------------------|------------------|-------|-------|-------|
| Cost | Total ¹ | Motor vehicle | Work | Home | Other | Total ¹ | Motor vehicle | Work | Home | Other |
| Total | 607.7 | 240.7 | 156.2 | 135.1 | 95.4 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Wage and productivity losses 2 | 301.5 | 82.4 | 78.3 | 84.3 | 60.5 | 49.6 | 34.2 | 50.1 | 62.4 | 63.4 |
| Medical expense | 118.7 | 31.5 | 30.9 | 33.5 | 24.4 | 19.5 | 13.1 | 19.8 | 24.8 | 25.6 |
| Administrative expenses 3 | 103.7 | 75.8 | 28.7 | 6.0 | 4.9 | 17.1 | 31.5 | 18.4 | 4.4 | 5.1 |
| Motor vehicle damage , | 48.8 | 48.8 | 2.0 | (NA) | (NA) | 8.0 | 20.3 | 1.3 | (NA) | (NA) |
| Employer uninsured cost 4 | 24.5 | 2.2 | 13.7 | 5.0 | 4.0 | 4.0 | 0.9 | 8.8 | 3.7 | 4.2 |
| Fire loss | 10.5 | (NA) | 2.6 | 6.3 | 1.6 | 1.7 | (NA) | 1.7 | 4.7 | 1.7 |

Excludes duplication between work and motor vehicle (\$19.7 billion in 2003). ² Actual loss of wages NA Not available. and household production, and the present value of future earnings lost. ³ Home and other costs m administering medical treatment claims for some motor-vehicle injuries filed through health insurance plans. Home and other costs may include costs of uch health insurance plans. uninsured costs incurred by employers, representing the money value of time lost by noninjured workers.

Source: National Safety Council, Itasca, IL, Injury Facts, Annual(copyright). http://www.nsc.org/lrs/statstop.htm

Table 177. Specified Reportable Diseases—Cases Reported: 1980 to 2003

[190.9 represents 190,900. Figures should be interpreted with caution. Although reporting of some of these diseases is incomplete, the figures are of value in indicating trends of disease incidence. Includes cases imported from outside the United States]

| Disease | 1980 | 1985 | 1990 | 1995 | 1999 | 2000 | 2001 | 2002 | 2003 |
|--|---|---|--|--|---|---|---|--|---|
| AIDS ¹ Botulism ³ Brucellosis (undulant fever) Chickenpox (Varicella) ⁴ (1,000) Coccidoidomycosis Cholera Cryptosporidiosis Diphtheria Encephalitis/menigitis, arboviral West Nile. | (2) 89 183 190.9 (2) 9 (2) 3 (2) | 8,249 122 153 178,2 (²) 4 (²) 3 (²) | 41,595 92 85 173.1 (²) 6 (²) 4 (²) | 71,547 97 98 120.6 (²) 23 (NA) | 45,104 154 82 46.0 2,826 6 2,361 1 (²) | 40,758 138 87 27.4 2,867 5 3,128 1 (²) | 41,868 155 136 22.5 3,922 3 3,785 2 (²) | 42,745 118 125 22.8 4,968 2 3,016 1 2,840 | 44,232 129 104 20.9 4,870 2 3,506 1 2,866 |
| Enterohemorrhagic Escherichia coli 0157.H7 | (2) (2) 223 19.0 29.1 (2) (2) (2) 2.062 13.5 2,840 2,840 1.6 46,421 1,163 3,904 33.7 19(6) | (2) (2) (2) (361 26.6 23.2 4.2 830 (2) 1,049 3.0 3.6 17 7 119 5,5665 17 714 65.3 17,1 (2) | (2) (2) (2) 198 21.1 31.4 2.6 1,370 (2) 1,292 27.8 2,451 5.3 4.6 2 2 113 4,826 611 1,125 48.6 27,1 (2) | 2,139 1,180 144 10.8 31.6 4.6 1,241 11,700 0.3 3,243 0.9 5.1 9 7 64 7,811 5 590 128 46.0 32,1 (²) | 4,513 1,309 108 7.7 17.0 3.1 1,108 16,273 1,666 0.1 2,501 0.4 7.3 9 2 16 6,730 5 7 9 2 16 6,730 5 16 6,730 5 16 6,730 5 16 6,730 5 16 6,730 7 16 6 6 6 7 16 7 16 7 16 7 16 7 16 7 | 4,528 1,398 911 8.0 13.4 3.2 1,127 17,730 1,560 0.3 7.9 6 6 176 6,934 4 495 176 39.6 29.3 3,144 | 3,287 1,597 7,8 10.6 4.0 1,168 17,029 1,544 0.1 2,333 7.6 2 7,150 1 695 23 40.5 23 40.5 23,750 | 3,840 1,743 96 8.0 8.8 1,821 23,763 1,430 1,814 0.3 9.8 2 1 18 17,609 3 1,104 18 44.3 23.5 4,720 | 2,671 2,013 95 7.5 7.7 1.1 2,232 21,273 1,402 0.1 1,756 0.2 11.6 6,846 2 1,091 7 43.7 23.6 5,872 |
| Streptococcus pneumoniae, invasive: Drug-resistant. Age less than 5 years Tetanus Toxic-shock syndrome. Trichinosis Tuberculosis ¹¹ (1,000) Typhoid fever | (2) (2) 95 (2) 131 27.7 510 | (2) (2) 83 384 61 22.2 402 | (2) (2) 64 322 129 25.7 552 | (2) (2) 41 191 29 22.9 369 | 4,625 (²) 40 113 12 17.5 346 | 4,533 (²) 35 135 16 16.4 377 | 2,896 498 37 127 22 16.0 368 | 2,546 513 25 109 14 15.1 321 | 2,356 845 20 133 6 14.9 356 |
| Sexually transmitted diseases: Gonorrhea (1,000) Syphilis (1,000). Chlamydia (1,000). Chancroid | 1,004 69 (²) 788 | 911 68 (²) 2,067 | 690 134 (²) 4,212 | 393 69 478 606 | 360 36 657 143 | 359 32 702 78 | 362 32 783 38 | 352 34 835 67 | 335 34 877 54 |

⁻ Represents zero or rounds to zero.

Acquired immunodeficiency syndrome was not a notifiable disease until 1984. Figures are shown for years in which cases were reported to the CDC. Beginning 1995, based on revised classification system and expanded surveillance case definition.
Besaes was not notifiable.
All chicken or surveillance case definition.
Besaes was not notifiable.
Comparison to the comparison of the national or surveillance so the comparison of the national or surveillance or surveillance to report.
Comparison or surveillance or surv

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, Summary of Notifiable Diseases, United States, 2003, Morbidity and Mortality Weekly Report, Vol. 52, No. 54, April 22, 2005.

Table 178. Children Immunized Against Specified Diseases: 1995 to 2003

[In percent. Covers civilian noninstitutionalized population ages 19 months to 35 months. Based on estimates from the National Immunization Survey. The health care providers of the children are contacted to verify and/or complete vaccination information. Results are based on race/ethnic status of the child]

| | | | | | 20 | 03 | | |
|---|------------------------|---------------------|--------------|---------------------------|---------------------------|--------------|---|--------------|
| Vaccination | 1995 , total | 2000 , total | Total | White non- Hispanic | Black non- Hispanic | Hispanic | American Indian/ Alaska Native | Asian 1 |
| Diphtheria-tetanus-pertussis (DTP) diphtheria-tetanus: 3+ doses | 95 | 94 | 96.0 | 96.8 | 95.2 | 94.8 | 93.6 | 97.0 |
| 4+ doses | 79 | 82 90 | 84.8 91.6 | 87.5 93.0 | 79.9 89.2 | 81.9 90.1 | 80.1 91.3 | 88.5 91.3 |
| Hib ² : 3+ doses | 92 90 | 93 91 | 93.9 93.0 | 95.1 93.2 | 92.4 92.1 | 93.1 92.7 | 88.8 91.8 | 91.1 96.0 |
| Hepatitis B: 3+ doses | 68 | 90 68 | 92.4 84.8 | 93.2 83.8 | 91.6 85.4 | 91.2 85.7 | 90.3 81.4 | 93.6 91.1 |
| Varicella ³ | 76 74 | 78 76 | 82.2 81.3 | 85.0 84.3 | 76.7 75.2 | 79.3 78.7 | 78.5 76.9 | 83.8 80.7 |

NA Not available.

Non-Hispanic.

Haemophilus B.

Data collection for varicella (chicken pox) began in July 1996.

MCV = Measles containing vaccine.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, National Immunization Program, Data and Statistics, "Immunization Coverage in the U.S."; http://www.cdc.gov/nip/coverage/default.htm.

Table 179. Reported AIDS Cases for Adults and Adolescents, by Transmission Category and Sex: Cumulative Through 2003

[Provisional. For cases reported in the year shown. Includes Puerto Rico, Virgin Islands, Guam, and U.S. Pacific Islands. Acquired immunodeficiency syndrome (AIDS) is a specific group of diseases or conditions which are indicative of severe immunosuppression related to infection with the human immunodeficiency virus (HIV). Data are subject to retrospective changes and may differ from those data in Table 177]

| | | 2003 | | Cumula | tive through 2 | 003 ¹ |
|---|---------------|---------------|--------|----------------|----------------|------------------|
| | Total | Male | Female | Total | Male | Female |
| Persons 13 years old and over, total | 44,811 | 33,250 | 11,561 | 892,875 | 729,478 | 163,396 |
| | 15,859 | 15,859 | (X) | 401,392 | 401,392 | (X) |
| | 7,128 | 4,866 | 2,262 | 218,196 | 156,575 | 61,621 |
| injecting drug use Hemophilia/coagulation disorder Heterosexual contact Sex with injuction drug user Sex with bisexual male Sex with person with hemophilia Sex with HIV-infected transfusion | 1,695 | 1,695 | (X) | 57,998 | 57,998 | (X) |
| | 85 | 74 | 11 | 5,448 | 5,130 | 318 |
| | 8,605 | 3,371 | 5,234 | 111,147 | 40,947 | 70,200 |
| | 1,462 | 477 | 985 | 35,078 | 10,930 | 24,148 |
| | 223 | (X) | 223 | 4,402 | (X) | 4,402 |
| | 23 | 7 | 16 | 545 | 80 | 465 |
| recipient | 61 | 24 | 37 | 1,210 | 505 | 705 |
| risk not specified. Receipt of blood transfusion, blood components, or tissue. Other/risk not reported or identified | 6,836 | 2,863 | 3,973 | 69,912 | 29,432 | 40,480 |
| | 219 | 111 | 108 | 9,295 | 5,219 | 4,076 |
| | 11,220 | 7,274 | 3,946 | 89,399 | 62,217 | 27,181 |

X Not applicable.

¹ Includes persons with characteristics unknown.

Table 180. Estimated Persons Living With Acquired Immunodeficiency Syndrome (AIDS) by Year and Selected Characteristics: 1999 to 2003

[These numbers do not represent actual cases of persons living with AIDS. Rather, these numbers are point estimates of persons living with AIDS that have been adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk. The estimates have not been adjusted for incomplete reporting.]

| Age and characteristic | 1999 | 2000 | 2001 | 2002 | 2003 |
|---|---|---|--|--|---|
| Total ¹ | 311,205 | 334,731 | 357,040 | 380,771 | 405,926 |
| AGE AS OF END OF YEAR | | | | | |
| Less than 13 years old 13 and 14 years old 15 to 24 years 25 to 34 years 35 to 44 years 45 to 54 years 55 to 64 years 65 years old and over | 3,034 440 4,719 60,184 141,295 77,216 19,258 5,058 | 2,843 517 4,991 56,686 151,180 89,461 22,922 6,132 | 2,605 645 5,229 53,687 158,173 102,252 27,197 7,251 | 2,335 728 5,668 51,410 163,732 115,613 32,703 8,583 | 1,998 768 6,313 49,906 168,322 129,311 38,997 10,310 |
| RACE/ETHNICITY | | | | | |
| White, not Hispanic. Black, not Hispanic. Hispanic Asian/Pacific Islander American Indian/Alaska Native | 119,674 126,044 61,194 2,484 1,047 | 126,162 137,524 66,266 2,755 1,166 | 132,258 148,469 71,034 3,056 1,262 | 139,089 160,022 75,782 3,414 1,380 | 146,544 172,278 80,623 3,826 1,498 |
| MALE ADULT/ADOLESCENT TRANSMISSION CATEGORY | | | | | |
| Males 13 years old and over, total Male-to-male sexual contact Injection drug use. Male-to-male sexual contact and injection drug use Heterosexual contact Other ² . | 244,291 140,216 58,006 21,667 20,595 3,807 | 261,223 150,172 61,249 22,403 23,478 3,922 | 277,366 160,076 63,723 23,033 26,471 4,062 | 294,767 171,035 66,003 23,690 29,835 4,204 | 313,183 182,989 68,191 24,334 33,324 4,345 |
| FEMALE ADULT/ADOLESCENT TRANSMISSION CATEGORY | | | | | |
| Females 13 years old and over, total | 63,093 25,744 35,603 1,746 | 69,647 27,317 40,422 1,908 | 75,765 28,602 45,097 2,067 | 82,052 29,670 50,142 2,239 | 88,815 30,710 55,685 2,420 |

¹ Includes persons of unknown or multiple race and of unknown sex. ² Includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, HIV/AIDS Surveillance Report, Volume 15. http://www.cdc.gov/hiv/stats/hasrlink.htm.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, HIV/AIDS Surveillance Report, Volume 15. See also http://www.cdc.gov/hiv/stats/hasrlink.htm.

Table 181. AIDS, Syphilis, and Tuberculosis Cases Reported by State: 2003

| State | AIDS | Syphilis | Tuber- culosis | State | AIDS | Syphilis | Tuber- culosis | State | AIDS | Syphilis | Tuber- culosis |
|-------|---------------------|----------|-------------------|-------|-------|----------|-------------------|-------|-------|----------|-------------------|
| U.S | ¹ 44,232 | 34,270 | 14,874 | KS | 111 | 77 | 75 | ND | 2 | 2 | 6 |
| | , - | , | ,- | KY | 220 | 160 | 138 | ОН | 775 | 481 | 229 |
| AL | 471 | 566 | 258 | LA | 1,048 | 1,576 | 260 | ОК | 214 | 353 | 163 |
| AK | 17 | 8 | 57 | ME | 52 | 21 | 25 | OR | 242 | 118 | 106 |
| AZ | 628 | 1,106 | 295 | MD | 1,572 | 974 | 268 | PA | 1,906 | 705 | 336 |
| AR | 189 | 296 | 127 | MA | 757 | 644 | 261 | RI | 102 | 90 | 46 |
| CA | 5,967 | 4,202 | 3,227 | MI | 676 | 860 | 243 | SC | 778 | 548 | 254 |
| CO | 368 | 144 | 111 | MN | 179 | 195 | 214 | SD | 13 | 5 | 20 |
| CT | 733 | 207 | 111 | MS | 509 | 435 | 128 | TN | 835 | 876 | 285 |
| DE | 216 | 47 | 33 | MO | 404 | 207 | 131 | TX | 3,413 | 3,996 | 1,594 |
| DC | 961 | 330 | 79 | MT | 7 | - | 7 | UT | 75 | 72 | 39 |
| FL | 4,774 | 3,282 | 1,046 | NE | 60 | 27 | 28 | VT | 16 | 1 | 9 |
| GA | 1,907 | 2,152 | 526 | NV | 279 | 149 | 107 | VA | 786 | 552 | 332 |
| HI | 110 | 59 | 117 | NH | 37 | 37 | 15 | WA | 527 | 239 | 250 |
| ID | 25 | 45 | 13 | NJ | 1,514 | 1,089 | 495 | WV | 95 | 11 | 21 |
| IL | 1,734 | 1,376 | 633 | NM | 111 | 205 | 49 | WI | 184 | 111 | 66 |
| IN | 506 | 375 | 143 | NY | 5,133 | 3,825 | 1,140 | WY | 8 | 4 | 4 |
| IA | 75 | 46 | 40 | NC | 1,102 | 848 | 374 | | | | |

⁻ Represents zero.

¹ Includes cases among persons with unknown state of residence.

Table 182. Persons with Limitation of Activity Caused by Chronic Conditions: 2000 to 2003

[In percent. Limitation of activity is assessed by asking respondents a series of questions about limitations in their ability to perform activities usual for their age group because of a physical, mental, or emotional problem. Respondents are asked about limitations in activities of daily living, or instrumental activities of daily living, play, school, work, difficulty walking or remembering, and any other activity limitations. For reported limitations the causal health conditions are determined and respondents are considered limited if one or more of these conditions is chronic. Based on the National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

| Characteristic | 2000 | 2001 | 2002 | 2003 | Characteristic | 2000 | 2001 | 2002 | 2003 |
|-------------------|------|------|------|------|--------------------------|------|------|------|------|
| Total 1, 2 | | 12.1 | 12.4 | 12.1 | Male 2 | 11.7 | 12.2 | 12.3 | 11.9 |
| Under 18 years | | 6.7 | | | Female ² | 11.5 | 11.9 | 12.3 | 12.2 |
| 18 to 44 years | | | 6.3 | 6.0 | _ | | | | |
| 45 to 54 years | 12.4 | 13.1 | 13.7 | 13.0 | White, non-Hispanic 2 | 11.5 | 11.8 | 12.1 | 11.8 |
| 55 to 64 years | 19.7 | 20.7 | 21.1 | 21.1 | | 14.3 | 15.6 | 14.9 | 15.3 |
| 65 to 74 years | 26.1 | 26.0 | 25.2 | 26.3 | Hispanic ^{2, 3} | 10.3 | 10.6 | 10.7 | 10.2 |
| 75 years and over | 45.1 | 44.7 | 45.1 | 44.0 | Mexican | 10.4 | 10.3 | 10.8 | 9.7 |

¹ Includes all other races not shown separately. ² Estimates for all persons are age adjusted to the year 2000 standard using six age groups: Under 18 years, 18-44 years, 45-54 years, 55-64 years. 65-74 years, and 75 years and over. ³ Persons of Hispanic origin may be of any race.

Source: U.S. National Center for Health Statistics, Health, United States, 2005. https://www.cdc.gov/nchs/hus.htm>.

Table 183. Persons 65 Years Old and Over With Limitation of Activity Caused by Chronic Conditions: 2000 to 2003

[In percent. Covers noninstitutionalized persons 65 years old and over. To determine activities of daily living (ADL) limitations respondents were asked "Because of a physical, mental, or emotional problem, does (this person) need the help of other persons with personal care needs, such as eating, bathing, dressing, or getting around inside this home?" Instrumental activities of daily living (IADL) were determined by asking respondents "Because of a physical, mental, or emotional problem, does (this person) need the help of other persons in handling routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?" See also headnote, Table 182]

| Observatoristis | Perc | ent with AD | DL limitation | n | Percent with IADL limitation | | | | |
|-------------------------------------|------------|-------------|---------------|------------|------------------------------|-------------|-------------|-------------|--|
| Characteristic | 2000 | 2001 | 2002 | 2003 | 2000 | 2001 | 2002 | 2003 | |
| Total ^{1 2} | 6.3 | 6.4 | 6.1 | 6.4 | 12.7 | 12.6 | 12.2 | 12.2 | |
| | 3.3 | 3.4 | 2.7 | 3.1 | 6.6 | 6.7 | 6.0 | 6.5 | |
| | 9.5 | 9.6 | 9.8 | 9.9 | 19.3 | 18.9 | 18.9 | 18.4 | |
| Male ² | 5.1 | 6.1 | 4.7 | 5.2 | 9.2 | 9.6 | 7.8 | 8.6 | |
| Female ² | 7.0 | 6.6 | 7.0 | 7.2 | 15.1 | 14.6 | 15.2 | 14.6 | |
| Not Hispanic or Latino ² | 6.1 | 6.1 | 5.9 | 6.1 | 12.6 | 12.3 | 12.1 | 12.1 | |
| | 5.7 | 5.5 | 5.5 | 5.7 | 12.1 | 11.6 | 11.5 | 11.4 | |
| | 10.1 | 11.8 | 9.9 | 10.4 | 19.1 | 18.7 | 18.4 | 19.0 | |
| Hispanic or Latino ^{2 3} | 8.6 | 11.2 | 9.2 | 10.3 | 13.4 | 17.0 | 13.1 | 13.8 | |
| | 9.4 | 10.6 | 10.1 | 9.8 | 16.3 | 17.0 | 13.9 | 15.1 | |

¹ Includes other races not shown separately.
² Estimates are age adjusted to the year 2000 standard using two age groups:
65-74 years and 75 years and over.
³ Persons of Hispanic origin may be of any race.

Source: U.S. National Center for Health Statistics, Health, United States, 2005.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, Summary of Notifiable Diseases, United States, 2003, Morbidity and Mortality Weekly Report, Vol. 52, No. 54, April 22, 2005.

Table 184. Persons 18 Years and Over With Selected Diseases and Conditions, by Selected Characteristics: 2003

[In thousands (213,042 represents 213,042,000). Based on the National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix [II]

| | | | Persons w | ith selected | diseases and | conditions | |
|--|------------------|-------------------------------|------------------------|--|-------------------------------|--|--|
| Selected characteristics | Total persons | Dia- betes ^{1, 2} | Ulcers 1 | Kidney dis- ease ^{3, 4} | Liver disease ³ | Arthritis diag- nosis ⁵ | Chronic joint symp- toms ^{5, 6} |
| Total ⁷ | 213,042 | 14,012 | 14,456 | 3,017 | 2,511 | 45,793 | 57,242 |
| Male | 102,298 | 6,990 | 6,480 | 1,489 | 1,253 | 17,692 | 24,776 |
| | 110,744 | 7,022 | 7,976 | 1,528 | 1,258 | 28,102 | 32,466 |
| 18 to 44 years old | 110,538 | 2,101 | 4,757 | 617 | 766 | 8,633 | 18,201 |
| | 68,248 | 6,239 | 5,697 | 1,162 | 1,297 | 20,539 | 23,797 |
| | 18,097 | 3,180 | 2,098 | 540 | 223 | 8,322 | 7,947 |
| | 16,159 | 2,491 | 1,903 | 697 | 226 | 8,299 | 7,298 |
| Race alone: ⁸ White Black or African American. American Indian or Alaska Native. Asian Native Hawaiian or other Pacific | 210,869 | 13,833 | 14,245 | 2,964 | 2,447 | 45,268 | 56,619 |
| | 177,830 | 11,199 | 12,513 | 2,420 | 2,025 | 39,606 | 49,561 |
| | 24,111 | 2,120 | 1,319 | 427 | 306 | 4,679 | 5,567 |
| | 1,285 | 146 | ⁹ 144 | ⁹ 38 | ⁹ 38 | 332 | 453 |
| | 7,361 | 355 | 256 | ⁹ 72 | ⁹ 78 | 633 | 1,004 |
| Islander | 282 2,173 | ⁹ 12 179 | ⁹ 13 211 | ⁹ 7 ⁹ 53 | ⁹ 64 | ⁹ 18 525 | ⁹ 33 624 |
| Hispanic or Latino origin ¹¹ | 26,272 | 1,556 | 1,285 | 402 | 310 | 2,896 | 4,218 |
| Mexican or Mexican American | 16,661 | 964 | 735 | 234 | 194 | 1,566 | 2,419 |

⁻ Represents zero. ¹ Respondents were asked if they had ever been told by a health professional that they had an ulcer or diabetes. A person may be represented in more than one column. ² Excludes borderline diabetes. ³ Respondents were asked if they had been told in the last 12 months by a health professional that they had weak or failing kidneys or any kind of liver condition. ⁴ Excludes kidney stones, bladder infections, or incontinence. ⁵ Respondents were asked if they had ever been told by a health professional that they had some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia. ⁶ Respondents with condition. Excludes kidney stones, biaduel infections, or incommence. In advantage of the professional that they had some form of arthritis, theumatoid arthritis, gout, lupus or fibromyalgia. Respondents with joint symptoms that began more than 3 months ago prior to interview. Excludes back and neck. Total includes other races not shown separately. Refers to persons who indicated only a single race group. Figures do not meet standard of reliability or precision. Refers to all persons who indicated more than one race group. shown separately.

8 Refers to persons who indicated unity a single race group.
or precision.

10 Refers to all persons who indicated more than one race group. be any race or combination of races.

Source: National Center for Health Statistics, Health, United States, 2005 http://www.cdc.gov/nchs/hus.htm

Table 185. Disabilities Tallied by Age Group and by State: 2003

[In thousands (3,668 represents 3,668,000). Data are limited to the household population and exclude the population living in institutions, college dormitories, and other group quarters. A disability is a long-lasting physical, mental, or emotional condition. This condition can make it difficult for a person to do activities such as walking, climbing stairs, dressing, bathing, learning, or remembering. This condition can also impede a person from being able to go outside the home alone or to work at a job or business. Based on data from the 2003 American Community Survey (ACS). See text, Section 1 and Appendix III]

| | Total | disabilities talli | ed | | Total | disabilities tallie | ed |
|--------------|------------------|--------------------------------|-----------------------------------|-----------|------------------|--------------------------------|-----------------------------------|
| State | 5 to 15 years | 16 to 64 years ² | 65 years and over ³ | State | 5 to 15 years | 16 to 64 years ² | 65 years and over ³ |
| U.S | 3,668 | 45,531 | 28,231 | MO | 74 | 924 | 602 |
| AL | 69 | 1,024 | 596 | MT | 7 | 164 | 91 |
| AK | 12 | 122 | 38 | NE | 20 | 266 | 158 |
| AZ | 74 | 800 | 482 | NV | 17 | 308 | 172 |
| AR | 49 | 662 | 403 | NH | 14 | 177 | 100 |
| CA | 381 | 4,945 | 3,107 | NJ | 92 | 1,016 | 814 |
| CO | 53 | 530 | 305 | NM | 24 | 347 | 218 |
| CT | 27 | 405 | 298 | NY | 209 | 2,766 | 1,885 |
| DE | 11 | 113 | 80 | NC | 133 | 1,587 | 891 |
| DC | 6 | 83 | 45 | ND | 5 | 79 | 62 |
| FL | 207 | 2,598 | 2,038 | OH | 190 | 1,990 | 1,160 |
| GA | 94 | 1,412 | 751 | OK | 46 | 702 | 396 |
| . 벤 | 10 | 158 | 114 | OR | .39 | 626 | 353 |
| [D | 23 | 242 | 136 | PA | 165 | 1,952 | 1,346 |
| <u> </u> L | 142 | 1,501 | 1,171 | RI | 16 | 164 | 111 |
| IN | 81 | 1,072 | 607 | SC | 5 <u>3</u> | 785 | 403 |
| IA | 36 | 442 | 287 | <u>SD</u> | / | 78 | 69 |
| KS | 27 | 379 | 263 | <u>TN</u> | 85 | 1,219 | 678 |
| KY | 68 | 1,051 | 494 | TX | 282 | 3,103 | 1,878 |
| LA | 69 | 899 | 501 | UT | 3 <u>1</u> | 241 | 152 |
| ME | 16 | 289 | 143 | VT | 7 | 110 | 60 |
| MD | 70 | 784 | 475 | VA | 91 | 1,108 | 650 |
| MA | 81 | 827 | 567 | WA | 77 | 1,021 | 522 |
| MI | 166 | 1,695 | 969 | WV | 22 | 545 | 284 |
| MN | 61 | 593 | 377 | WI | 69 | 791 | 478 |
| MS | 54 | 755 | 410 | WY | 5 | 77 | 43 |

Persons aged 5-15 were classified as having a disability if they reported any one of the four conditions; sensory, physical, mental or self-care disability. Persons aged 16-64 were classified as having a disability if they reported any one of the six conditions; sensory, physical, mental, self-care disability, go-outside-home or employment disability. Persons 65 years and over were classified as having a disability if they reported any one of the five conditions; sensory, physical, mental, self-care disability. or go-outside-home disability.

Source: U.S. Census Bureau, "American Factfinder, 2003 American Community Survey, Summary Table, Total Disabilities Tallied for The Civilian Noninstitutional Population." http://factfinder.census.gov/; (accessed: 10 July 2005).

Table 186. Selected Respiratory Diseases Among Persons 18 Years of Age and Over, by Selected Characteristics: 2003

[In thousands (213,042 represents 213,042,000). Respondents were asked in two separate questions if they had ever been told by a doctor or other health professional that they had emphysema or asthma. Respondents who had been told they had asthma were asked if they still had asthma. Respondents were asked in three separate questions if they had been told by a doctor or other health professional in the past 12 months that they had hay fever, sinusitis, or bronchitis. Based on the National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

| | | | Select | ted respira | atory condition | ons ¹ | |
|--|------------------|-----------------|----------------|-------------|-----------------|------------------|--------------------|
| Selected characteristic | Total | Casa a las c | Asthr | ma | | | Chronic bronchitis |
| | Total persons | Emphy- sema | Ever | Still | Hay fever | Sinusitis | |
| Total ² | 213,042 | 3,115 | 20,697 | 13,623 | 18,356 | 29,673 | 8,560 |
| Male | 102,298 | 1,701 | 8,253 | 4,665 | 7,880 | 10,225 | 2,741 |
| | 110,744 | 1,414 | 12,444 | 8,958 | 10,476 | 19,447 | 5,820 |
| Age: 18 to 44 years old. 45 to 64 years old. 65 to 74 years old. 75 years old and over | 110,538 | 155 | 11,204 | 6,972 | 9,407 | 13,183 | 3,254 |
| | 68,248 | 1,261 | 6,722 | 4,678 | 6,710 | 11,755 | 3,311 |
| | 18,097 | 928 | 1,602 | 1,129 | 1,381 | 2,776 | 1,131 |
| | 16,159 | 771 | 1,169 | 844 | 858 | 1,958 | 865 |
| Race alone: ³ White Black or African American American Indian or Alaska Native Asian Native Hawaiian or Other Pacific Islander 2 or more races ⁵ | 210,869 | 3,086 | 20,342 | 13,393 | 18,091 | 29,392 | 8,423 |
| | 177,830 | 2,854 | 17,127 | 11,348 | 15,838 | 25,355 | 7,365 |
| | 24,111 | 194 | 2,610 | 1,765 | 1,654 | 3,421 | 910 |
| | 1,285 | ⁴ 14 | 161 | 109 | 112 | 177 | ⁴ 72 |
| | 7,361 | ⁴ 24 | 436 | 172 | 469 | 427 | ⁴ 77 |
| | 282 | - | ⁴ 8 | - | ⁴ 17 | ⁴ 12 | - |
| | 2,173 | ⁴ 29 | 354 | 230 | 265 | 280 | 137 |
| Hispanic or Latino origin ⁶ | 26,272 | 80 | 1,904 | 1,207 | 1,529 | 2,030 | 604 |
| | 16,661 | ⁴ 50 | 926 | 588 | 893 | 1,122 | 327 |

⁻ Represents zero. ¹ A person may be represented in more than one column. ² Total includes other races not shown separately. ³ Refers to persons who indicated only a single race group. ⁴ Figures do not meet standard of reliability or precision. ⁵ Refers to all persons who indicated more than one race group. ⁶ Persons of Hispanic or Latino origin may be any race or combination of races.

Source: National Center for Health Statistics, Health, United States, 2005 http://www.cdc.gov/nchs/hus.htm

Table 187. Asthma Incidence Among Children Under 18 Years of Age, by Selected Characteristics: 2003

[In thousands, except percent (72,973 represents 72,973,000) Based on the National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix IIII]

| Selected characteristic | | Ever told had | d asthma | Had asthma past 12 m | |
|--|--------|---------------|-------------------|-------------------------|-------------------|
| | Total | Number | Percent | Number | Percent |
| Total ¹ (age-adjusted) | 72,973 | 9,071 | 12.5 | 3,975 | 5.5 |
| | 72,973 | 9,071 | 12.5 | 3,975 | 5.4 |
| Male | 37,303 | 5,251 | 14.1 | 2,329 | 6.3 |
| | 35,670 | 3,820 | 10.7 | 1,646 | 4.6 |
| Age: ² 0 to 4 years old . 5 to 11 years old . 12 to 17 years old . | 19,856 | 1,491 | 7.5 | 838 | 4.2 |
| | 28,340 | 3,954 | 14 | 1,684 | 5.9 |
| | 24,776 | 3,626 | 14.7 | 1,452 | 5.9 |
| Race alone: ³ White Black or African American. American Indian or Alaska Native. Asian Native Hawaiian or Other Pacific Islander 2 or more races ⁵ . | 70,797 | 8,624 | 12.2 | 3,719 | 5.3 |
| | 56,545 | 6,389 | 11.3 | 2,663 | 4.7 |
| | 11,061 | 1,893 | 17.2 | 877 | 8 |
| | 734 | 148 | 20.7 | ⁴ 64 | ⁴ 8.9 |
| | 2,343 | 153 | 6.8 | ⁴ 87 | ⁴ 4 |
| | 113 | 441 | ⁴ 29.7 | ⁴ 29 | ⁴ 21.2 |
| | 2,176 | 447 | 20.8 | 255 | 12.2 |
| Hispanic or Latino Origin ⁵ | 13,464 | 1,575 | 12.0 | 597 | 4.5 |
| | 9,391 | 823 | 9.0 | 254 | 2.7 |

 ¹ Includes other races not shown separately.
 2 Estimates for age groups are not age adjusted.
 3 Refers to persons who indicated only a single race group.
 6 Persons of Hispanic or Latino origin may be any race or combination of races.

Source: National Center for Health Statistics, Health, United States, 2005 http://www.cdc.gov/nchs/hus.htm

Table 188. Cancer—Estimated New Cases, 2005, and Survival Rates, 1980-1982 to 1995-2001

[1,373 represents 1,373,000. The 5-year relative survival rate, which is derived by adjusting the observed survival rate for expected mortality, represents the likelihood that a person will not die from causes directly related to their cancer within 5 years. Survival data shown are based on those patients diagnosed while residents of an area listed below during the time periods shown. Data are based on information collected as part of the National Cancer Institute's Surveillance, Epidemiology and End Results (SEER) program, a collection of population-based registries in Connecticut, New Mexico, Utah, Iowa, Hawaii, Atlanta, Detroit, Seattle-Puget Sound, and San Francisco-Oakland]

| | Es | timated | | 5-year relative survival rates (percent) | | | | | | | | |
|---|--|--|---|--|--|--|--|--|--|---|--|--|
| Site | | 2005 (1,000 | | | White | | | | Black | | | |
| | Total | Male | Female | 1980- 1982 | 1989- 1991 | 1992- 1994 | 1995- 2001 | 1980- 1982 | 1989- 1991 | 1992- 1994 | 1995- 2001 | |
| All sites ² . Lung . Breast ³ Colon and rectum Colon Rectum Prostate Bladder Corpus uteri Non-Hodgkin's lymphoma ⁴ | 1,373 173 213 145 105 40 232 63 41 | 710 93 2 72 48 24 232 47 (X) | 663 80 211 73 57 17 (X) 16 41 | 52.1 13.5 77.1 54.9 55.6 53.1 74.5 78.9 82.8 | 60.3 14.4 86.2 62.4 63.2 60.5 92.0 82.2 85.7 | 63.9 15.0 87.6 62.8 63.1 62.1 98.2 82.4 86.3 | 66.4 15.5 89.5 65.0 64.9 65.1 99.9 82.8 86.2 61.2 | 39.8 12.1 65.8 46.7 49.4 38.3 64.8 58.5 55.2 | 46.2 10.8 71.2 54.1 53.9 54.5 80.8 62.0 57.8 43.7 | 52.1 11.9 72.6 52.2 51.9 53.0 92.4 64.0 55.9 | 56.0 13.2 75.9 55.0 54.7 55.9 96.7 64.3 61.8 | |
| Oral cavity and pharynx Leukemia ⁴ Melanoma of skin Pancreas Kidney Stomach Ovary Cervix uteri ⁵ | 29 35 60 32 36 22 22 10 | 19 20 34 16 22 14 (X) (X) | 10 15 26 16 14 8 22 10 | 55.7 39.5 83.3 2.8 51.1 16.5 38.7 68.2 | 55.6 46.4 89.0 4.1 60.8 18.4 41.2 72.5 | 58.5 49.5 89.4 4.7 63.0 20.9 42.1 72.7 | 61.6 49.1 91.8 4.4 64.7 21.4 44.5 74.6 | 31.1 32.9 58.3 4.5 56.3 19.1 39.3 61.5 | 33.3 34.9 78.8 3.9 58.1 24.8 30.7 62.6 | 34.7 39.9 59.4 3.8 60.4 19.1 45.9 57.8 | 39.0 38.1 77.5 4.4 63.6 22.8 37.7 66.1 | |

X Not applicable.

1 Estimates provided by American Garies.
R program.

2 Includes other sites not shown separately. ¹ Estimates provided by American Cancer Socjety are based on rates from the National Cancer Institute's noludes other sites not shown separately.
³ Survival rates for female only.
⁴ All types combined. SEER program. Invasive cancer only.

Table 189. Cancer—Estimated New Cases and Deaths by State: 2005

[In thousands (1,372.9 represents 1,372,900). Excludes basal and squamous cellskin cancers and in situ carcinomas except urinary bladder]

| | New cases ¹ Deaths | | | | | | | Ne | w cases | 1 | | Deaths | |
|----------------------------|--------------------------------------|----------------------------------|----------------------------------|------------------------------------|----------------------------------|---------------------------------|----------------------------|--|--|--|---|--|--|
| State | Total ² | Lung | Female breast | Total ² | Lung | Female breast | State | Total ² | Lung | Female breast | Total ² | | Female breast |
| U.S | 1,372.9 | 172.6 | 211.2 | 570.3 | 163.5 | 40.4 | MO | 20.0 | 4.4 | 4.0 | 10.0 | 2.0 | 0.0 |
| AL AK AZ AR CA | 24.3 1.9 23.9 15.0 135.0 | 3.3 0.2 2.9 2.5 15.2 | 3.8 0.3 3.8 2.1 21.2 | 10.1 0.8 9.9 6.2 56.1 | 3.2 0.2 2.7 2.4 14.4 | 0.7 0.1 0.7 0.4 4.1 | MT NE NV NH | 30.2 4.9 8.3 11.1 6.3 | 4.1 0.6 1.0 1.5 0.8 | 4.6 0.7 1.2 1.6 0.9 | 12.6 2.0 3.5 4.6 2.6 | 3.9 0.6 1.0 1.5 0.8 | 0.9 0.1 0.2 0.3 0.2 |
| CO CT DE DC | 16.1 16.9 3.8 2.8 96.2 | 1.8 2.0 0.5 0.3 13.1 | 2.6 2.7 0.6 0.5 13.4 | 6.7 7.0 1.6 1.2 40.0 | 1.7 1.9 0.5 0.3 12.4 | 0.5 0.5 0.1 0.1 2.6 | NJ NM NY NC ND | 43.0 7.8 87.1 40.5 3.1 | 4.8 0.8 9.9 5.5 0.3 | 7.7 1.0 14.4 6.3 0.5 | 17.9 3.2 36.2 16.8 1.3 | 4.6 0.7 9.4 5.2 0.3 | 1.5 0.2 2.8 1.2 0.1 |
| GA HI ID IL | 35.7 4.8 5.5 59.7 31.9 | 4.8 0.5 0.6 7.2 4.4 | 5.9 0.7 0.9 9.3 4.6 | 14.8 2.0 2.3 24.8 13.3 | 4.6 0.5 0.6 6.8 4.2 | 1.1 0.1 0.2 1.8 0.9 | OH OK OR PA RI | 59.7 18.5 17.7 71.8 5.9 | 7.8 2.6 2.2 8.5 0.7 | 9.7 2.8 2.6 11.3 0.8 | 24.8 7.7 7.4 29.8 2.4 | 7.4 2.4 2.1 8.0 0.7 | 1.9 0.5 0.5 2.2 0.2 |
| IA KS KY LA ME | 15.9 12.9 23.0 23.3 7.8 | 1.8 1.6 3.7 3.1 1.0 | 2.3 2.0 3.3 3.9 0.9 | 6.6 5.4 9.6 9.7 3.2 | 1.7 1.5 3.5 2.9 0.9 | 0.4 0.4 0.6 0.7 0.2 | SC SD TN TX UT | 21.9 3.9 31.1 86.9 6.4 | 2.9 0.4 4.6 11.2 0.5 | 3.3 0.5 4.2 12.9 1.2 | 9.1 1.6 12.9 36.1 2.7 | 2.7 0.4 4.4 10.6 0.4 | 0.6 0.1 0.8 2.5 0.2 |
| MD MA MI MN MS | 25.5 33.0 50.2 22.9 15.0 | 3.2 4.0 6.1 2.6 2.2 | 4.4 4.9 7.2 3.2 2.4 | 10.6 13.7 20.9 9.5 6.2 | 3.0 3.8 5.8 2.5 2.1 | 0.8 0.9 1.4 0.6 0.5 | VT | 3.0 33.7 27.4 11.2 26.3 2.4 | 0.4 4.4 3.4 1.7 3.1 0.3 | 0.5 6.0 3.9 1.4 4.1 0.3 | 1.3 14.0 11.4 4.7 10.9 1.0 | 0.4 4.2 3.3 1.6 2.9 0.3 | 0.1 1.2 0.8 0.3 0.8 0.1 |

Stimates are offered as a rough guide and should be interpreted with caution. They are calculated according to the ibution of estimated 2004 cancer deaths by state.
Includes other types of cancer, not shown separately. distribution of estimated 2004 cancer deaths by state.

Source: U.S. National Institutes of Health, National Cancer Institute, http://seer.cancer.gov/csr/1975_2002/>.

Source: American Cancer Society, Inc., Atlanta, Georgia, Cancer Facts and Figures—2005 (copyright). https://www.cancer.org/docroot /STT/stt0.asp>.

Table 190. Current Cigarette Smoking: 1990 to 2003

[In percent. Prior to 1995, a current smoker is a person who has smoked at least 100 cigarettes and who now smokes. Beginning 1995, definition includes persons who smoke only "some days." Excludes unknown smoking status. Based on the National Health Interview Survey; for details, see Appendix III]

| Sex, age, and race | 1990 ¹ | 1995 ¹ | 2000 | 2003 | Sex, age, and race | 1990 ¹ | 1995 ¹ | 2000 | 2003 |
|--|--|--|--|--|----------------------------------|---|--|--|---|
| Total smokers, age- adjusted ² | 25.3 | 24.6 | 23.1 | 21.5 | Black, total | 32.5 21.3 33.8 | 28.5 ³ 14.6 25.1 | 26.1 20.8 23.3 | 25.7 18.6 31.0 |
| Male | 28.0 22.9 | 26.5 22.7 | 25.2 21.1 | 23.7 19.4 | 35 to 44 years | 42.0 36.7 21.5 | 36.3 33.9 28.5 | 30.8 32.2 14.2 | 23.6 30.1 18.0 |
| White male | 27.6 32.8 | 26.2 29.4 | 25.5 25.7 | 23.8 25.3 | 65 years and over Female, total | 22.8 | 22.6 | 21.0 | 19.2 |
| White female | 23.5 20.8 | 23.4 23.5 | 22.0 20.7 | 20.1 17.9 | 18 to 24 years | 22.5 28.2 24.8 | 21.8 26.4 27.1 | 25.1 22.5 26.2 | 21.5 21.3 24.2 |
| Total smokers | 25.5 | 24.7 | 23.3 | 21.6 | 45 to 64 years 65 years and over | 24.8 11.5 | 24.0 11.5 | 21.6 9.3 | 20.2 8.3 |
| Male, total | 28.4 26.6 31.6 34.5 29.3 14.6 | 27.0 27.8 29.5 31.5 27.1 14.9 | 25.7 28.5 29.0 30.2 26.4 10.2 | 24.1 26.3 28.7 28.1 23.9 10.1 | White, total | 23.4 25.4 28.5 25.0 25.4 11.5 | 23.1 24.9 27.3 27.0 24.3 11.7 | 21.6 28.7 25.1 26.6 21.4 9.1 | 19.7 23.6 22.5 25.2 20.1 8.4 |
| White, total | 28.0 27.4 31.6 33.5 28.7 13.7 | 26.6 28.4 29.9 31.2 26.3 14.1 | 25.8 30.9 29.9 30.6 25.8 9.8 | 24.0 27.7 28.8 28.8 23.3 9.6 | Black, total | 21.2 ³ 10.0 29.1 25.5 22.6 11.1 | 23.5 8.8 26.7 31.9 27.5 13.3 | 20.8 14.2 15.5 30.2 25.6 10.2 | 18.1 10.8 17.0 23.2 23.3 8.0 |

Data prior to 1997 are not strictly comparable with data for later years due to the 1997 questionnaire redesign.
Estimates age adjusted to the year 2000 standard using five age groups: 18-24 years, 25-34 years, 35-44 years, 45-64 years, 65 years and over.
Oata have a relative standard error of 20-30 percent.

Table 191. Current Cigarette Smoking by Sex and State: 2003

[In percent. Current cigarette smoking is defined as persons who reported having smoked 100 or more cigarettes during their lifetime and who currently smoke every day or some days. Based on the Behavioral Risk Factor Surveillance System, a telephone survey of health behaviors of the civilian, noninstitutionalized U.S. population, 18 years old and over; for details, see source]

| State | Total | Male | Female | State | Total | Male | Female | State | Total | Male | Female |
|-------------------|-------|------|--------|-------|-------|------|--------|-------|-------|------|--------|
| U.S. ¹ | 22.1 | 24.8 | 20.3 | KS | 20.4 | 21.0 | 19.7 | ND | 20.5 | 22.0 | 19.0 |
| | | | | KY | 30.8 | 33.8 | 28.1 | OH | 25.4 | 26.9 | 24.0 |
| AL | 25.3 | 28.5 | 22.4 | LA | 26.6 | 30.3 | 23.2 | OK | 25.2 | 27.8 | 22.7 |
| AK | 26.3 | 30.3 | 21.9 | ME | 23.6 | 23.1 | 24.0 | OR | 21.0 | 23.1 | 18.9 |
| AZ | 21.0 | 23.8 | 18.2 | MD | 20.2 | 23.0 | 17.7 | PA | 25.5 | 27.1 | 24.1 |
| AR | 24.8 | 27.6 | 22.3 | MA | 19.2 | 20.0 | 18.4 | RI | 22.4 | 23.8 | 21.1 |
| CA | 16.8 | 20.5 | 13.2 | MI | 26.2 | 30.2 | 22.3 | SC | 25.5 | 28.5 | 22.8 |
| CO | 18.5 | 19.6 | 17.5 | MN | 21.1 | 22.4 | 19.9 | SD | 22.7 | 24.7 | 20.7 |
| CT | 18.7 | 19.7 | 17.9 | MS | 25.6 | 31.1 | 20.7 | TN | 25.7 | 27.3 | 24.2 |
| DE | 21.9 | 26.0 | 18.2 | MO | 27.3 | 31.2 | 23.8 | TX | 22.1 | 26.7 | 17.6 |
| DC | 22.3 | 26.2 | 19.0 | MT | 19.9 | 19.5 | 20.3 | UT | 12.0 | 14.0 | 9.9 |
| FL | 23.9 | 26.0 | 22.1 | NE | 21.3 | 23.6 | 19.0 | VT | 19.6 | 19.8 | 19.4 |
| GA | 22.8 | 25.8 | 20.0 | NV | 25.2 | 29.0 | 21.3 | VA | 22.1 | 26.4 | 18.0 |
| HI | 17.3 | 20.1 | 14.4 | NH | 21.2 | 22.4 | 20.2 | WA | 19.5 | 20.9 | 18.2 |
| ID | 19.0 | 19.5 | 18.5 | NJ | 19.5 | 21.2 | 17.9 | WV | 27.4 | 27.6 | 27.2 |
| IL | 24.3 | 28.3 | 20.5 | NM | 22.0 | 23.6 | 20.5 | WI | 22.1 | 24.0 | 20.3 |
| IN | 26.1 | 28.6 | 23.8 | NY | 21.6 | 24.8 | 18.8 | WY | 24.6 | 25.2 | 24.1 |
| IA | 21.7 | 22.8 | 20.7 | NC | 24.8 | 28.0 | 21.9 | | | | |

¹ Represents median value among the states and DC. For definition of median, see Guide to Tabular Presentations

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, Morbidity and Mortality Weekly Report, Vol. 53, No. 44, November 12, 2004. https://www.cdc.gov/mmwr.

Table 192. Use of Mammography for Women 40 Years Old and Over by Patient Characteristics: 1990 to 2003

[Percent of women having a mammogram within the past 2 years. Covers civilian noninstitutional population. Based on National Health Interview Survey; see Appendix III] Data years 2001 and 2002 are not available.

| Characteristic | 1990 | 2000 ¹ | 2003 ² | Characteristic | 1990 | 2000 ¹ | 2003 ² |
|---|--------------|---|--------------------------------------|----------------|----------------------|----------------------|----------------------|
| Total ³ | 49.7 | 70.4 64.3 73.6 78.7 67.9 | 69.7 64.4 72.4 76.2 67.7 | 12 years | 36.4 52.7 62.8 | 57.7 69.7 76.2 | 58.1 67.8 75.1 |
| White, non-Hispanic Black, non-Hispanic | 52.7 46.0 | 72.2 67.9 61.2 | | | 28.7 54.8 | 54.8 72.1 | 55.3 71.5 |

Adjusted data—data for 2000 have been reweighted using the 2000 census population controls. ² Data for 2003 are weighted using the 2000 census population controls. ³ Includes all other races not shown separately and unknown education level and poverty status. ⁴ Persons of Hispanic origin may be of any race. ⁵ For explanation of poverty level, see text, Section 13, Income, Expenditures and Wealth.

Source: U.S. National Center for Health Statistics, Health, United States, annual. See also <www.cdc.gov/nchs/hus.htm>.

Source: U.S. National Center for Health Statistics, Health, United States, annual. See also http://www.cdc.gov/nchs/hus.htm>.

Table 193. Substance Abuse Treatment Facilities and Clients: 1995 to 2004

[As of October 2 (1995); as of October 1 (1996-2000); as of March 29 (2002); and as of March 31 (2003-2004). Based on the Uniform Facility Data Set (UFDS)/National Survey of Substance Abuse Treatment Services (N-SSATS) survey, a census of all known facilities that provide substance abuse treatment in the United States and associated jurisdictions. Selected missing data for responding facilities were imputed]

| Primary focus | Number | Primary focus | Number | Type of care and type of problem | Number of clients |
|--|--------------------------------------|--|---------------------------------------|----------------------------------|--|
| FACILITIES | | CLIENTS | | 2004, total ¹ | 1,066,351 |
| 1995 1996 1997 1998 1999 2000 2000 | 10,641 10,860 13,455 15,239 | 1995 1996 1997 1998 2000 2003 | | | 937,626 11,961 103,818 12,946 |
| 2003 | 13,623 13,454 8,340 | Substance abuse treatment services | 1,072,251 733,905 | Both alcohol & drug | 362,103 210,696 493,552 |
| Mental health services | 1,104 219 3,558 233 | General health care Both substance abuse and mental health | 50,922 16,744 251,687 18,993 | problem ² | 855,655 704,248 |

¹ Excludes clients at facilities that did not provide data on type of substance abuse problem treated. ² The sum of clients with a drug problem and clients with both diagnoses. The sum of clients with an alcohol problem and clients with both diagnoses.

Table 194. Drug Use by Type of Drug and Age Group: 2002 and 2003

[In percent.The 2002 Survey changed names from the National Household Survey on Drug Abuse to National Household Survey on Drug Use and Health (NSDUH). Current users are those who used drugs at least once within month prior to this study. Based on a representative sample of the U.S. population age 12 and older, including persons living in households and in some group quarters such as dornitories and homeless shelters. Estimates are based on computer-assisted interviews of about 68,000 respondents. Subject to sampling variability; see source]

| Age and home of during | Ever | used | Curren | t user | Are and time of divis | Ever | used | Curren | t user |
|---|--|--|--|--|---|--|--|--|---|
| Age and type of drug | 2002 | 2003 | 2002 | 2003 | Age and type of drug | 2002 | 2003 | 2002 | 2003 |
| 12 YEARS OLD AND OVER Any illicit drug. Marijuana and hashish Cocaine Crack Heroin Hallucinogens LSD PCP Inhalants Any psychotherapeutic ¹ Interval of the property of the p | 46.0 40.4 14.4 3.6 1.6 10.4 3.2 9.7 19.8 12.6 | 46.4 40.6 14.7 3.3 1.6 14.5 10.3 3.0 9.7 20.1 | 8.3 6.2 0.9 0.2 0.1 0.5 | 8.2 6.2 1.0 0.3 0.1 0.4 0.1 | 18 TO 25 YEARS OLD Any illicit drug. Marijuana and hashish Cocaine Hallucinogens Inhalants Any psychotherapeutic ¹ Alcohol "Binge" alcohol use ² Cigarettes Smokeless tobacco | 59.8 53.8 15.4 24.2 15.7 27.7 86.7 (NA) 71.2 | 60.5 53.9 15.0 23.3 14.9 29.0 87.1 (NA) 70.2 22.0 45.2 | 20.2 17.3 2.0 1.9 0.5 5.4 60.5 40.9 40.8 | 20.3 17.0 2.2 1.7 0.4 6.0 61.4 41.6 40.2 4.7 |
| Pain relievers 1 Tranquilizers 1 Stimulants 1 Methamphetamine 1 Sedatives 1 Alcohol "Binge" alcohol use 2 Cigarettes Smokeless tobacco Cigars Pipes | 12.6 8.2 9.0 5.3 4.2 83.1 (NA) 69.1 19.9 37.4 17.0 | 13.1 8.5 8.8 5.2 4.0 83.1 (NA) 68.7 19.4 37.1 16.9 | 1.9 0.8 0.5 0.3 0.2 51.0 22.9 26.0 3.3 5.4 0.8 | 2.0 0.8 0.5 0.3 0.1 50.1 22.6 25.4 3.3 5.4 0.7 | Cigars 26 TO 34 YEARS OLD Any illicit drug. Marijuana and hashish Cocaine Hallucinogens Inhalants Any psychotherapeutic 1 35 YEARS OLD AND OVER | 45.6 58.3 52.2 17.6 20.6 14.1 24.4 | 57.3 51.0 18.1 20.3 13.6 24.7 | 11.0 10.5 7.7 1.2 0.5 0.1 3.6 | 11.4 10.7 8.4 1.5 0.5 3.4 |
| 12 to 17 YEARS OLD Any illicit drug | 30.9 20.6 2.7 5.7 10.5 13.7 43.4 | 30.5 19.6 2.6 5.0 10.7 13.4 42.9 | 11.6 8.2 0.6 1.0 1.2 4.0 | 11.2 7.9 0.6 1.0 1.3 4.0 | Any illicit drug. Marijuana and hashish Cocaine Hallucinogens Inhalants Any psychotherapeutic ¹ 26 YEARS OLD AND OVER Alcohol | 38.0 15.4 12.6 7.2 18.0 | 38.9 15.9 12.8 7.4 18.3 | 3.1 0.6 0.1 0.1 1.6 | 3.0 0.6 0.1 0.1 1.5 |
| "Binge" alcohol use 2 Cigarettes | (NA) 33.3 8.0 16.3 | (NA) 31.0 7.6 15.1 | 17.6 10.7 13.0 2.0 4.5 | 17.7 10.6 12.2 2.0 4.5 | "Binge" alcohol use ² | (NA) 73.7 20.9 39.0 | (NA) 73.6 20.6 38.7 | 21.4 25.2 3.2 4.6 | 21.0 24.7 3.2 4.5 |

Nonmedical use of any prescription-type pain reliever, tranquilizer, ugs. ² Binge use is defined as drinking five or more drinks on the Represents or rounds to zero. NA Not available. stimulant, or sedative; does not include over-the-counter drugs. same occasion on at least one day in the past 30 days.

Source: U.S. Substance Abuse and Mental Health Services Administration, Uniform Facility Data Set (UFDS): Annual surveys for 1995-1999 and National Survey of Substance Abuse Treatment Services (N-SSATS) 2000, 2002, 2003, and 2004; http://oas.samhsa.gov/oasftp.cfm#Data.

Source: U.S. Substance Abuse and Mental Health Services Administration, Summary of Findings from the 2003 National Household Survey on Drug Use and Health. http://www.oas.samhsa.gov/nhsda.htm#Reports>.

Table 195. Estimated Use of Selected Drugs by State: 2002-2003

[19,497 represents 19,497,000. Data in this table cover a two-year period. The 2002 survey changed names from the National Household Survey on Drug Abuse to National Household Survey on Drug Use and Health (NSDUH). Due to the impact of survey improvements, 2002 data should not be compared with data collected in 2001 or earlier years. Current users are those persons 12 years old and over who used drugs at least once within month prior to this study. Based on national sample of respondents (see also headnote, Table 194). The state estimates were produced by combining the prevalence rate based on the state sample data and the prevalence rate based on a national regression model applied to local-area county and census block group/tract-level estimates from the state. The parameters of the regression model are estimated from the entire national sample. For comparison purposes, the data shown here display estimates for all 50 States and the District of Columbia utilizing the modeled estimates for all 51 areas]

| | ı | Estimated of | current users | s (1,000) | | Current users as percent of population | | | | | |
|-------|-------------|----------------|--|-----------------|-------------------------------|--|----------------|--|-----------------|-----------------|--|
| State | Any illicit | Mari- juana | Any illicit drug other than mari- juana 1 | Ciga- rettes | Binge alcohol ² | Any illicit | Mari- juana | Any illicit drug other than mari- juana | Ciga- rettes | Binge alcohol 2 | |
| U.S | 19,497 | 14,612 | 8,813 | 60,777 | 53,782 | 8.2 | 6.2 | 3.7 | 25.7 | 22.7 | |
| AL | 245 | 160 | 137 | 976 | 669 | 6.6 | 4.3 | 3.7 | 26.4 | 18.1 | |
| | 60 | 49 | 20 | 129 | 116 | 12.0 | 9.8 | 4.0 | 25.7 | 23.1 | |
| | 392 | 251 | 206 | 1,215 | 1,075 | 8.9 | 5.7 | 4.7 | 27.5 | 24.3 | |
| | 173 | 126 | 87 | 730 | 484 | 7.8 | 5.6 | 3.9 | 32.8 | 21.8 | |
| | 2,564 | 1,850 | 1,122 | 5,508 | 6,047 | 9.0 | 6.5 | 3.9 | 19.4 | 21.3 | |
| CO | 410 | 313 | 172 | 985 | 948 | 11.1 | 8.5 | 4.7 | 26.8 | 25.8 | |
| | 249 | 198 | 93 | 678 | 659 | 8.7 | 6.9 | 3.3 | 23.8 | 23.1 | |
| | 58 | 46 | 26 | 174 | 159 | 8.7 | 6.9 | 3.9 | 26.1 | 23.7 | |
| | 56 | 46 | 20 | 125 | 122 | 11.6 | 9.6 | 4.1 | 26.1 | 25.3 | |
| | 1,218 | 919 | 518 | 3,355 | 3,040 | 8.7 | 6.6 | 3.7 | 24.0 | 21.7 | |
| GA | 520 | 340 | 274 | 1,779 | 1,430 | 7.5 | 4.9 | 4.0 | 25.8 | 20.7 | |
| | 88 | 69 | 34 | 217 | 234 | 8.9 | 6.9 | 3.5 | 22.0 | 23.7 | |
| | 79 | 55 | 41 | 260 | 229 | 7.2 | 5.1 | 3.7 | 23.9 | 21.1 | |
| | 772 | 576 | 339 | 2,754 | 2,590 | 7.5 | 5.6 | 3.3 | 26.8 | 25.2 | |
| | 407 | 309 | 180 | 1,427 | 1,122 | 8.1 | 6.1 | 3.6 | 28.3 | 22.3 | |
| IA | 158 | 120 | 77 | 647 | 644 | 6.5 | 4.9 | 3.2 | 26.5 | 26.3 | |
| | 149 | 108 | 68 | 573 | 479 | 6.7 | 4.9 | 3.1 | 26.0 | 21.7 | |
| | 282 | 191 | 148 | 1,178 | 652 | 8.3 | 5.6 | 4.4 | 34.8 | 19.2 | |
| | 292 | 209 | 153 | 1,021 | 859 | 8.1 | 5.8 | 4.2 | 28.3 | 23.8 | |
| | 103 | 88 | 42 | 297 | 241 | 9.3 | 7.9 | 3.8 | 26.8 | 21.7 | |
| MD | 338 | 255 | 154 | 1,039 | 968 | 7.6 | 5.7 | 3.4 | 23.2 | 21.7 | |
| | 500 | 420 | 196 | 1,207 | 1,465 | 9.3 | 7.8 | 3.6 | 22.4 | 27.2 | |
| | 750 | 596 | 300 | 2,336 | 2,026 | 9.1 | 7.2 | 3.6 | 28.2 | 24.5 | |
| | 317 | 266 | 134 | 1,122 | 1,172 | 7.6 | 6.4 | 3.2 | 26.9 | 28.1 | |
| | 152 | 107 | 83 | 680 | 455 | 6.6 | 4.6 | 3.6 | 29.4 | 19.7 | |
| MO | 429 | 316 | 194 | 1,472 | 1,147 | 9.2 | 6.8 | 4.2 | 31.5 | 24.6 | |
| | 81 | 70 | 29 | 212 | 209 | 10.6 | 9.2 | 3.8 | 27.7 | 27.4 | |
| | 109 | 85 | 49 | 367 | 372 | 7.7 | 6.0 | 3.4 | 25.9 | 26.3 | |
| | 183 | 136 | 80 | 543 | 371 | 10.3 | 7.6 | 4.5 | 30.5 | 20.9 | |
| | 120 | 110 | 44 | 281 | 258 | 11.2 | 10.2 | 4.1 | 26.2 | 24.0 | |
| NJ | 494 | 358 | 241 | 1,662 | 1,542 | 7.0 | 5.1 | 3.4 | 23.4 | 21.7 | |
| | 151 | 111 | 69 | 363 | 363 | 10.0 | 7.4 | 4.6 | 24.0 | 24.0 | |
| | 1,416 | 1,167 | 492 | 4,052 | 3,861 | 8.9 | 7.3 | 3.1 | 25.5 | 24.3 | |
| | 536 | 399 | 268 | 2,010 | 1,307 | 7.9 | 5.9 | 4.0 | 29.7 | 19.3 | |
| | 38 | 28 | 17 | 145 | 165 | 7.2 | 5.3 | 3.3 | 27.5 | 31.4 | |
| OH | 756 | 610 | 323 | 2,865 | 2,294 | 8.0 | 6.5 | 3.4 | 30.5 | 24.4 | |
| | 243 | 158 | 125 | 858 | 539 | 8.6 | 5.6 | 4.4 | 30.3 | 19.0 | |
| | 319 | 262 | 126 | 735 | 604 | 10.8 | 8.9 | 4.3 | 25.0 | 20.5 | |
| | 774 | 582 | 355 | 2,858 | 2,357 | 7.5 | 5.6 | 3.4 | 27.7 | 22.8 | |
| | 99 | 86 | 42 | 246 | 243 | 10.9 | 9.6 | 4.6 | 27.3 | 27.0 | |
| SC | 245 | 191 | 121 | 907 | 762 | 7.2 | 5.7 | 3.6 | 26.8 | 22.5 | |
| | 45 | 33 | 21 | 188 | 175 | 7.2 | 5.2 | 3.3 | 30.3 | 28.1 | |
| | 321 | 220 | 175 | 1,343 | 793 | 6.7 | 4.6 | 3.6 | 28.0 | 16.6 | |
| | 1,208 | 829 | 674 | 4,428 | 4,140 | 7.0 | 4.8 | 3.9 | 25.6 | 23.9 | |
| | 115 | 73 | 68 | 304 | 288 | 6.3 | 4.0 | 3.7 | 16.7 | 15.9 | |
| VT | 58 | 52 | 20 | 134 | 135 | 11.0 | 9.8 | 3.9 | 25.4 | 25.5 | |
| | 453 | 352 | 209 | 1,487 | 1,211 | 7.7 | 6.0 | 3.5 | 25.2 | 20.5 | |
| | 499 | 371 | 211 | 1,172 | 1,049 | 10.0 | 7.4 | 4.2 | 23.4 | 20.9 | |
| | 101 | 79 | 54 | 452 | 296 | 6.6 | 5.1 | 3.5 | 29.5 | 19.3 | |
| | 339 | 245 | 165 | 1,167 | 1,313 | 7.5 | 5.4 | 3.6 | 25.8 | 29.0 | |
| | 31 | 23 | 15 | 111 | 103 | 7.5 | 5.4 | 3.7 | 26.8 | 24.9 | |

¹ Any illicit drug indicates use at least once of marijuana/hashish, cocaine (including crack), inhalants, hallucinogens (including PCP and LSD), heroin, or any prescription-type psychotherapeutic used nonmedically. Any illicit drug other than marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included. ² Binge use is defined as drinking five or more drinks on the same occasion on at least one day in the past 30 days. By "occasion" means at the same time or within a couple hours of each other.

Source: U.S. Substance Abuse and Mental Health Services Administration, *National Household Survey on Drug Use and Health, 2003.* https://www.oas.samhsa.gov/nhsda.htm#Reports.

Table 196. Cumulative Percent Distribution of Population by Height and Sex: 1998-2002

[Data are based on National Health and Nutrition Examination Survey. Height was measured without shoes. Based on sample and subject to sampling variability; see source]

| | | | Mal | es | | | Females | | | | | |
|---------------------|-------|-------|-------|----------------------|-------|-------|---------------------------------|---------------------------------|--------------------------|--------------------------|----------------------------------|----------------------------------|
| Height | 20-29 | 30-39 | 40-49 | 50-59 | 60-69 | 70-79 | 20-29 | 30-39 | 40-49 | 50-59 | 60-69 | 70-79 |
| | years | years | years | years | years | years | years | years | years | years | years | years |
| Percent under— 4'8" | | - | - | - - 0.3 0.4 | 0.3 | - | 0.4 0.5 1.8 2.8 5.1 | 0.0 0.2 0.9 2.1 5.3 | 0.1 0.4 1.5 5.0 | 0.4 1.7 2.5 6.7 | 0.6 1.1 2.3 5.0 10.0 | 0.9 1.1 1.8 8.9 16.1 |
| 5'1" | 0.4 | 0.1 | 0.3 | 0.7 | 0.3 | 0.6 | 12.2 | 11.0 | 10.8 | 11.3 | 17.7 | 23.5 |
| | 1.0 | 0.6 | 0.5 | 1.1 | 0.8 | 1.2 | 21.4 | 19.4 | 18.1 | 22.4 | 29.9 | 39.7 |
| | 2.4 | 1.6 | 0.8 | 1.7 | 1.7 | 4.5 | 31.9 | 29.9 | 28.8 | 34.2 | 45.9 | 54.6 |
| | 4.1 | 4.1 | 2.7 | 4.6 | 3.4 | 8.5 | 46.3 | 45.1 | 44.5 | 50.2 | 58.9 | 70.8 |
| | 7.2 | 7.4 | 4.3 | 8.2 | 8.6 | 15.6 | 61.1 | 61.9 | 58.1 | 66.4 | 75.4 | 82.4 |
| | 11.1 | 11.4 | 9.0 | 12.9 | 16.5 | 25.0 | 76.3 | 75.2 | 72.7 | 79.8 | 85.7 | 90.5 |
| 5'7" | 18.0 | 19.5 | 16.0 | 21.1 | 24.7 | 35.6 | 84.7 | 85.4 | 84.6 | 88.2 | 93.6 | 96.0 |
| | 28.2 | 29.3 | 27.0 | 32.7 | 35.5 | 48.6 | 93.5 | 91.6 | 91.6 | 93.0 | 97.7 | 98.6 |
| | 39.1 | 44.4 | 39.5 | 44.9 | 50.4 | 62.2 | 97.4 | 96.9 | 96.0 | 98.0 | 99.8 | 99.3 |
| | 55.1 | 56.1 | 52.7 | 58.8 | 64.8 | 72.7 | 98.8 | 98.3 | 98.6 | 99.1 | 100.0 | 100.0 |
| | 70.5 | 69.3 | 66.4 | 70.2 | 77.5 | 84.6 | 99.8 | 99.3 | 99.6 | 99.7 | 100.0 | 100.0 |
| | 79.8 | 78.9 | 76.4 | 80.8 | 86.8 | 92.2 | 99.8 | 99.5 | 100.0 | 99.8 | 100.0 | 100.0 |
| 6'1" | 87.1 | 87.5 | 87.8 | 88.8 | 93.2 | 95.6 | 100.0 | 99.8 | 100.0 | 100.0 | 100.0 | 100.0 |
| | 91.9 | 92.7 | 92.8 | 95.5 | 97.7 | 99.2 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | 95.8 | 96.7 | 96.3 | 98.1 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁻ Represents or rounds to zero.

Source: U.S. National Center for Health Statistics, unpublished data. See also http://www.cdc.gov/nchs/nhanes.htm.

Table 197. Age-adjusted Percent Distributions of Body Mass Index (BMI) Among Persons 18 Years Old and Over, by Selected Characteristics: 2003

[Body Mass Index (BMI) is a measure that adjusts body weight for height. It is calculated as weight in kilograms divided by height in meters squared. For both men and women, underweight is indicated by a BMI under 18.5; healthy weight is indicated by a BMI greater than or equal to 18.5 and less than 25; overweight is indicated by those who have a BMI equal to 25 and less than 30. Percent who are obese represent those who have a BMI equal to or above 30. BMI is calculated from the information respondents supplied in response to the questions in the survey regarding height and weight. Based on the National Health Interview Survey; for details, see Appendix III]

| Onlanta di alta una attaciati | | | Above | healthy weight | |
|-------------------------------------|------------------|-------------------|-------|----------------|-------------------|
| Selected characteristic | Underweight | Healthy weight | Total | Overweight | Obese |
| Total 1 (age-adjusted) | 2.0 | 39.2 | 58.7 | 35.7 | 23.0 |
| Total ' (crude) | 2.0 | 39.0 | 59.0 | 35.8 | 23.2 |
| Age: ² 18 to 44 years | 2.5 | 43.6 | 53.9 | 33.2 | 20.7 |
| 45 to 64 years | 0.9 | 31.8 | 67.2 | 38.5 | 28.7 |
| 65 to 74 years | 1.6 | 33.3 | 65.1 | 39.9 | 25.2 |
| 75 years and over | 3.7 | 43.7 | 52.6 | 37.3 | 15.3 |
| Sex: | | | | | |
| Male | 0.9 | 32.2 | 66.8 | 44.1 | 22.7 |
| Female | 3.0 | 46.1 | 50.9 | 27.6 | 23.3 |
| Race: | | | | | |
| White alone ³ | 2.0 | 39.5 | 58.5 | 36.3 | 22.2 |
| Black or African American alone 3 | 1.1 | 30.2 | 68.7 | 35.1 | 33.6 |
| American Indian or Alaska Native | | | | | |
| alone ³ | ⁴ 2.9 | 31.9 | 65.2 | 33.8 | 31.4 |
| Asian alone ³ | 6.2 | 63.2 | 30.7 | 24.8 | 5.9 |
| Native Hawaiian or other Pacific | | | | | |
| Islander alone 3 | | ⁴ 32.1 | 67.9 | 42.2 | ⁴ 25.7 |
| Islander alone 3 | ⁴ 2.1 | 39.6 | 58.3 | 31.4 | 26.9 |
| Hispanic or Latino origin status ": | | | | | |
| Hispanic or Latino | 1.1 | 33.9 | 65.0 | 39.8 | 25.2 |
| Not Hispanic or Latino | 2.2 | 39.9 | 57.9 | 35.2 | 22.7 |
| Education: / | | | | | |
| Less than a high school diploma | 1.8 | 32.3 | 65.9 | 37.7 | 28.2 |
| High school diploma or GED | 1.5 | 33.6 | 64.9 | 37.9 | 27.0 |
| Some college | 1.8 | 34.6 | 63.6 | 36.3 | 27.3 |
| Bachelor's degree or higher | 1.6 | 44.4 | 54.0 | 37.1 | 16.9 |

⁻ Represents zero.

Total includes other races not shown separately and persons with unknown characteristics.

Estimates for age groups are not age adjusted.

Refers to persons who indicated only a single race group.

Base figure too small to meet statistical standards for reliability of a derived figure.

Persons of Hispanic origin may be of any race.

Cauchion is shown only for persons of the persons 25 years old and over.

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, Series 10, Number 225, Summary Health Statistics for U.S. Adults: National Health Interview Survey, 2003; http://www.cdc.gov/nchs/products/pubs/pubd/series /ser.htm>

Table 198. Percentage of Adults Engaging in Leisure-Time, Transportation-Related and Household-Related Physical Activity: 2003

[In percent. Covers persons 18 years old and over. Based on responses to questions about physical activity in prior month from the Behavioral Risk Factor Surveillance System. Estimates are age-adjusted to the year 2000 standard population. Based on a survey sample of approximately 257,000 persons in 50 states and the District of Columbia in 2003]

| Characteristic | Persons who meet recom- mended activity ¹ | Persons not meeting recom- mended activity ² | Persons who are physically inactive ³ | Characteristic | Persons who meet recom- mended activity ¹ | Persons not meeting recom- mended activity ² | Persons who are physically inactive 3 |
|---------------------|--|--|---|----------------------------------|--|--|--|
| Total | 46.0 | 54.0 | 24.3 | | | | |
| | | | | 45 to 64 years old | 42.6 | 57.4 | 26.7 |
| Male | 48.2 | 51.8 | 22.0 | 65 to 74 years old | 37.1 | 62.9 | 31.2 |
| Female | 44.0 | 56.0 | 26.3 | 75 years old and | | | |
| 140.0 | 40.0 | = 4.0 | | over | 27.6 | 72.4 | 42.0 |
| White, non-Hispanic | 49.0 | 51.0 | 20.9 | | | | |
| Black, non-Hispanic | 36.3 | 63.7 | 32.7 | School years | | | |
| Hispanic | 37.5 | 62.5 | 36.0 | completed: | 00.0 | 00.0 | 45.7 |
| Other | 43.5 | 56.5 | 25.2 | Less than 12 years | 33.8 | 66.2 | 45.7 |
| Males: | | | | 12 years | 43.1 | 56.9 | 30.5 |
| 18 to 29 years old | 57.8 | 42.2 | 17.1 | Some college (13 to 15 years) | 47.5 | 52.5 | 21.0 |
| 30 to 44 years old | 48.7 | 51.3 | 20.7 | College | 47.5 | 32.3 | 21.0 |
| 45 to 64 years old | 43.2 | 56.8 | 24.4 | (16 or more years) | 51.9 | 48.1 | 13.1 |
| 65 to 74 years old | 45.7 | 54.3 | 24.9 | (10 of more years) | 01.0 | 40.1 | 10.1 |
| 75 years old and | 40.7 | 04.0 | 24.0 | Household income: | | | |
| over | 36.7 | 63.3 | 31.0 | Less than \$10,000 | 34.7 | 65.3 | 42.2 |
| | | | | \$10,000 to \$19,999 | 37.0 | 63.0 | 38.9 |
| Females: | | | | \$20,000 to \$34,999 | 43.6 | 56.4 | 29.4 |
| 18 to 29 years old | 50.1 | 49.9 | 21.9 | \$35,000 to \$49,999 | 47.3 | 52.7 | 21.9 |
| 30 to 44 years old | 47.7 | 52.3 | 23.4 | \$50,000 and over | 53.6 | 46.4 | 13.6 |

¹ Recommended activity is physical activity at least 5 times/week x 30 minutes/time or vigorous physical activity for 20 minutes at time at least 3 times/week. ² Persons whose reported physical activity does not meet recommended level or report no leisure-time, transportation-related, or household-related physical activity. ³ Persons with no reported physical activity.

Table 199. Households and Persons Having Problems With Access to Food: 2000 to 2003

[106,043 represents 106,043,000. Food secure means that a household had access at all times to enough food for an active healthy life for all household members, with no need for recourse to socially unacceptable food sources or extraordinary coping behaviors to meet their basic food needs. Food insecure households had limited or uncertain ability to acquire acceptable foods in socially acceptable ways. Food insecure households with hunger were those with one or more household members who were hungry at least sometime during the period due to inadequate resources for food. The omission of homeless persons may be a cause of underreporting. The severity of food insecurity and hunger in households is measured through a series of questions about experiences and behaviors known to characterize households that are having difficulty meeting basic food needs. These experiences and behaviors generally occur in an ordered sequence as the severity of food insecurity increases. As resources become more constrained, adults in typical households first worry about having enough food, then they stretch household resources and juggle other necessities, then decrease the quality and variety of household members' diets, then decrease the frequency and quantity of adults' food intake, and finally decrease the frequency and quantity of children's food intake. All questions refer to the previous 12 months and include a qualifying phrase reminding respondents to report only those occurrences that resulted from inadequate financial resources. Restrictions to food intake due to dieting or busy schedules are excluded. Data are from the Food Security Supplement to the Current Population Survey (CPS); for details about the CPS, see text, Section 1 and Appendix III]

| Household food | | Number | (1,000) | | | Percent dis | tribution | |
|---|--|--|--|--|--|--|--|--|
| security level | 2000 | 2001 | 2002 | 2003 | 2000 | 2001 | 2002 | 2003 |
| Households, total Food secure Food insecure Without hunger With hunger With hunger annong children 1. | 106,043 94,942 11,101 7,786 3,315 255 | 107,824 96,303 11,521 8,010 3,511 211 | 108,601 96,543 12,058 8,259 3,799 265 | 112,214 99,631 12,583 8,663 3,920 207 | 100.0 89.5 10.5 7.3 3.1 0.7 | 100.0 89.3 10.7 7.4 3.3 0.6 | 100.0 88.9 11.1 7.6 3.5 0.7 | 100.0 88.8 11.2 7.7 3.5 0.5 |
| Adult members | 201,922 181,586 20,336 14,763 5,573 | 204,340 183,398 20,942 14,879 6,063 | 206,493 184,718 21,775 15,486 6,289 | 213,441 190,451 22,990 16,358 6,632 | 100.0 89.9 10.1 7.3 2.8 | 100.0 89.8 10.2 7.3 3.0 | 100.0 89.5 10.5 7.5 3.0 | 100.0 89.2 10.8 7.7 3.1 |
| Child members | 71,763 58,868 12,895 12,334 562 | 72,321 59,620 12,701 12,234 467 | 72,542 59,415 13,127 12,560 567 | 72,969 59,704 13,265 12,845 420 | 100.0 82.0 18.0 17.2 0.8 | 100.0 82.4 17.6 16.9 0.6 | 100.0 81.9 18.1 17.3 0.8 | 100.0 81.8 18.2 17.6 0.6 |

One or more children in these households was hungry at some time during the year because of the household's food insecurity. Percent distribution of households with hunger among children excludes households with no child from the denominator. One or more adults in these households was hungry at some time during the year because of the household's food insecurity.

Source: U.S. National Center for Chronic Disease Prevention and Health Promotion, "Nutrition and Physical Activity"; and unpublished data; http://www.cdc.gov/nccdphp/dnpa.

Source: U.S. Department of Agriculture, Economic Research Service, Household Food Security in the United States, 2003, Food Assistance and Nutrition Research Report No. 42; October 2004; https://www.ers.usda.gov/briefing/foodsecurity/.

Table 200. Nutrition—Nutrients in Foods Available for Civilian Consumption Per Capita Per Day: 1970 to 2000

[Computed by the Center for Nutrition Policy and Promotion (CNPP). Based on Economic Research Service (ERS) estimates of per capita quantities of food available for consumption from "Food Consumption, Prices, and, Expenditures," on imputed consumption data for foods no longer reported by ERS, and on CNPP estimates of quantities of produce from home gardens. Food supply estimates do not reflect loss of food or nutrients from further marketing or home processing. Enrichment and fortification levels of iron, zinc, thiamin, riboflavin, niacin, folate, vitamin A, vitamin B₆, vitamin B₁₂, and Vitamin C are included]

| Nutrient | Unit | 1970-79 | 1980-89 | 1990-99 | 1995 | 2000 |
|---|--|---|---|---|---|---|
| Food energy Carbohydrate Dietary fiber Protein Total fat ¹ Saturated Monounsaturated Polyunsaturated Cholesterol | Kilocalories Grams Milligrams | 3,200 388 19 95 149 51 60 28 440 | 3,400 411 20 98 156 52 63 31 420 | 3,700 472 23 107 157 50 67 33 410 | 3,700 473 23 106 156 50 66 32 400 | 3,900 490 24 110 170 54 72 36 430 |
| Vitamin A Carotenes Vitamin E Vitamin C Thiamin Riboflavin Niacin Vitamin B ₆ Total Folate Folate Folate Vitamin B ₁₂ | Micrograms RAE 3 Micrograms RE 4 Milligrams α-TE 4 Milligrams. Milligrams. Milligrams. Milligrams. Milligrams. Milligrams. Milligrams. Micrograms. Micrograms. DFE Micrograms. | 1,240 550 13.9 110 2.2 2.5 24.0 2.0 317 332 8.9 | 1,210 590 15.6 117 2.5 2.7 28.0 2.2 346 375 8.2 | 1,250 720 17.1 126 2.9 2.9 31.0 2.4 439 505 7.9 | 1,260 720 16.8 126 2.9 2.8 31.0 2.4 375 401 8.0 | 1,260 720 19.2 126 2.9 2.9 32.0 2.4 691 907 8.3 |
| Calcium Phosphorus Magnesium Iron Zinc Copper Potassium Selenium Sodium 7 | Milligrams. | 910 1,490 330 16.3 12.9 1.6 3,430 130 1,350 | 920 1,530 350 19.4 13.9 1.7 3,470 139 1,340 | 960 1,640 380 22.5 14.8 1.9 3,690 160 1,350 | 960 1,630 370 22.3 14.7 1.8 3,650 156 1,340 | 960 1,670 380 23.1 14.9 1.9 3,740 176 1,330 |

² Retinol activity equivalents. ³ Retinol equivalents. Includes other types of fat not shown separately a-Tocopherol equivalents.

⁵ Dietary Folate Equivalents. separately. ⁴ Alpha-Tocopherol equivalents. ⁵ Dietary Folate Equivalents. ⁶ Hettects new terminology from most actual availability.

Reference Intakes reports. ⁷ Does not include amount from processed foods; underestimates actual availability. ⁶ Reflects new terminology from Institute of Medicine's Dietary

Table 201. Per Capita Consumption of Selected Beverages by Type: 1980 to 2003

[In gallons. See headnote, Table 202. Per capita consumption uses U.S. resident population, July 1, for all beverages except coffee, tea, and fruit juices which use U.S. total population, July 1]

| Commodity | 1980 | 1985 | 1990 | 1995 | 1999 | 2000 | 2001 | 2002 | 2003 |
|-----------------------------------|------|------|-------|-------|-------|------|------|------|------|
| Nonalcoholic | (NA) | (NA) | 128.3 | 128.2 | 141.3 | (NA) | (NA) | (NA) | (NA) |
| Milk (plain and flavored) | 27.6 | 26.7 | 25.7 | 23.9 | 22.9 | 22.5 | 22.0 | 21.9 | 21.6 |
| Whole | 17.0 | 14.3 | 10.5 | 8.6 | 8.2 | 8.1 | 7.8 | 7.7 | 7.6 |
| Reduced-fat, light, and skim | 10.5 | 12.3 | 15.2 | 15.3 | 14.8 | 14.4 | 14.2 | 14.2 | 13.9 |
| Tea | 7.3 | 7.1 | 6.9 | 7.9 | 8.2 | 7.8 | 8.2 | 7.8 | 7.6 |
| Coffee | 26.7 | 27.4 | 26.8 | 20.2 | 25.1 | 26.3 | 24.2 | 23.6 | 24.3 |
| Bottled water | 2.4 | 4.5 | 8.0 | 12.1 | 16.4 | 17.4 | 18.8 | 20.7 | 22.0 |
| Carbonated soft drinks | 35.1 | 35.7 | 46.2 | 47.4 | 49.7 | 49.3 | 46.7 | 46.6 | 46.4 |
| Diet | 5.1 | 7.1 | 10.7 | 10.9 | 11.4 | 11.6 | 11.2 | 11.2 | 11.1 |
| Regular | 29.9 | 28.7 | 35.6 | 36.5 | 38.2 | 37.7 | 35.5 | 35.4 | 35.3 |
| Fruit juices | 7.4 | 7.8 | 7.0 | 8.1 | 9.0 | 8.9 | 9.1 | 8.4 | 8.4 |
| Fruit drinks, cocktails, and ades | (NA) | (NA) | 6.3 | 7.7 | 7.7 | (NA) | (NA) | (NA) | (NA) |
| Canned iced tea | (NA) | (NA) | 0.1 | 0.7 | 0.7 | (NA) | (NA) | (NA) | (NA) |
| Vegetable juices | (NA) | (NA) | 0.3 | 0.3 | 0.3 | (NA) | (NA) | (NA) | (NA) |
| Alcoholic | 28.3 | 28.0 | 27.5 | 24.7 | 25.0 | 24.9 | 25.0 | 25.2 | 25.1 |
| Beer., | 24.3 | 23.8 | 23.9 | 21.8 | 21.8 | 21.7 | 21.8 | 21.8 | 21.6 |
| Wine ¹ | 2.1 | 2.4 | 2.0 | 1.7 | 2.0 | 2.0 | 2.0 | 2.1 | 2.2 |
| Distilled spirits | 2.0 | 1.8 | 1.5 | 1.2 | 1.2 | 1.3 | 1.3 | 1.3 | 1.3 |

Beginning 1985, includes wine coolers.

Source: U.S. Department of Agriculture, Economic Research Service, Food Consumption, Prices, and Expenditures, 1970-1997; online at http://www.ers.usda.gov/data/foodconsumption/>.

Source: U.S. Department of Agriculture, Center for Nutrition Policy and Promotion, Nutrient Content of the U.S. Food Supply, 1909–2000, in press. Data also published by Economic Research Service in Food Consumption, Prices, and Expenditures, annual; <www.usda.gov/cnpp/>.

Table 202. Per Capita Consumption of Major Food Commodities: 1980 to 2003

[In pounds, retail weight, except as indicated. Consumption represents the residual after exports, nonfood use and ending stocks are subtracted from the sum of beginning stocks, domestic production, and imports. Based on Census Bureau estimated population]

| Commodity | Unit | 1980 | 1985 | 1990 | 1995 | 2000 | 2002 | 2003 |
|--|---------------------|--------------|--------------|---------------|---------------|---------------|---------------|---------------|
| Red meat, total (boneless, trimmed | | | | | | | | |
| weight) | Pounds | 126.4 | 124.9 | 112.2 | 113.6 | 113.7 | 114.0 | 111.9 |
| Beef | Pounds | 72.1 | 74.6 | 63.9 | 63.5 | 64.5 | 64.5 | 62.0 |
| Veal | Pounds | 1.3 | 1.5 | 0.9 | 0.8 | 0.5 | 0.5 | 0.5 |
| Lamb and mutton | Pounds | 1.0 | 1.1 | 1.0 | 0.9 | 0.8 | 0.9 | 0.8 |
| Pork | Pounds | 52.1 | 47.7 | 46.4 | 48.4 | 47.8 | 48.2 | 48.5 |
| Chicken | Pounds | 40.8 32.7 | 45.6 | 56.2 42.4 | 62.1 48.2 | 67.9 | 70.7 | 71.2 |
| Chicken | Pounds Pounds | 8.1 | 36.4 9.1 | 13.8 | 13.9 | 54.2 13.7 | 56.8 14.0 | 57.5 13.7 |
| Fish and shellfish (boneless, trimmed | l oulius | 0.1 | 0.1 | 10.0 | 10.5 | 10.7 | 14.0 | 10.7 |
| weight) | Pounds | 12.4 | 15.0 | 15 | 14.8 | 15.2 | 15.6 | 16.3 |
| Eggs | Number | 271 | 255 | 234 | 232 | 251 | 254 | 253 |
| Šhell | Number | 236 | 216 | 186 | 172 | 178 | 180 | 181 |
| Processed | Number | 35 | 39 | 48 | 60 | 73 | - 74 | . 72 |
| Dairy products, total ³ | Pounds | 543.1 | 593.6 | 568.0 | 576.2 | 592.3 | 585.3 | 593.9 |
| Payara a pailta | Gallons | 27.9 | 27.1 | 26.2 | 24.6 | 23.2 | 22.7 | 22.5 |
| Beverage milks | Gallons Gallons | 27.6 16.5 | 26.7 13.9 | 25.7 10.2 | 23.9 8.3 | 22.5 7.7 | 21.9 7.3 | 21.6 7.2 |
| Plain reduced-fat milk (2%) | Gallons | 6.3 | 7.9 | 9.1 | 8.0 | 7.1 | 7.0 | 6.9 |
| Plain light and skim milks | Gallons | 3.1 | 3.2 | 4.9 | 6.1 | 6.1 | 5.8 | 5.6 |
| Flavored whole milk | Gallons | 0.6 | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 |
| Flavored milks other than whole | Gallons | 0.6 | 0.7 | 0.8 | 0.8 | 1.0 | 1.2 | 1.2 |
| Buttermilk | Gallons | 0.5 | 0.5 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 |
| Yogurt (excludes frozen) | 1/2 pints | 4.6 | 7.3 | 7.8 | 11.4 | 12.0 | 13.7 | 15.2 |
| Fluid cream products ⁵ | 1/2 pints | 10.5 6.3 | 13.5 8.2 | 14.3 8.7 | 15.6 9.4 | 18.3 11.6 | 19.7 12.1 | 22.2 13.9 |
| Sour cream and dips | 1/2 pints 1/2 pints | 3.4 | 4.3 | 4.7 | 5.4 | 6.1 | 6.7 | 7.5 |
| Condensed and evaporated milks | Pounds | 7.0 | 7.5 | 7.9 | 6.8 | 5.8 | 6.0 | 5.6 |
| Whole milk | Pounds | 3.8 | 3.7 | 3.1 | 2.3 | 2.0 | 2.3 | 2.5 |
| Skim milk | Pounds | 3.3 | 3.8 | 4.8 | 4.5 | 3.8 | 3.7 | 3.1 |
| Cheese ⁷ | Pounds | 17.5 | 22.5 | 24.6 | 26.9 | 29.8 | 30.5 | 30.6 |
| American | Pounds | 9.6 | 12.2 | 11.1 | 11.7 | 12.7 | 12.8 | 12.7 |
| Cheddar | Pounds Pounds | 6.8 | 9.8 6.5 | 9.0 | 9.0 | 9.7 12.0 | 9.6 12.4 | 9.5 12.3 |
| Italian ⁸ | Pounds | 4.4 3.0 | 4.6 | 9.0 6.9 | 10.3 8.0 | 9.3 | 9.7 | 9.6 |
| Other 8 | Pounds | 3.4 | 3.9 | 4.5 | 5.0 | 5.1 | 5.2 | 5.2 |
| Swiss | Pounds | 1.3 | 1.3 | 1.4 | 1.1 | 1.0 | 1.1 | 1.1 |
| Cream and Neufchatel | Pounds | 1.0 | 1.2 | 1.7 | 2.0 | 2.4 | 2.4 | 2.4 |
| Cottage cheese, total | Pounds | 4.5 | 4.1 | 3.4 | 2.7 | 2.6 | 2.6 | 2.7 |
| Lowfat | Pounds | 0.8 | 1.0 | 1.2 | 1.2 | 1.3 | 1.3 | 1.3 |
| Frozen dairy products | Pounds | 26.4 17.5 | 27.9 18.1 | 28.5 15.8 | 29.0 15.5 | 28.0 16.7 | 26.6 16.7 | 26.7 16.7 |
| Lowfat ice cream | Pounds | 7.1 | 6.9 | 7.7 | 7.4 | 7.3 | 6.5 | 6.7 |
| Sherbet | Pounds | 1.2 | 1.3 | 1.2 | 1.3 | 1.2 | 1.3 | 1.3 |
| Frozen yogurt | Pounds | (NA) | (NA) | 2.8 | 3.4 | 2.0 | 1.5 | 1.4 |
| Fats and oils: | | , , | | | | | | |
| Total, fat content only | Pounds | 56.9 | 64.1 | 63.0 | 65.4 | 82.1 | 87.9 | 85.8 |
| Butter (product weight) | Pounds Pounds | 4.5 11.3 | 4.9 10.8 | 4.4 10.9 | 4.5 9.1 | 4.5 7.5 | 4.5 6.5 | 4.2 6.2 |
| Margarine (product weight) Lard (direct use) | Pounds | 2.3 | 1.6 | 1.6 | 1.6 | 1.9 | 2.4 | 2.4 |
| Edible beef tallow (direct use) | Pounds | 1.1 | 2.0 | 0.6 | 2.7 | 4.0 | 3.4 | 3.8 |
| Shortening | Pounds | 18.2 | 22.9 | 22.2 | 22.2 | 31.3 | 34.1 | 32.5 |
| Salad and cooking oils | Pounds | 21.2 | 23.5 | 25.2 | 26.5 | 33.7 | 37.7 | 37.3 |
| Other edible fats and oils | Pounds | 1.5 | 1.6 | 1.2 | 1.6 | 1.5 | 1.5 | 1.5 |
| Flour and cereal products 9 | Pounds | 144.7 | 156.5 | 180.7 | 188.5 | 198.9 | 191.4 | 194.0 |
| Wheat flour | Pounds Pounds | 116.9 9.4 | 124.6 9.1 | 135.9 15.6 | 140.0 16.9 | 146.3 18.6 | 136.7 19.3 | 137.9 20.1 |
| Rice, milled | Pounds | 12.9 | 17.2 | 21.4 | 24.9 | 28.4 | 29.7 | 30.3 |
| Oat products | Pounds | 3.9 | 4.0 | 6.5 | 5.4 | 4.3 | 4.5 | 4.6 |
| Oat products | Pounds | 120.2 | 126.2 | 132.4 | 144.1 | 148.8 | 146.1 | 141.7 |
| Sugar, refined cane and beet | Pounds | 83.6 | 62.7 | 64.4 | 64.9 | 65.5 | 63.2 | 61.1 |
| Corn sweeteners 11 | Pounds | 35.3 | 62.2 | 66.8 | 77.9 | 81.8 | 81.5 | 79.2 |
| High-fructose corn syrup | Pounds | 19.0 | 45.2 | 49.6 | 57.6 | 62.6 | 62.8 | 60.9 |
| Other: | Bounda | 2.4 | 16 | E A | 4 5 | E 0 | 4.0 | E 7 |
| Cocoa beans | Pounds | 3.4 10.3 | 4.6 10.5 | 5.4 10.3 | 4.5 7.9 | 5.9 10.3 | 4.9 9.2 | 5.7 9.5 |
| Peanuts (shelled) | Pounds | 5.0 | 6.4 | 6.1 | 5.6 | 5.8 | 5.8 | 6.3 |
| Tree nuts (shelled) | Pounds | 1.79 | 2.45 | 2.42 | 1.92 | 2.54 | 2.86 | 2.93 |
| | | 1 | | | | | | |

NA Not available.

Excludes edible offals.

Excludes shipments to Puerto Rico and the other U.S. possessions.

Milk-equivalent, milkfat basis. Includes butter.

Fluid milk figures are aggregates of commercial sales and milk produced and consumed on farms.

Includes eggnog, not shown separately.

Heavy cream, light cream, and half-and-half.

Excludes full-skim American, cottage, pot, and baker's cheese.

Includes other cheeses not shown separately.

Includes other cheeses not shown separately.

Includes other cheeses not shown separately.

Includes glucose and dextrose not shown separately.

Source: U.S. Department of Agriculture, Economic Research Service, Food Consumption, Prices, and Expenditures, 1970–1997; and online at https://www.ers.usda.gov/data/foodconsumption/>.

Table 203. Per Capita Utilization of Commercially-Produced Fruits and Vegetables: 1980 to 2003

[In pounds, farm weight. Domestic food use of fresh fruits and vegetables reflects the fresh-market share of commodity production plus imports and minus exports]

| Commodity | 1980 | 1985 | 1990 | 1995 | 1999 | 2000 | 2001 | 2002 | 2003 |
|--|--|---|---|--|---|---|--|---|---|
| Fruits and vegetables, total ¹ Fruits, total Fresh fruits Noncitrus Apples Bananas Cantaloupes Grapes Peaches and nectarines Pears Pineapples Plums and prunes Strawberries Watermelons Other ² Fresh citrus Oranges Grapefruit Other ³ Processed fruits Frozen fruits ⁴ Dried fruits ⁶ Canned fruits ⁶ Canned fruits ⁶ | 606.3 267.9 105.1 179.0 19.4 20.8 4.0 7.1 2.6 1.5 2.0 10.7 3.6 26.1 14.3 7.3 4.5 162.8 3.1 11.2 24.6 | 631.5 271.5 110.8 89.4 17.4 23.5 6.9 5.5 2.8 1.5 5.4 21.5 5.4 4.4 160.7 3.3 12.8 20.9 | 659.2 273.2 116.6 95.3 19.8 24.3 9.2 8.0 5.5 3.3 2.0 21.4 4.4 4.6 6 156.6 3.8 12.1 21.0 | 691.5 283.7 122.9 99.1 18.9 99.1 7.5 5.3 3.4 1.9 0.9 4.1 15.8 23.8 6.0 6.0 6.0 160.9 4.8 12.6 17.3 | 712.0 291.7 129.8 109.4 18.7 30.7 11.4 8.1 5.3 3.6 3.0 1.3 4.6 15.2 7.6 20.4 8.4 5.7 6.2 161.9 4.7 10.1 | 709.4 286.9 128.0 104.5 17.6 28.4 11.1 7.43 3.4 3.2 4.9 13.8 8.1 23.5 1.2 6.7 158.9 4.3 10.7 158.9 | 686.3 275.5.7 101.8 15.8 26.6 11.2.7 5.2 3.3 3.2 15.0 8.3 23.9 14.8 7.2 14.9 7.0 10.2 17.6 | 681.5 271.1 126.9 103.6 16.2 26.8 11.7 5.2 3.1 3.8 1.3 4.6 14.0 8.8 23.4 11.7 4.6 7.0 144.1 4.7 10.4 | 691.5 274.9 126.7 102.8 16.7 26.2 10.8 7.5 5.2 3.1 4.4 1.2 5.0 13.8 9.0 23.9 11.9 4.1 8.0 148.2 4.5 10.0 17.1 |
| Vegetables, total Fresh vegetables Asparagus (all uses) Broccoli Cabbage Carrots Cauliflower Celery (all uses) Corn Cucumbers Head lettuce Mushrooms Onions Snap beans Bell peppers (all uses) Potatoes Sweet potatoes (all uses) Tomatoes Other fresh vegetables Selected vegetables for freezing. Selected vegetables for canning Vegetables for chips Pulses 10 | 123.2 338.4 151.4 8.0 6.2 1.1 7.4 6.5 3.9 25.6 1.2 11.4 12.8 187.0 51.5 102.5 10.5 1.5 10.5 | 123.4 360.0 158.6 0.5 2.6 8.7 6.5 1.8 6.9 6.4 4.4 23.7 1.8 13.6 1.3 3.8 46.3 14.9 10.1 201.4 64.5 99.0 12.8 17.6 | 386.1 170.7 0.6 3.4 8.3 2.2 7.2 6.7 4.7 2.7.7 2.0 15.1 1.1,5 46.7 4.4 15.5 11.6 215.4 60.8 114.6 14.6 14.6 | 125.8 407.8 181.5 0.6 4.3 11.2 1.6 6.9 7.8 1.6.2 2.0 2.0 17.8 1.6.2 49.2 16.8 14.2 26.2 78.8 10.5 10 | 127.4 420.3 197.7 0.9 6.2 7.6 9.3 1.8 6.5 9.1 24.9 2.5 18.5 1.9 3.7 47.9 18.0 18.1 222.6 80.9 102.8 14.6 15.9 10.9 | 126.2 422.5 198.0 5.9 9.2 1.7 6.2 9.0 6.4 23.5 2.6 18.9 2.0 47.4 4.2 18.0 19.0 224.5 79.6 103.1 17.4 16.0 8.4 | 114.4 410.8 194.5 0.9 5.4 8.9 9.4 1.5 6.2 23.0 2.6 18.5 2.2 18.3 216.3 78.3 97.5 15.6 17.6 | 111.8 410.4 193.5 1.0 5.3 8.4 1.4 6.3 9.0 22.5 22.5 2.6 19.3 2.1 2.1 20.5 216.9 76.5 100.6 15.9 16.4 7.5 | 416.6 416.6 19.5 7.7 7.5 8.8 1.7 6.1 9.7 6.1 21.4 2.0 46.6 4.7 18.1 221.0 78.9 100.6 16.9 17.3 |

¹ Excludes wine grapes.
2 Apricots, avocados, cherries, cranberries, kiwifruit, mangoes, papayas, and honeydew melons.
3 Lemons, limes, tangerines, and tangelos.
4 Apples, apricots, blackberries, blueberries, boysenberries, cherries, loganberries, peaches, plums, prunes, raspberries, and strawberries.
5 Apples, apricots, dates, figs, peaches, pears, prunes, and raisins.
6 Apples, apricots, cherries, olives, peaches, pears, pineapples, plums, and prunes.
7 Apple, cranberry, grape, grapefruit, lemon, lime, orange, pineapple, and prunes.
8 Artichokes, brussels sprouts, eggplant, escarole, endive, garlic, romaine, leaf lettuce, radishes, spinach, and squash. Beginning 2000, includes collard greens, kale, mustard greens, okra, pumpkin, and turnip greens.
9 Onions and potatoes.

Source: U.S. Department of Agriculture, Economic Research Service, Food Consumption, Prices, and Expenditures, 1970-1997; online at http://www.ers.usda.gov/data/foodconsumption/>.